

# THE ENERGY KING

## Platinum Series



## WINDOW CATALOG



DOUBLE HUNG • SLIDER  
CASEMENT • AWNING  
FIXED LITE • HOPPER  
BAY & BOW • GARDEN  
ARCHITECTURAL SHAPES  
SLIDING PATIO DOORS



# THE ENERGY KING

## Windows & Doors



### OPTIONS AVAILABLE

FRAMES / SASHES	GOOD Pro100 series	Better Pro150 series	Best Pro200 series
<b>ORIEL CONFIGURATIONS</b> Percentage of top sash (double hungs only)			👑
<b>FOAM FILLED</b> energy efficient foamed profile		👑	👑
INTERIOR & EXTERIOR FINISHES			
<b>WHITE INTERIOR &amp; EXTERIOR</b>	👑	👑	👑
<b>EXTERIOR PAINT COLOR</b> (interior white or Wood Grain laminate)		👑	👑
<b>INTERIOR WOOD GRAIN LAMINATE</b> (exterior white or paint color)		👑	👑
GLASS PACKAGES			
<b>CLEAR GLASS</b>	👑		
<b>OBSCURE GLASS</b>	👑	👑	👑
<b>STANDARD STRENGTH GLASS PANES</b>	👑	👑	
<b>DOUBLE STRENGTH GLASS PANES</b> (LIFETIME WARRANTY - residential glass breakage warranty)			👑
<b>STANDARD STRENGTH TRIPLE GLAZED</b>		👑	👑
<b>DOUBLE STRENGTH TRIPLE GLAZED</b>			👑
<b>TEMPERED GLASS</b>			👑
GRIDS			
<b>WHITE - FLAT &amp; CONTOUR GRIDS</b> Colonial   Prairie   Perimeter	👑	👑	👑
<b>PAINTED - CONTOUR GRIDS</b> Colonial   Prairie   Perimeter (two tone: 1 side painted - other side either white or wood grain)		👑	👑
<b>WOOD GRAIN - CONTOUR GRIDS</b> Colonial   Prairie   Perimeter (two tone: 1 side wood grain - other side either white or painted)		👑	👑
ADDITIONAL OPTIONS			
<b>SCREENS</b> comes with half screen, but can be ordered with FULL FLEXSCREEN OR NO SCREEN (varies depending on window model type)	👑	👑	👑

All windows are **Manufactured Size** (Tip To Tip - Exact Size) **Replacement Windows** (Nail fin can be order to make them New Construction Models)  
All windows come **Standard** with **LOW-E** and **ARGON GAS** insulated glass - including **SUPER SPACER®** technology

#### AVAILABLE TO ALL MODELS

**EXTERIOR TRIMS:** Nail Fin • Nail Fin with Built in J Channel • Brick Mould

**INTERIOR:** Finger Joint Primed Extension Jambs • Drywall Receiver



# DOUBLE HUNG

Pro100



Think about this:

The spacer system

you choose is just as important as the window!





*Features*

- **CLEAR** glass or **LOW-E** with **ARGON GAS**
- **TRUE SLOPED SILL** construction for ease of cleaning & positive drainage
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen
- **CONSTANT BALANCE SYSTEM** made with high yield stainless steel for strength and durability
- **DUAL VENT STOPS**
- **3¼" FULLY WELDED FRAME**
- **DUAL JAMB ADJUSTORS**
- **INTERNAL ALUMINUM REINFORCEMENT**
- **FULLY WELDED FRAME & SASH**
- **BOTH SASHES TILT IN** for easy cleaning
- **DOUBLE LOCKS** included on widths of 27½" and over
- **BALANCE COVERS**



inside view

## Window Options







# DOUBLE HUNG

Pro150



Super Spacers  
SEALED



Features

- **STANDARD STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER®** technology
- **TRUE SLOPED SILL** construction for ease of cleaning & positive drainage
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen with **BETTER VUE®** screening (provides improved visibility, enhanced insect performance, air flow and light transmission)
- **RIGID ALUMINUM** sash reinforcement
- **CONSTANT BALANCE SYSTEM** made with high yield stainless steel for strength and durability
- Energy Efficient **FOAMED PROFILES**
- **DOUBLE LOCKS** included on widths of 27½" and over
- **BALANCE COVERS**
- **3¼" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications



## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)



### INTERIOR WOOD GRAIN COLORS


(wood grain color choices - natural oak or cherry)

NATURAL OAK


CHERRY

### STANDARD STRENGTH TRIPLE PANE

Two panes of Low-E glass and one pane of clear glass with argon gas in both chambers




### Privacy Plus Performance OBSCURED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning

GRIDS  
PATTERNS  
AVAILABLE




FINGER JOINT  
PRIMED  
EXTENSION  
JAMBS



1/4" BRICK MOULD



NAILING  
FIN



NAIL FIN  
WITH  
J CHANNEL



# DOUBLE HUNG

## Platinum Pro200



*Features*

- **DOUBLE STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER®** technology
- **TRUE SLOPED SILL** construction for ease of cleaning & positive drainage
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen with **BETTER VUE®** screening (provides improved visibility, enhanced insect performance, air flow and light transmission)
- **RIGID ALUMINUM** sash reinforcement
- **CONSTANT BALANCE SYSTEM** made with high yield stainless steel for strength and durability
- Energy Efficient **FOAMED PROFILES**
- **DOUBLE LOCKS** included on widths of 27½" and over
- **BALANCE COVERS**
- **3¼" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications

*Super Spacer*  
**SEALED**



inside view

## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS

(wood grain color choices - natural oak or cherry)



### STANDARD STRENGTH TRIPLE PANE OR DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS




### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning



CONTOUR GRIDS



FLAT GRIDS

**GRIDS PATTERNS AVAILABLE**




**FINGER JOINT PRIMED EXTENSION JAMBS**



**1¼" BRICK MOULD**



**NAILING FIN**



**NAIL FIN WITH J CHANNEL**




# 2 LIGHT SLIDER



## Features

- **CLEAR** glass or **LOW-E** with **ARGON GAS**
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen
- **INTERNAL ALUMINUM REINFORCEMENT**
- **FULLY WELDED FRAME & SASH**
- **BOTH SASHES SLIDE**
- **FULL INTERLOCK AT THE MEETING RAIL**
- **LIFT OUT SASH** for easy cleaning from the inside
- **DOUBLE LOCKS** included on heights of 27½" and over
- **3¼" FULLY WELDED FRAME**



inside view






Think about this:

The spacer system

you choose is just as important as the window!

## Window Options






# 2 LIGHT SLIDER

**Pro152**



*Features*

- **STANDARD STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER**® technology
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen with **BETTER VUE**® screening provides improved visibility, enhanced insect performance, air flow and light transmission
- **INTERNAL ALUMINUM REINFORCEMENT**
- **FULLY WELDED FRAME & SASH**
- **BOTH SASHES SLIDE**
- **FULL INTERLOCK AT THE MEETING RAIL**
- Energy Efficient **FOAMED PROFILES**
- **LIFT OUT SASH** for easy cleaning from the inside
- **DOUBLE LOCKS** included on heights of 27½" and over
- **3¼" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications



inside view

## Window Options

### EXTERIOR PAINTED COLORS (interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS (wood grain color choices - natural oak or cherry)




### STANDARD STRENGTH TRIPLE PANE

Two panes of Low-E glass and one pane of clear glass with argon gas in both chambers




### Privacy Plus Performance OBSCURED GLASS




Grids are installed between the glass panes during manufacturing for easy cleaning

GRIDS PATTERNS AVAILABLE



CONTOUR GRIDS

FLAT GRIDS




FINGER JOINT PRIMED EXTENSION JAMBS



1¼" BRICK MOULD



NAILING FIN



NAIL FIN WITH J CHANNEL






# 2 LIGHT SLIDER

## Platinum Pro220



*Features*

- **DOUBLE STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER®** technology
- **SILL EXTENSION** with dual durometer for ease of installation
- **EXTRUDED** ½ screen with **BETTER VUE®** screening provides improved visibility, enhanced insect performance, air flow and light transmission
- **INTERNAL ALUMINUM REINFORCEMENT**
- **FULLY WELDED FRAME & SASH**
- **BOTH SASHES SLIDE**
- **FULL INTERLOCK AT THE MEETING RAIL**
- Energy Efficient **FOAMED PROFILES**
- **LIFT OUT SASH** for easy cleaning from the inside
- **DOUBLE LOCKS** included on heights of 27½" and over
- **3¼" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications



inside view

## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS

(wood grain color choices - natural oak or cherry)



### STANDARD STRENGTH TRIPLE PANE OR DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS



### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning




CONTOUR GRIDS



FLAT GRIDS

**GRIDS PATTERNS AVAILABLE**




**FINGER JOINT PRIMED EXTENSION JAMBS**



**1¼" BRICK MOULD**



**NAILING FIN**



**NAIL FIN WITH J CHANNEL**





# 3 LIGHT SLIDER

## Pro130

*Features*

- **ALL MODELS** include **LOW-E GLASS** with **ARGON GAS** and **SUPER SPACER®** Technology
- **SILL EXTENSION** with dual durometer for ease of installation
- **DOUBLE LOCKS** included on heights of 27½" and over
- **CENTER SASH** is fixed
- **LEFT & RIGHT SASH SLIDE**
- **HALF SCREEN** in sash ends
- **¾" FULLY WELDED FRAME**
- **FULLY WELDED SASH**
- **FULL INTERLOCK** at the meeting rail




inside view of ¼ - ½ - ¼ unequal configuration




Think about this:

The spacer system you choose is just as important as the window!



Equal Configurations ⅓ - ⅓ - ⅓



Unequal Configurations ¼ - ½ - ¼

## Window Options

also available in  
**CLEAR GLASS**  
and  
Privacy Plus Performance  
**OBSCURED GLASS**

Grids are installed between the glass panes during manufacturing for easy cleaning

**GRID DETAILS** for traditional grids

**GRIDS PATTERNS**

**FLAT GRIDS**      **CONTOUR GRIDS**

**1¼" BRICK MOULD**

**NAIL FIN WITH J CHANNEL**

**FINGER JOINT PRIMED EXTENSION JAMBS**

**NAILING FIN**




# 3 LIGHT SLIDER

## Platinum Pro230

available in equal configuration 1/3 - 1/3 - 1/3 or unequal configuration 1/4 - 1/2 - 1/4


*Features*

- **DOUBLE STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER**® technology
- **SILL EXTENSION** with dual durometer for ease of installation
- **DOUBLE LOCKS** included on heights of 27½" and over
- **CENTER SASH** is fixed
- **LEFT & RIGHT SASH SLIDE**
- **FULLY WELDED FRAME & SASH**
- **FULL INTERLOCK** at the meeting rail
- Energy Efficient **FOAMED PROFILES**
- **LIFT OUT SASH** for easy cleaning from the inside
- **EXTRUDED 1/2** screen with **BETTER VUE**® screening in sash ends




inside view of 1/4 - 1/2 - 1/4 unequal configuration

**LIFETIME RESIDENTIAL WARRANTY**  
GLASS BREAKAGE



Equal Configurations 1/3 - 1/3 - 1/3



Unequal Configurations 1/4 - 1/2 - 1/4



## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS

(wood grain color choices - natural oak or cherry)



### STANDARD STRENGTH TRIPLE PANE or DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS



### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning




CONTOUR GRIDS

GRIDS PATTERNS AVAILABLE



FLAT GRIDS




FINGER JOINT PRIMED EXTENSION JAMBS



1¼" BRICK MOULD



NAILING FIN



NAIL FIN WITH J CHANNEL



# CASEMENTS

## Platinum Pro8100/9100



Features

- **DOUBLE STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER**® technology
- **MULTI POINT LOCKING SYSTEMS** secures the sash sequentially from bottom to top
- **MULTI POINT LOCK ACTUATOR** engages or disengages the multi-point locking system with one single lever design
- **OPERATOR HARDWARE** - pulls the sash to provide maximum closing power. The operator handle folds down to minimize interference with draperies and blinds. Opens to 90 degrees for easy cleaning from the inside of the house
- **FLEXSCREEN**® The world's first and only flexible window screen.  **FLEXSCREEN.**
- **3 3/4" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications 

Super Spacer®  
SEALED

**LIFETIME RESIDENTIAL WARRANTY**  
GLASS BREAKAGE



outside view



## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS

(wood grain color choices - natural oak or cherry)



### STANDARD STRENGTH TRIPLE PANE OR DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS




### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning




CONTOUR GRIDS



FLAT GRIDS

**GRIDS PATTERNS AVAILABLE**




**FINGER JOINT PRIMED EXTENSION JAMBS**



**1 1/4" BRICK MOULD**



**NAILING FIN**



**NAIL FIN WITH J CHANNEL**







# AWNING

## Platinum Pro8100/9100



*Features*

- **DOUBLE STRENGTH** insulated **LOW-E** with **ARGON GAS** glass sealed including **SUPER SPACER®** technology
- **DUAL LOCK ACTUATORS** secures the sash
- **OPERATOR** - The operator handle folds down to minimize interference with draperies and blinds.
- **FULL FUSION WELDED FRAME CORNERS** provide strength and rigidity
- **FULL FUSION WELDED SASH CORNERS** provide stability for the sash structure
- **FLEXSCREEN®** The world's first and only flexible window screen.   
**FLEXSCREEN.**
- **3 1/4" FULLY WELDED FRAME**
- Meets **ENERGY STAR** specifications 



outside view

**LIFETIME  
RESIDENTIAL  
WARRANTY  
GLASS BREAKAGE**



## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)



### INTERIOR WOOD GRAIN COLORS


(wood grain color choices - natural oak or cherry)

NATURAL OAK

CHERRY

### STANDARD STRENGTH TRIPLE PANE OR DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS



### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning


**GRIDS  
PATTERNS  
AVAILABLE**



CONTOUR GRIDS



FLAT GRIDS




**FINGER  
JOINT  
PRIMED  
EXTENSION  
JAMBS**



**1/4" BRICK MOULD**



**NAILING  
FIN**



**NAIL FIN  
WITH  
J CHANNEL**




# HOPPER

## Pro140

*Features*

- **3/4" FULLY WELDED FRAME**
- **FULLY WELDED SASH**
- **ALL MODELS** include **LOW-E GLASS** and **ARGON GAS** plus **SUPER SPACER®** Technology
- **SILL EXPANDER**
- **HEAVY DUTY CAM LOCKS**  
engineered beauty, strength, and safety. Used the force of an impacted window sash to absorb and work with the impact driving sash to frame. Security peace of mind
- **INTEGRAL EXTRUDED LIFT HANDLE**  
the lift rail (or handle) as an integral part of the sash extrusion increases the strength of the window and allowing ease of opening & closing






inside view

Think about this:

The **spacer system** you choose is just as important as the window!



## Window Options





# FIXED LIGHT


Pro110



## Features

- **STANDARD** or **DOUBLE STRENGTH** insulated **LOW-E GLASS** with **ARGON GAS**, glass sealed with **SUPER SPACER®** Technology
- **SILL EXTENSION** with dual durometer for ease of installation
- **3 1/4" FULLY WELDED FRAME**

Think about this:  
The **spacer system** you choose is just as important as the window!



outside view

## Window Options





also available in **CLEAR GLASS** and **Privacy Plus Performance OBSCURED GLASS**

Grids are installed between the glass panes during manufacturing for easy cleaning

**GRID DETAILS** for traditional grids


**GRIDS PATTERNS**


**FLAT GRIDS**      **CONTOUR GRIDS**

**STANDARD STRENGTH TRIPLE PANE** or **DOUBLE STRENGTH TRIPLE PANE**

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



High Performance Low-E Coating  
Argon Gas Fill  
Super Spacer™



**FINGER JOINT PRIMED EXTENSION JAMBS**

**1 1/4" BRICK MOULD**



**NAIL FIN WITH J CHANNEL**



**NAILING FIN**








# FIXED LIGHT

## Platinum Pro210



### Features

- **3 1/4" FULLY WELDED FRAME**
- **STANDARD** or **DOUBLE STRENGTH** insulated **LOW-E GLASS** with **ARGON GAS**, glass sealed with **SUPER SPACER®** Technology
- **SILL EXTENSION** with dual durometer for ease of installation
- Energy efficient foamed profiles meets **ENERGY STAR** specifications



outside view

**LIFETIME RESIDENTIAL WARRANTY**  
GLASS BREAKAGE

Think about this:

The spacer system you choose is just as important as the window!



## Window Options

### EXTERIOR PAINTED COLORS

(interior color is white or wood grain)




### INTERIOR WOOD GRAIN COLORS

(wood grain color choices - natural oak or cherry)



### STANDARD STRENGTH TRIPLE PANE or DOUBLE STRENGTH TRIPLE PANE

Two panes (standard strength or double strength) of Low-E glass and one pane of clear glass with argon gas in both chambers



### Privacy Plus Performance OBSCURED GLASS




### TEMPERED GLASS



Grids are installed between the glass panes during manufacturing for easy cleaning




CONTOUR GRIDS



FLAT GRIDS

**GRIDS PATTERNS AVAILABLE**




**FINGER JOINT PRIMED EXTENSION JAMBS**



**1/4" BRICK MOULD**



**NAILING FIN**



**NAIL FIN WITH J CHANNEL**



**EK**  
ENERGY KING

**Manufacturers of**

**Replacement & New Construction Vinyl Windows • Entrance Doors • Patio Doors**

**COMFORT**  **QUALITY**  **CONFIDENCE**



**VINYL WINDOW  
SERIES**



Designed to provide  
continual value for your home

**WINDOWS**



**ENTRY DOOR  
COLLECTION**



A focal point for the home, a reflection  
of the owner's style and sensibilities

**ENTRANCE DOORS**



**SLIDING  
PATIO DOORS**



Create a dramatic appearance; enhance  
the beauty and functionality of any home

**PATIO DOORS**

**THE**  
**ENERGY KING**   
**Windows & Doors**  
[www.energykingwindows.com](http://www.energykingwindows.com)