








ABOUT MMI DOOR

YOUR DOORWAY TO A BEAUTIFUL HOME

For over 67 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. Strict quality control standards are followed, allowing us to deliver maximum value. With one of the largest and most diverse inventories in the country, MMI DOOR offers product choices that are second to none.



ABOUT **JELD-WEN** DEDICATION FROM DAY ONE

Since 1960, when JELD-WEN began with one millwork plant, we've been dedicated to crafting windows and patio doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable and worry-free. It's the result of innovation as a driving force in all that we do.

It begins in the forests where we harvest our premium lumber. In addition to responsible reforestation practices, we recycle as much of our raw resources as possible. Innovation is also at the heart of our design and manufacturing process. With JELD-WEN, you can expect products that are more than just beautiful on the outside. The inner workings of our doors are engineered to function flawlessly for years to come.

WELCOME HOME

- CHOOSE YOUR DOOR 1
 - DOOR GLASS 2
- PRE-FINISH PROGRAM 3-4
 - FIBERGLASS DOORS 5-6
 - STEEL DOORS 7-8
- COMPONENTS & HARDWARE 9-10
 - DOOR FRAMES 11-13
 - ASTRAGALS 14
 - GLASS-LITE FRAMES 15
- HARDWARE & ACCESSORIES 16
 - TRILENNIUM® 17
 - PET DOORS 18
 - PATIO & DOUBLE DOORS 19-22
 - FIRE-RATED DOORS 23-24
- SEVERE WEATHER FIBERGLASS DOORS 25-28
 - ARCHITECTURAL COLLECTION 29-32
 - SIMULATED DIVIDED LITES 33-34
 - CRAFTSMAN COLLECTION 35
 - SPOTLIGHTS™ COLLECTION **36**

DECORATIVE GLASS

- BEAUFORT 37
- ELEGANT STAR 38
 - GRACE 39
 - HARRIS **40**
 - HEIRLOOMS 41
 - MAJESTIC 42
 - MONTCLAIRE 43
 - NOUVEAU **44**
 - OAK PARK **45**
 - PEMBROOK 46
 - SELWYN 47

TEXTURED PRIVACY GLASS

- BLANCA 48
- CHINCHILLA 49
 - RAIN **50**
 - VAPOR **51**
- SPECIAL ORDER 52-53
- MINI BLINDS COLLECTION 54
- GRILLES BETWEEN GLASS COLLECTION 55-56
 - CLASSIC COLLECTION 57-60
 - EXTERIOR DOOR ORDER FORM 61
 - OPENINGS 62
 - WARRANTIES 63-64



866CHI Shown in Fiberglass Fir Grain Cherry Stain



Combining our extensive selection of premium fiberglass, fiberglass and steel door styles with 16 stocked collections and 40 special order collections of decorative, energy efficient glass designs allows you to create the perfect exterior door for every application


"Replacing your front door can increase the perceived value of your home 6%" – ODL Proprietary Research

ase

CHOOSE YOUR DOOR

MMI DOOR offers one of the widest selections of fiberglass and steel entry doors in the country. We understand the need and desire for custom millwork products and have based our diverse product offering around that simple fact. Sometimes, with all of the options that are available, simplification is key. Follow these 5 easy steps to choose your new entry door from MMI DOOR.

1. CHOOSE YOUR DOOR CONFIGURATION





3. CHOOSE YOUR GLASS DESIGN

We stock 16 decorative glass collections some with multiple caming options. Plus, we offer over **40** special order decorative glass collections. Here are a few examples



4. CHOOSE YOUR DOOR SURFACE



5. CHOOSE YOUR DOOR FINISH

Choose from our 19 Paint Colors and 6 Stain Colors!



Same Color

Both Sides



Different Color

Both Sides




Stain One Side Paint on other Side



Same Stain Both Sides

DOOR GLASS

DECORATIVE GLASS COLLECTION



ELEGANT STAR (WI) p. 38	GRACE p. 39
(WI) p. 38 OAK PARK p. 45	
RK p. 45	PEMBROOK p. 46









CAMING OPTIONS

Caming is the metal banding that joins panels of glass together in a unique design. Simply said, it is "the lead in leaded glass".

Make sure to choose a caming finish that coordinates your door hardware, outdoor fixtures and interior furnishings to fit your personal style. It may seem like a small detail but it can have a big impact on the overall look of your entryway.





Nickel

Caming







Brass Caming

Satin Nickel Caming

Zinc Caming

Patina Caming











Black Chrome Caming

Bronze Vein Bronze Caming Wrought Iron

Nickel Vein Wrought Iron

Wrought Iron

YOUR ENTRY WAY IS A GUEST'S **FIRST IMPRESSION -**MAKE SURE IT REFLECTS YOU!











ADDITIONAL GLASS OPTIONS



PRE-FINISH PROGRAM



607 Clear LOW-E Glass w/Zeel Frame Shown in Fiberglass Smooth Hunter Green Stain

NOTHING BEATS A QUALITY FINISH

Our process begins with a dust-free, rigorously inspected unfinished door followed by multi-coat paint or stain applications, baked on at every step. The result is a finish as durable as it is beautiful.

THE MMI DOOR PROMISE

THE PRE-FINISH 5-YEAR LIMITED WARRANTY INCLUDES:

5-Year limited coverage from the date of purchase for the painted or stained finish by MMI DOOR on the door component of any residential premium or standard fiberglass exterior prehung door unit when properly protected from the environment. Please evaluate your current weather exposure and home overhangs, as certain applications of prefinished doors with excessive exposure to weather can void the warranty.



Please see **mmidoor.com** for pre-finished warranty information.

STANDARD PAINT COLORS



Actual paint and stain finishes may vary slightly from the sample version.

PRE-FINISH PROGRAM

STANDARD STAINS

Oak Grain					
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
Mahogany Grain				1、 5时 后来的新闻的时间和1000年代,1000年代,1000	
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
Fir Grain					
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
Rustic Grain					
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
PREMIUM	1 ARCHITE	ECTURAL	STAINS		
Cherry Grain					All All and a start of the second
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
Fir Grain					
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
Oak Grain		·			
Cherry	Dark Oak	Espresso	Golden Oak	Teak	Walnut
		Lapresso	Colden Odk	IEUK	Wantat
Knotty Alder Grain	Dark Oak	Ferrers	Golden Oak	Teak	Walnut
Cherry		Espresso	Golden Oak	IEUK	vvulliut
Mahogany Grain	Dark Oak	Espresso	Golden Oak	Teak	Walnut

Actual paint and stain finishes may vary slightly from the sample version.

4


FIBERGLASS DOORS

FIBERGLASS DOORS

A new fiberglass entry door can add substantial curb appeal to your home. Fiberglass is virtually maintenance free and will not warp, rot, dent, or split.



- Limited Lifetime Warranty
- Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides
- Available in smooth or woodgrain designs
- The woodgrain series (Oak, Mahogany, Fir or Rustic) provides the rich appearance of wood with the strength and stability of fiberglass



six sides


At MMI DOOR, it is important to make sure our fiberglass exterior door offering meets our customer's goals. Below are examples of the fiberglass door options available. Fiberglass doors are available in a smooth series for easy painting, and four distinctive woodgrain patterns (Fir, Mahogany, Oak and Rustic) suitable for staining or painting.



FIBERGLASS DOORS

ARCHITECTURAL[™] COLLECTION

MMI DOOR's Architectural[™] Collection is a premium door system for the discerning individual, offering a wood door alternative utilizing the most authentic wood grain replication available. The front door is the threshold to your home: a place of warm welcomes and goodbyes. Whether you need a touchable and authentic wood grain or a luxe and minimalist smooth finish, Architectural doors projects your most stylish self. Substance matters too of course, so all our composite components are clad in fiberglass, match perfectly and have twice the screw-holding power of other materials.



BUILDER'S CLASSIC



684RLB Shown in Builder's Classic Fiberglass Brilliant White Paint The Builder's Classic Collection is our fiberglass door at steel door pricing. The Builder's Classic represents value by offering a limited collection, that cannot be cut down or prefinished and comes with a 2 Year Limited Warranty.

- 2 Year Limited Warranty
- Deep embossing and panel detail provide the most significant curb appeal
- Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides

Composite stiles prevent vater infiltration and ensures that the door will NEVER rot or rust

Fiberglass reinforced , skin that is unaffected by moisture and humidity. Won't dent or delaminate

Insulated core is 100% CFC-Free and provides high R-Value for maximum thermal protection

Composite top and bottom rails prevent water infiltration on all six sides

STEEL DOORS

MAJESTIC SERIES

- 10 Year Limited Warranty
- 24 gauge, all steel construction provides superior strength and durability. Galvanization resists rust and corrosion
- The "Double Hip" panel design enhances your home's appearance
- Available with a 90 Minute Fire Rating see page 24

Steel stiles create strength and stability One piece polystyrene core provides a custom fit, eliminating core voids and delivering long lasting insulation Primed to prevent rusting



Double Hip Panel Design

Energy STAR

Some of our Steel Doors do qualify for the Energy Star[®] Program. Please refer to www.mmidoor.com for a complete list of our qualifying products. (Qualification based on 2018 Energy Star[®] Program Criteria and can change)






REPLACEMENT SERIES

QUICK & EASY INSTALLATION; INSTALLS IN HALF OF THE TIME OF NEW CONSTRUCTION

FINISHES



KEY FEATURES

- 10 Year Limited Warranty.
- Prehung on a commercial, 18 gauge steel frame
- All steel door 24 gauge face and 22 gauge reinforced edges for additional strength and security
- 14 Pre-set security installation with fastening points secure the opening 6 at the critical lockset impact area
- · All doors are pre-prepped for entry and deadbolt locks and are factory primed
- Weatherstrip system bulb door sweep, adjustable sill, weatherstrip stop and corner seals complete the entire package
- 2/6, 2/8, 2/10 & 3/0 6/8 and 7/0 sizes are available. Sizes may vary by door style
- Double Hip Panel Design
- Configurable with clear, decorative, or textured glass
- Clear glass available with simulated divided lites, mini blinds or grilles between glass


Please Note: 2/8 replacement doors with decorative 1/2 & full lites and 2/6 replacement doors with clear 1/2 & full lites will require a glass offset of 1/4" from lock prep.

COMPONENTS & HARDWARE

WHEN IT COMES TO ACCESSORIES, YOU HAVE OPTIONS WITH MMI DOOR.



TYPES OF SILLS



TYPES OF FRAMES

ADJUSTABLE SILL



SILL



GLASS-LITE FRAMES



ULTIMATE FLIP LEVER[™] ASTRAGAL












FRAMESAVER® SMOOTH OR GRAINED

SMOOTH WHITE OR GRAINED CAPPED COMPOSITE COMPOSITE

RETRACTABLE SCREENS





PET DOORS

SILL

COVER

TYPES OF SILLS

COMPOSITE ADJUSTABLE SILL



Advanced technology sills are made of all-composite substrates, synthetic caps and nosing. These materials prevent rotting, warping or deteriorating over time.

SILL COVER




Composed of a durable material. sill covers give valuable protection against damage to the sill during the construction process.

CONTINUOUS SILL



FIXED INSWING



This sill is perfect for garage and utility doors and comes with a convertible cap to allow easy conversion to an adjustable cap.

By providing a continuous sill across

repositional for Mull or Patio System

the door unit, you receive a better fit that prevents leaks. Patented

inactive Sidelite Seats are

convenience.

FINISHES




MILL



BRONZE

FIXED OUTSWING BUMPER



Ultimate protection with increased pressure against the door producing a tight seal and excellent protection for high exposure areas.

ADA COMPLIANT THERMALLY BROKEN

By incorporating a dam that meets ADA height requirements, a better seal is created between the door and sill, while providing ease of entry.



CONTINUOUS HEADERS AND SILLS



Continuous headers and sills are part of an error-free system, built to spec, for greater structural integrity.




One piece mulls feature superior strength, a perfect fit and no additional finishing.



Sill gasket provides a water tight seal between the end of the sill and the door iamb





Z-SERIES SILLS

Synthetic materials eliminate the worries of wood and deliver the best sill on the market. Using a patented design of all synthetic components, the Z-Series Sill eliminates the worries of wood. Built to last, Z-Series sills protect your entry from unsightly damage, rusted screws, discoloration, deformity, gaps and dents.



1. ALL-COMPOSITE SUBSTRATE

All-composite substrates won't rack, warp or rot. Ever.

2. NARROW SYNTHETIC HIGH DAM CAP The cap resists fading and wear and won't warp or rot.

A built-in seal keeps out air and water, even in the most severe conditions. The narrow cap width ensures the drip edge on the door bottom deflects water away from the cap

3. SEALED ADJUSTMENT SCREWS

Patented sealing plugs hide unsightly screws and keep water and dirt away from the adjustment mechanism, maintaining adjustability of the sill cap over time.

4. COMPOSITE CAP AND NOSING Provides resistance to wear and discoloration and offer a unique aesthetic appeal.

FRAMES

FRAME TYPES

Prefinishing the frame the same paint or stain color has always been a challenge in our industry. Fortunately, we can prefinish both! Listed below, you will see our 9 frame options and whether they can be painted, stained, or both.



PRIMED WOOD (Paintable)

Our standard wood frame is made of finger-jointed pine and is pre-machined to accept MSystem components - weatherstrip, sills, gaskets and corner seals. The entire frame is pre-primed, ready for paint.



ENDURA - FRAMESAVER® (Primed - Paintable)

A revolutionary wood composite material so resistant to rot and insect damage, we guarantee the frame for life with FrameSaver's® transferable Lifetime Warranty!



ENDURA - FRAMESAVER® FUSIONFRAME (Primed - Paintable Smooth and Textured)

Fusing together the benefits of composite and engineered-wood, FusionFrame delivers the strength and performance needed with a flawless finish. Helping installers overcome common installation challenges, delivering a better install.



WHITE CAPPED (No paint required)

This ready to use pre-painted white frame is long-lasting and rot-free. With its strong screw holding power this frame will maintain its integrity today and tomorrow.



SMOOTH COMPOSITE (Paintable)

The closed cellular structure ensures door frame will not absorb or wick moisture, and prevent warping, rotting and splitting. Twice the screw holding power of traditional wood door frames.



OAK GRAINED COMPOSITE (Paintable & Stainable)

Oak grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant.

Transoms

Clear and decorative

glass in all shapes: rectangle, round top, elliptical, and springline.



FIR GRAINED COMPOSITE (Paintable & Stainable)

Fir grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



MAHOGANY GRAINED COMPOSITE (Paintable & Stainable)

Mahogany grain polyfiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



REPLACEMENT DOOR 18 GAUGE STEEL (Paintable)

Our Steel Replacement Door is assembled on an 18 gauge steel frame that is pre-prepped and pre-primed. Reinforced to ensure a proper installation and provide increased security.

FrontLine®

Bldg. Products Inc.

CLADDING



Brickmould Matches wood brickmould dimensions exactly

MAINTENANCE-FREE ALUMINUM ENTRY DOOR CLADDING

Heavy Duty – resists denting

Green

- No painting
- Limited lifetime warranty



Wineberry



Bahama

Brown



Bronze





Storm door ready







Beige

Arctic Silver



FRAMESAVER®

WHY FRAMESAVER®

FrameSaver® Door Frames from Endura are simply the best door frames on the market. Patented composite bottom won't absorb water, warp, crack or rot and finishes and paints just like wood.

FrameSaver's finger-jointed wood composite protects the base of the frame from moisture exposure, and thus prevents water from wicking into the wood. **Rot never has a chance to begin.**

That's Performance Standard.

FRAMESAVER® FEATURES

FIELD PROVEN: OVER A DECADE OF "NON-ROT" PERFORMANCE

- 1. FRAMESAVER® BRAND STAMPED RIGHT ONTO THE PRODUCT
 Ensures top quality
- 2. FINISHES AND PAINTS JUST LIKE WOOD

3. PATENTED COMPOSITE BOTTOM WILL NOT ABSORB WATER OR ROT

- Will not wick water or swell
- Rot never begins

2

FrameSaver

ROT PROOF

- Resists mold and insects
- 4. FINGER-JOINTED CONSTRUCTION DELIVERS STRUCTURAL INTEGRITY
 Extremely strong and durable




FRAMESAVER® PROTECTS YOU FOR LIFE. GUARANTEED.



FRAMESAVER® FUSIONFRAMETM

DOOR FRAME & INSTALLATION SYSTEM

FusionFrame[™] delivers maintenance free performance and prefinished convenience, with the structural improvements you want, and the installation benefits you never thought possible. *Call for pricing.*






2020 Best of IBS new product finalist Premier Composite Frame System Overcomes installation challenges

- Installs in less time
- Corrects out of plumb conditions
- Engineered-wood manages deflection
- Brickmould compatible
- Supports Storm Doors & Side Lights
- Built in bubble level
- Hidden fastener technology
- Does not wick, rot, or warp

Patented technology

SUPERIOR BASICS

- A. Maintenance-free performance: FrameSaver Technology won't absorb water, warp, crack, or rot with insect protection
- B. Prefinished convenience: With a paintable smooth white or stainable textured finish
- C. Structural rigidity: Engineered core supports installation and resists sagging and bowing






ASTRAGALS

MULTI-POINT ASTRAGAL (MPA)

MPA's cost-effective design works with most standard deadbolt packages, eliminating the need for expensive hardware, extensive machining and allowing for easy installation and retrofitting to existing door units.

- Three secure locking points stop air and water infiltration
- Ease of installation or retrofit
- Works with most standard deadbolt lock sets
- · Flip Lever standard enhances sealing power
- 4-way adjustable strike





INTUITIVE CUT DOWN AND ADJUSTMENT

The Multi-Point Astragal and Ultimate Flip Lever™ Astragal can be cut down by up to 7 inches to

Multi-Point Astragal and Flip Lever Astragal

Components &

ULTIMATE FLIP LEVER[™] ASTRAGAL

The Ultimate Flip Lever[™] Astragal - One flip of the lever activates both Flush Bolts and the Floating Boot, eliminating the need for bending and reaching - a must-have for taller door systems.

PATENTED DESIGN


- Easy-to-use, enhanced accessibility
- Spring-loaded Floating Boot and Flush Bolts operate independently, allowing the Floating Boot to form a tight seal against the cap
- · Standard in Multi-Point Locking Astragal and Trilennium[®] Compatible Astragals
- Upgrade option in Ultimate Astragal

RETRACTABLE FLOATING BOOT

Lifts with the Flush Bolt to prevent excessive rubbing and wear that lead to poor performance with traditional boot-type seals.



4-WAY ADJUSTABLE STRIKE RETAINER



accommodate all applications.

Adjustable strike retainer available only on Flip Lever Upgrade and Multi-

Point Astragals

Adjustable strike plates


with hardware in place

TAKE DOUBLE DOOR **PROTECTION TO THE ULTIMATE LEVEL**



GLASS-LITE FRAMES





FEATURE / BENEFIT	EVOLVE [®] White	EVOLVE® Oak	ZEEL White
FRAME MATERIAL	High Performance (HP®)	FiberPRO®	FiberMate Plus®
Compression seal/no squeeze out	•	•	•
Designed to reduce scalloping	•	•	•
Best defense against air/ water infiltration	•	•	•
No screw plugs			•
Easy-install screw plugs	•	•	
UV Resistant	•	•	•
High heat tolerant			•
Paints without adhesion promoter		•	•
Stainable		•	•
No finishing required	•		
Flat Profile			•



Meet ZEEL. A minimal design with endless opportunities.

1. ZEEL is a sleek, versatile frame designed to be stained or painted that blends seamlessly into the entry door, allowing the doorglass to take center stage. This clean, low-profile look offers an alternative to flush glazed doors that provides the benefits of a frame system with the style homeowners desire.

2. Traditional frames can warp when subject to severe temperature changes or direct sunlight exposure, especially when painted dark colors. **FiberMate Plus**^{**} is our strongest material yet and exceeds performance expectations in extreme environments.

3. Resolve® sealant is immune to squeeze out and doesn't degrade over time, reducing service calls and warranty issues. This clean thermoset foam seal can be repositioned and stays consistent over time.

4. ZEEL eliminates the need for screws and cumbersome screw hole covers with an innovative clip system. This allows each frame to sit flush, streamlining installation and greatly reducing installation time and effort. This efficient installation offers an alternative to costly flush glazed doors.

Note: Zeel comes standard with designated Textured Privacy glass and configured clear LOW-E glass. Call for special order Zeel options.

EXTERIOR LOCKSETS

Box set finish options: Colonial Bronze, Satin Nickel



- **Decorative Handle** and Deadbolt
- Solid brass 1 piece cylinder housing
- 1" throw deadbolt with hardened anti-saw rod



Standard Levers

VIEW12SN

Satin Nickel

- All metal construction
- 5 pin solid brass cylinder with nickel plated keys
- Cylinder removable for rekeying
- Tubular locks keyed together with single cylinder deadbolts





Standard Deadbolt

- Full 1" throw deadbolt with hardened steel rod insert
- 5 pin tumbler solid brass cylinder

PEEPHOLE DOOR VIEWER & DOOR KNOCKERS WITH VIEWERS



VIEW12CB **Colonial Bronze**

Door Peephole Viewer

- 180 degree viewing
- Adjusted to fit doors from 1-3/8" to 2-1/4" thick



KNVW12CB **Colonial Bronze**

Standard Knobs



- Door Knocker with Viewer
- 6" tall x 3" wide
- Mounting Hardware: Two 2" length brass screws included

MAIL SLOTS



Satin Nickel 3-9/16" x 13"

US-15A*

Antique

Nickel



SLOT133CB Colonial Bronze 3-9/16" x 13"

KICK PLATES



DOOR HINGES

TYPES



Hinge

Square

Hinge







Spring Loaded



US-3/4* US-3 Light Bright Bright Brass Brass

US-5*

Brass

Antique

FINISHES - FINISH AVAILABILITY VARIES BY HINGE TYPE







US-19

Flat

Black



US-P*

White

Primed

*Available in Spring Loaded

US-10BD*

Colonial

Bronze -

Dark

~ Available in Spring Loaded and Ball Bearing as US-15 Satin Nickel

TRILENNIUM®

TRILENNIUM[®] – MULTI-POINT LOCKING SYSTEM

Trilennium[®] delivers three times the strength, the security and the performance with one multi-point locking system, resulting in maximum peace of mind and homeowner satisfaction.



PROTECTION

Trilennium delivers the strength of 3 full deadbolts for uncompromised protection.

No weak hooks or delivering catches, only tested, proven strength.



PERFORMANCE

Trilennium corrects misalignment in 3 different directions, even fighting deflection when unlocked for lasting, error-free operation.



EASY OPERATION Unlike other systems, Trilennium is easy to use, activating with a single turn of the key or thumbturn, and releasing with just a single turn of the interior handle.



STRENGTH

Unlike other competitors, Trilennium's one-piece I-Beam lock construction is so strong, it even strengthens the door panel.

TRILENNIUM® HARDWARE COLLECTION

For optimum performance with our locking system, Trilennium[®] hardware combines elegant design with precision engineering for beautiful, reliable performance. Hardware, active and inactive, is available for entry, patio and passage doors in a variety of styles and finishes.



ECLIPSE Shown in Satin Nickel *Available in Victorian Bronze – In-Stock



PINNACLE Shown in Victorian Bronze SPECIAL ORDER Available in 3-6 Weeks



Shown in Bright Brass SPECIAL ORDER Available in 3-6 Weeks



GRIP SET Shown in Victorian Bronze SPECIAL ORDER Available in 3-6 Weeks



Trilennium® compatible hardware is also available from EMTEK® and Rocky Mountain Hardware®.



PET DOORS

In keeping with the idea that MMI DOOR strives to be our customer's single source for all of their door needs, we now offer 3 different sizes of Pet Doors - Medium, Large, and X-Large. Each of the three Pet Doors are pictured below. Our Pet Doors are manufactured by PetSafe®, a leading provider of Pet Products.

GIVE YOUR PETS THE FREEDOM THEY DESERVE!

- Durable Construction
- Simple installation instructions included
- Solid aluminum frame with closing panel
- Intended for heavy use and multiple pet homes
- Flexible, soft flap with UV sun protection
- Great for Storm, Wood, PVC and Steel Doors
- Interior and Exterior applications
- 1 Year Warranty

OTHER SUGGESTED FIELD INSTALLATIONS:



Wood, Storm, PVC & Steel Walls 3/8"-2" Thick



Interior Applications



Alternative Applications






Medium 1-40 lbs. 8-1/4" x 12-1/4" (Flap Opening)

Large 1 - 100 lbs. 10-1/4" x 16-1/4" (Flap Opening)

X-Large 12 - 220 lbs. 13-3/4" x 23-3/4" (Flap Opening)




Aluminum Pet Door

PATIO DOORS

BUILT FOR STABILITY, STRENGTH, RELIABILITY AND ENERGY EFFICIENCY. MANY OF OUR UNITS QUALIFY FOR THE ENERGY STAR PROGRAM. CHOOSE FROM GRAINED FIBERGLASS, SMOOTH FIBERGLASS OR STEEL.





The difference between Patio and Double Doors has always been a bit confusing. MMI DOOR defines Patio Doors as a two or three door unit with one active panel and one or two stationary panels. The operating panel will typically be hinged on the center mull post. A Double Door opens in the middle and has one "active" door and one "inactive" door. The inactive panel is anchored by an astragal that can be released to allow both doors to open freely.



D

appearance

Inactive patio door

panels are sealed with

glazing tape (no caulk)

No re-caulking required resulting in a better



and one or two stationary doors



Also called "French Doors" Double doors open in the middle and both panels can be activated by releasing

the astragal

(Example is a Patio Door)



Continuous head with non-invasive routing provide exceptional strength



One piece mulls feature superior strength, a perfect fit and no additional finishing



Continuous sills give added strength beneath the mull with the continuous seal along the door unit



Our mull systems include inactive seats engineered for perfect panel placement



Sill gasket provides a water tight seal



Available with composite, no-rot frames!


TRANSOMS OPTIONS



Model	Glass Only Size	Description
TRAN7413RIMLE	72-1/4" x 11-7/8"	Transom Low-E glass w/GBG
TRAN7513RIMLE	73-1/4" x 11-7/8"	Transom Low-E glass w/GBG

PATIO DOORS

6/8 - 2 DOOR



(3) 22"x64"

686RN~ (3) 22"x64"

(3) 22"x64"

8/0 door options available

number when ordering Patio Doors.

20

RETRACTABLE SCREENS



LET THE FRESH AIR IN, KEEP EVERYTHING ELSE OUT.

- Mesh screen allows for maximum fresh air circulation
- In-track Velcro holds the screen tight, keeping insects out
- · Woolpile fin seal provides added seal on door edge
- Sleek handle design with release lever
- Enhanced slide guide for smooth operation and stability
- Attractive white finish to match any home design



SINGLE

Screen height is 82" and fits openings up to 38" wide



INSWING FULL-SIZE RETRACTABLE SCREEN SCRNFULLRET60

6/0 x 6/8 full-size assembly for double door **DOUBLE** Screen height is 82" and fits openings up to 74^{1/4}" wide



INSWING TRUFIT RETRACTABLE SCREEN SCRNRETRORET60 6/0 x 6/8 TruFit assembly for double door

DOUBLE Screen height is 79^{3/4}" and fits openings up to 72" wide

Notice: Responsibility for the care and maintenance of the unit will be solely on the purchaser. Any resulting damage to the screen mesh component from improper use or care shall be at the discretion of the purchaser to replace at a cost with an available screen mesh cartridge. Retractable screens fit some configurations for outswing doors. Please call for configurability.





TRUFIT REPLACEMENT MAJESTIC STEEL

SAVE TIME AND EFFORT

TruFit fits in the frame of your old

sliding door with easy installation!

TruFit Replacement Patio Doors are sized to correctly fit the opening of worn out, sliding patio doors. No custom sizing or extensive carpentry work is necessary. Save time and money while gaining the perfect look that your home deserves.



UNIT INCLUDES:

- 4-9/16" Primed Frame
- Primed Brickmould
- One Piece Primed Mull Post (Patio)
- One Piece Flip Lever Astragal (Double)
- One Piece Composite Sill
- One Piece Continuous Header
- Wood Edge
- 3 Brass Hinges



Available with Composite No Rot Frames!

		Patio Doors	Double French Doors			
	DOORS	2 Door				
6/8 MOD	ELS UNIT SIZES	71-1/2" X 79-1/2"	70-1/2" X 79-1/2"			
	P-59 (1 Lite)	•	•			
	P-59 Low-E (1 Lite)	•	•			
	P-61 (15 Lite Standard Grid)	•	•			
	P-686GBG (15 Lite Internal Muntins)	•	•			
	P-686GBG Low-E (15 Lite Internal Muntins)	•	•			
	P-686RLB (Internal Blindsw- Tilt, Raise and Lower)	•	•			
	P-686RLB Low-E (Internal Blinds- Tilt, Raise and Lower)	•	•			
	P-686RLB GBG Low-E (15 Lite Internal Muntins with Internal Blinds - Tilt, Raise and Lower)	•	•			



15 Lite RLBGBG White or Tan Grids between Glass



Blinds Between Glass Raise, Lower & Tilt



(2) P-61

Brilliant White Paint

1 Lite



15 Lite GBG White or Tan Grids between Glass

FIRE-RATED DOORS

RESIDENTIAL STYLING. COMMERCIAL GRADE SAFETY. MMI DOOR OFFERS A COMPREHENSIVE LINE OF 20 AND 90 MINUTE FIRE RATED DOOR UNITS IN FIBERGLASS AND STEEL.

FIRE 20 MIN

FIRE DOORS ON 20 MINUTE WOOD FRAMES





2 Panel

Archtop



Planked

Fiberglass Smooth 10 SHK 1 Panel



Fiberglass

FIRE 90 MIN FIRE DOORS ON 90 MINUTE STEEL FRAMES





Steel

6 Panel

Majestic

Majestic

WARRANTY

6 Panel

• 10-Year coverage on exterior steel door slabs for defects in material and workmanship

Smooth

2 Panel

• 1-Year coverage on door frames for defects in material and workmanship

COMMERCIAL PRODUCTS

MMI DOOR offers a full line of commercial doors, frames and hardware in stock for immediate delivery. Many of these items are adaptable to our residential products in this catalog. You may want to consider self closing hinges, automatic door closers or panic devices for the choices above. Please refer to our commercial brochure for further details.

20 MIN FIRE-RATED DOORS FIRE

Fiberglass

Smooth

FS200

20M

PREHUNG PRIMED WOOD FRAME UNITS



Smooth

FS21

20M





FS22

20M







UNITS INCLUDE:

• 4-9/16" prime frame

Smooth

FS20

20M

- Primed brickmould
- High dam composite adjustable sill

PREHUNG OPTIONS:

PREP OPTIONS:

2-1/8" Deadbolt Prep 1/2" Peep Prep 1/2" Satin Nickel Peep Prep & Install

FRAME OPTIONS:

5-1/4" Frame 6-9/16" Frame 4-9/16" 20 Minute Frame 7-1/4" 20 Minute Frame No Brick Mould

- Compression weatherstrip
- 3 standard brass hinges
- 20 minute fire rated labeled door

SILL OPTIONS:

Fixed Sill Low Profile Sill (ADA Compliant)

HINGE OPTIONS:

(3) US-26D Brushed Chrome Hinges (2) US-3/4 Brass Spring Hinges (2) US-15 Satin Nickel Spring Hinges (2) US-15A Antique Nickel Spring Hinges (2) US-26D Brushed Chrome Spring Hinges **3rd Spring Hinge**

Spring Hinges include a 3rd, standard hinge.

Flush



2 Panel



4 Panel



Steel Steel 2 Panel 10 CRF Archtop 1 Panel

Steel 20 CRF 2 Panel

Steel 30 CRF 3 Panel



10 CRF 90M (Special Order) Shown in Majestic Steel-90 Minute

Unit Dimensions

Frame Size	Width	Height
2/8 x 6/8	33-1/2"	81-5/8"
3/0 x 6/8	37-1/2"	81-5/8"

Low profile (ADA Compliant) sill units deduct 3/4" from unit dimensions

Note: All 20M FS flat panel shaker doors available with no sticking and all 90M MJ flat panel craftsman doors available with craftsman sticking.



TIMELY AK-SERIES ADJUSTABLE STEEL FRAME PREHUNG UNITS



MJ-20-90M

Unit Dimensions

Standard Height

80-7/8"

80-7/8"

80-7/8"

80-7/8"

Width

30"

32"

34"

36"

MJ-21-90M*

ADA Height

80"

80"

80"

80"










Maiestic Steel 20 CRF 90M 30 CRF 90M 2 Panel 3 Panel

*2/6 is available in the MJ-1 and MJ-21 in frame sizes 4-1/2" to 5-1/2" only.

1 Panel

Patio & Double Doors

Pet Doors



MJ-1-90M*

Frame Size

2/6 x 6/8

2/8 x 6/8

2/10 x 6/8

3/0 x 6/8

Rough Opening



For AK Adjustable Kerfed frames, the rough opening must be 13/16" higher than the total inside frame height. Since this frame is often pre-hung with a sill and bottom sweep, the height may vary.

UNITS INCLUDE:

- 20 Gauge galvanized primed steel
- Adjustable Throat: 4-1/2" to 5-1/2", 5-1/2" to 6-1/2", 6-1/2" to 7-1/2", 8-1/2" to 9-1/2", 9-1/2" to 10-1/2"
- Lock strike preparation: 2-1/4" full lip strike, 2-1/2" T-Strike, 2-3/4" deadbolt, 4-7/8" ASA

PREHUNG OPTIONS:

PREP OPTIONS:

2-1/8" Deadbolt Prep 1/2" Peep Prep 1/2" Satin Nickel Peep Prep & Install

SILL OPTIONS: Low Profile Sill (ADA Compliant)

- Prepped for 2 sets of steel casing TA-8 or a wood casing
- Primed in white
- Hinge Prep: Accepts three (3) 4" 5/8" radius hinges

HINGE OPTIONS:

(2) US-3/4 Brass Spring Hinges (2) US-15 Satin Nickel Spring Hinges (2) US-15A Antique Nickel Spring Hinges (2) US-26D Brushed Chrome Spring Hinges

CASING OPTIONS:

Steel Snap On Casing Per Door Side



571/27 = 57 FRAME-UP ADJUSTABLE **KERFED AK-SERIES**

Our AK-Series Frame is designed specifically for the Residential Market (and light Commercial applications) where weatherstripping, thresholds, and pre-hanging are common requirements. With MMI's fire rated door pre-hung in a Timely AK-Series frame, this entire unit can be installed at one time. AK-Series frames are also the solution for house to garage openings where fire ratings and security are essential.

Accommodates doors 1-3/4" thick, weighing up to 250lbs and accepts TA-8 metal or wood casings for finishing

SEVERE WEATHER FIBERGLASS ENTRY DOORS

Our severe weather fiberglass smooth and oak grained fiberglass doors are constructed with full length composite stiles. The top and bottom rails prevent any water penetration in all six sides. The unit will not, warp, rot, dent, or split and are virtually maintenance free.

Decorative glass is available and is independently tested by ODL to meet Florida and Texas wind-borne debris risks and comes with an aluminum frame for enhanced strength and durability.

Our severe weather door system is approved for use in severe weather door systems that meet Florida code FL17347, and are certified by NAMI. Please call for design and quote.


HIGH VELOCITY HURRICANE ZONE (HVHZ) Broward and Dade County are not supported.

Aluminum Flat Profile Frame





FLORIDA WIND-BORNE DEBRIS REGION FOR RISK CATEGORY II BUILDINGS





SW PANEL AND CLEAR GLASS DOORS

6	6/8								
	SWFG 21 6 Panel 2/8 x 6/8 3/0 x 6/8	SWFG 110 2 Panel 3/0 x 6/8	SWFG 158 9 Panel 3/0 x 6/8	SWFG 140 4 Panel 3/0 x 6/8	SWFG 400 6 Panel 3/0 x 6/8	SWFG 46MDRN 4 Panel Grooved 3/0 x 6/8	SWFG 51MDRN 7 Panel 3/0 × 6/8	SWFG 59 Low-E Glass 2/8 x 6/8 3/0 x 6/8	SWF6122 Low-E Glass 2 Panel 3/0 x 6/8
24			8	S/O SPECIAL Available in	LORDER n 6-8 Weeks				
									e
		I		SWFG 21 6 Panel	SWFG 300 3 Panel	SWFG 46MDF 4 Panel Groove	ed 7 Pan	el Low-E	G 59 Glass
		P		3/0 x 8/0	3/0 x 8/0	3/0 x 8/0	3/0 x 8	3/0 3/0:	x 8/0
			6	5/8					
		SWFS 59 La n Severe Wea iberglass Sm Graystone	ather nooth	SWFS 20 2 Panel 3/0 x 6/8	SWFS 21 6 Panel 2/8 x 6/8 3/0 x 6/8	SWFS 22 2 Panel 2/8 x 6/8 3/0 x 6/8	SWFS 31 3 Panel 3/0 x 6/8	SWFS 40 4 Panel 2/8 x 6/8 3/0 x 6/8	SWFS 110 2 Panel 3/0 x 6/8
	HA M						8/0	SPECIAL OR	DER
	ПП	100		FIFIE			0,0	Available in 6-8	Weeks
	SWFS 140 4 Panel 3/0 x 6/8	SWFS 158 9 Panel 3/0 x 6/8	SWFS 200 2 Panel Planker 2/8 x 6/8 3/0 x 6/8	SWFS 400 d 6 Panel 3/0 x 6/8	SWFS 59 Low-E Glass 2/8 x 6/8 3/0 x 6/8	SWFS 122	s SV	VFS 300 5 3 Panel Lo	CowFS 59
						3/0 x 6/8	3,	/0 x 8/0 3	3/0 x 8/0

Patio & Double Doors

Fire-Rated Doors

Severe Weather Fiberglass Doors

Architectural Collection

Simulated Divided Lites Collection

Spotlights™ Collection

IMPACT-RESISTANT LAMINATED GLASS

ODL's patented frame design, which is mechanically fastened in the corners to prevent flex, adds strength to the door. With a classic flat 3/8" low profile frame, the narrow aluminum extrusion adds strength. The natural contours provide a traditional style and a white powder coat provides a polished finish that can be painted.

Decorative Doorglass, Blinds and Grilles are sealed between impactresistant laminated glass on the exterior, and tempered safety glass on the interior.



DECORATIVE GLASS



MISSILE IMPACT TESTED



The Level D missile impact test fires an 8-foot long 2"x 4" at 50 feet-per-second at the door glass and door slab. The entire unit must remain intact through 9,000 pressure cycles, and also pass water-infiltration, structural loading, and forced air-infiltration tests.

TEXTURED PRIVACY GLASS

BETWEEN GLASS OPTIONS

' Glass)

SEVERE WEATHER FIBERGLASS DOORS

SEVERE WEATHER PORTFOLIO


Special order: "•" in the table relates to available product. To configure: Take the door model number and add the glass, mini blind, or grille extension.

Example: SWFS 607-HM = Severe Weather Smooth Fiberglass with 22" x 48" Heirlooms glass

Fiberglass with 22" x 48" Heirlooms glass					GPC Cort	-Hing Hein	ME (Maje	stic) 4	-BLC (Blon)	CHI (Chinch:	(0)	Anini C	Glinds) GBG(Grin Betu.	er Gloss
Model	Grain	Glass Size	Door Width	Berl		Heir A	, ME	PEN (Demt	-BLC		NA- NA- NOID	Id- Id-	Berth	
SWFS 607-xx	Smooth	22" x 48"	2/8 3/0			•			•	•	•		•	
SWFG 607-xx	Oak	22" x 48"	2/8 3/0			•			•	•	•		•	
SWFS 684-xx	Smooth	22" x 36"	2/8 3/0	•		•	•		•	•	•	•	•	
SWFG 684-xx	Oak	22" x 36"	2/8 3/0	•		•	•		•	•	•	•	•	
SWFS 686-xx	Smooth	22" x 64"	2/8 3/0	•	•	•	•	•	•	•	•	•	•	
SWFG 686-xx	Oak	22" x 64"	2/8 3/0	•	•	•	•	•	•	•	•	•	•	
SWFS 694-xx	Smooth	7" x 64"	12" 14"	•	•	•	•	•	•	•	•	•	•	
SWFG 694-xx	Oak	7" x 64"	12" 14"	•	•	•	•	•	•	•	•	•	•	
SWFS 612-xx	Smooth	22" x 80"	3/0	•	•	•	•	•	•	•				1
SWFG 612-xx	Oak	22" x 80"	3/0	•	•	•	•	•	•	•				
SWFS 493-xx	Smooth	8" x 80"	12" 14"	•	•	•	•	•	•	•		•	•	
SWFG 493-xx	Oak	8" x 80"	12" 14"	•	•	•	•	•	•	•		•	•	
SWFF 866-xx	Fir	22" x 15"	2/8 3/0					•	•	•	•			

All Severe Weather products are available via special order. Please call for pricing.

SW FIBERGLASS DOORS




6/8

22" x 15"


28

ARCHITECTURAL COLLECTION

MMI DOOR's Architectural[™] Collection is a premium line of fiberglass doors and matching fiberglass components featuring an **authentic woodgrain replication** made possible by unique NVD (nickel vapor deposition) technology. Each door begins with hand-selecting the most beautiful pieces of wood to build a real wood door. A silicone casting then picks up the woodgrain, and with NVD technology, the **finest details are transferred** into a door mold, atom-by-atom. The result is a fiberglass door that **replicates natural woodgrain** characteristics and is **virtually indistinguishable** from real wood. **Limited Lifetime Warranty**.



SPECIAL ORDER. Prefinished doors delivered in an estimated 6-8 weeks.



DELIVERING A COMPLETE FIBERGLASS SYSTEM TO YOUR DOOR

THE BEAUTY OF WOOD WITH THE DURABILITY OF FIBERGLASS.

STRENGTH

A pair of beefy 4.125" stiles run down the sides of our doors. Supported by 3.5" of laminated strand lumber. LSL is one of the strongest, straightest and most stable engineered wood fiber products available. This prevents our doors from **warping** and **increases your hardware options**.




HIGH DEFINITION To produce the highest definition of woodgrain fiberglass doors,

grain fiberglass doors, it starts with high quality fiberglass that is transformed using our unique **NVD technology**. Our skins have a minimum thickness of .09", all the way up to .175" for stainless steel inlays.

PERFORMANCE


All of our doors are insulated with high density, CFC free, polyurethane foam (between 2.2 to 2.5). Our formula improves energy efficiency & sound abatement.



- Mastergrain's unique NVD technology produces the most genuine look of real wood in fiberglass without the negative aspects of a wood or steel.
- Does NOT rot or warp like wood doors and requires less maintenance.
- Does NOT rust or dent like steel doors.
- Excellent grain and stain matching across fiberglass components.
- Engineered for the extreme hot and cold temperatures of North America.



Doors are constructed using **rot resistant** composite top & bottom rails. (Kerf notched bottom rail shown)



*Dentil Shelf Available All available only in 3/0 x 6/8 or 6/0 x 6/8 double doors. All grains are shown in a cherry stain. To see more grain and stain options, see page 4.



31


ARCHITECTURAL COLLECTION

6/8											
602SHD	607SHD	608SHE	609SHD	611SHD	613SHD	622SHD	625SHD	626SHD	643SHD	630SHD	644SHD
648SHD	658SHD	674SHD	675SHD	678SHD	680SHD	682SHD	684SHD	686SHD	688SHD	B02SHD*	803SHD*
B04SHD*	806SHD*		sld23 sld24 shd shd	SL690 SHD	SL691 SL6 SHD SH			All	grains are s	*Dentil She 5/0 x 6/8 do shown in a cl ain options, s	uble doors. herry stain.



110

1137 A. W.





*Dentil Shelf Available All available only in 3/0 x 6/8 or 6/0 x 6/8 double doors. All grains are shown in a cherry stain. To see more grain and stain options, see page 4.

SIMULATED DIVIDED LITES COLLECTION

IT LOOKS LIKE TRADITIONAL TRUE DIVIDED LITE DOORS - INSTEAD THEY ARE A MORE ENERGY EFFICIENT DOOR WITH A CLASSIC PROFILE ON THE FRAME.



PRACTICAL AND ELEGANT TAKE ON TRADITIONAL DIVIDED DOOR LITES.

The look of a true divided lite, with the energy efficiency of a single lite. A mill finish between glass, and backing strips for a true wood muntin appearance.



The Traditional SDL bars are injection molded along with our Evolve® Frame to eliminate separate application of the SDL bars. This all-in-one design offers a better flush-to-glass fit.

IN-STOCK GLASS



Clear Low-E 🕝

Privacy Rating



SIMULATED DIVIDED LITES COLLECTION



	IES CC	JLLECHON
SPECIAL ORDI	ER GLASS	SPECIAL ORDER Available in 3-6 Weeks
150	Baroque* Privacy Rating 1 3 Low	10 High
	Blanca* Privacy Rating 1 Low	9 10 High
	Chinchilla* Privacy Rating 1 Low	9 10 High
	Rain* Privacy Rating 1 Low	9 10 High
*Not available in Arch 6/8 Low-E Glas		*Dentil Shelf Available.
607SDL	608SDL	686SDL
MIN		
867SDL*	868SDL*	SL422SDL SL690SDL


come with standard Evolve lite frame Select skin configurations available for Fir, Mahogany, Oak, and Fiberglass Smooth 34

CRAFTSMAN COLLECTION





Energy efficient SDL Bars (Simulated Divided Lites) add the rich three dimensional effect of traditional wood without the risk of warping, cracking or rotting.





Fir grain 4 block dentil shelf is lightweight and will not warp, crack or rot

6/8



806* FF SL801 FF SL802

8/0




FF 806*

*Dentil Shelf Available. Doors available in 3/0 x 6/8 or 8/0 only.

35

SPOTLIGHTSTM COLLECTION

AUTHENTIC DESIGN FOR THE ARCHITECTURE ENTHUSIAST™



36

BEAUFORT COLLECTION

Available Caming: Patina () Severe Weather Doorglass Available

Privacy Rating



Beaufort door glass adds to hammered glass with a patina caming for the old world pattern in a traditional setting. Beaufort offers a medium level of privacy. **Glass Details** Hammered 2 - Clear Bevel Available Caming 607BFT Patinc

STANDARD FIBERGLASS & STEEL DOORS



ARCHITECTURAL FIBERGLASS DOORS







759BFT 7"x64"

8/0



PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Knotty Alder Majestic Steel Rustic Traditional Replacement Oak Oak Mahogany Mahogany Smooth Cherry Cherry Stee DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/8 2/10" 2/8 2/10" 2/8 2/10" 2/8 2/8 2/10" 2/8 2/10" 2/8 6/8 MODELS 28 MODE 422BFT 607BFT 608BFT 628BFT 682BFT 682BFT 684BFT 686BFT 686BFT 692BFT 5L422BFT ٠ • . . ٠ ٠ ٠ • • . . . • SL690BF SL692BF ٠ ٠ ٠ ٠ • . ٠ • • • • • • . ٠ SL694BFT • • • • • • . . 8/0 MODELS 759BFT 779BFT 789BFT 799BFT ٠ 906BFT SL759BFT • •

9 10

🔺 High

1

Low

ELEGANT STAR COLLECTION

Severe Weather Doorglass Available 🜔

<image><text><section-header>

STANDARD FIBERGLASS & STEEL DOORS



ARCHITECTURAL FIBERGLASS DOORS





SL 759TX

7"x64"

Transom

506TX 62-7/8"x13-7/8"

PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Majestic Steel Traditional Knotty Alder Rustic Replacement Mahogany Oak Mahogany Oak Smooth Cherry Cherry Stee DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 6/8 MODELS 682TX 683TX 684TX 686TX 692TX • ٠ SL692TX SL690TX ٠ ٠ • • • • • • ٠ • • . ٠ 8/0 MODELS 759TX 789TX 799TX SL759TX • •

GRACE COLLECTION

Available Caming: Nickel or Patina

Severe Weather Doorglass Available



Accent your front door with the graceful styling of a bevel cluster. The Cluster look of Grace includes a backdrop of glass textures and a nickel or patina finish. Offering your home with a high level of privacy.

Glass Details



607GRC

22"x48"

608GRC

22"x48"

628GRC

22"x48"

682GRC

22"x36'

684GRC

22"x36"

686GRC


22"x64"

SL

422GRC



STANDARD FIBERGLASS & STEEL DOORS



8"x48" 8"x36" PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Traditional Cherry Majestic Steel Rustic Knotty Alder Replacement Mahogany Oak Oak Mahogany Smooth Cherry Stee DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 6/8 MODELS 78 MODE 422GRC 607GRC 608GRC 628GRC 659GRC 682GRC 683GRC 683GRC 686GRC 686GRC ٠ ٠ ٠ • ٠ ٠ ٠ • • • • • • • • . . • ٠ ٠ • ٠ ٠ ٠ 692GR 749GR • • • • • • ٠ ٠ 949GRC 950GRC SL422GR0 SL692GR0 . ٠ • • • • • • • • • • • • • ••• • • ••• • • ٠ ٠ ٠ ٠ ٠ • SL694GRC 8/0 MODELS 759GRC 779GRC 789GR0 ٠ 799GRC 906GRC ٠ SL759GR . .

SL

692GRC

779GRC 22"x48" 789GRC 22"x64" 799GRC 22"x64"

1

Low


8

10

High

HARRIS COLLECTION

Severe Weather Doorglass Available 🜘 Available Caming: Patina







ARCHITECTURAL FIBERGLASS DOORS



Rustic

Cherry

•

.

DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14"

Fir

6/8 MODELS

8 MODEL 422HAR 607HAR 608HAR 628HAR 648HAR 682HAR 683HAR 684HAR 686HAR 692HAR 692HAR

866HAR SL422HAR

SL692HAR

SL694HAR

SL820HAR 8/0 MODELS 759HAR 779HAR 789HAR 799HAR 906HAR

SL759HAR

PREMIUM ARCHITECTURAL™ FIBERGLASS DOORS

Mahogany

Traditional

Cherry

٠

٠

• •

686HAR 866HAR 23.75"x 15"

Knotty

3/0

Fir

Mahogany

• •

٠ •

• •

٠ .

Oak

٠

• •

• •



8"x36" 8"x15"

STANDARD FIBERGLASS DOORS

Oak

. .

.

• •

٠ •

• • •

8/0

779HAR

22"x48"

Smooth

2/8 3/0 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0

. . . .

• •

٠

• • •







Majestic Steel

•

• •

٠ • •

• •

. .

• •

• • •

•

STEEL DOORS

• •

• •

• •



Replacement

Stee

• •

• •

• • ٠

.

٠

Textured Privacy Glass Collection

Mini Blinds Collection

Grilles Between Glass Collection

* Dentil Shelf Available

SL 759HAR

22"x48" 7"x64"

* Dentil Shelf Available

Classic Collection

40


HEIRLOOMS COLLECTION

Available Caming: Brass or Nickel

(Severe Weather Doorglass Available

High

Low



STANDARD FIBERGLASS & STEEL DOORS



8"x36" 8"x48" 8"x64" 8"x36" 22"x64" 22"x64"



Privacy Rating 1 6 Low	10 High	MAJ Severe Weather Doorglass Available (<u>^</u>	DLLECTION el; Special Order Caming: Brass or Patina
			608ME, SL422ME Im Architectural Collection bown in Rustic Cherry Grain Teak Stain	<text><section-header><image/><image/></section-header></text>
STANDARD FIBER 6/8	682ME 683ME 22"x36" 62"x36"	684ME 686ME 692ME 5L 5 22"x36" 22"x64" (2) 8"x36" 422ME 69	8/0 5L 5L 5L 5L 5L 5L 5L 5SL 759ME 664" 8"x36" 7"x64" 759ME	Transom Image: Signal
6/8 6/8 6/8 6/8 6/8 6/8 6/8 6/8		BAME 1*x36" B86ME 22"x64" SL SL SL SL SL SL SL SCME S'x48" SL SL SOME S'x48" SL SCME S'x48"		799ME SL759ME 22"x64" 8"x64"
Rustic Cherry DOOR WIDTHS 3/0 12" 14" 4 6/8 MODELS 422ME 4 4	MARCHITECTURAL TM Traditional Cherry 3/0 12" 14" 3/0 12" 14 • • • • • •	y Oak Knotty Mahogany	DARD FIBERGLASS DOORS Oak Smooth 8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" •<	STEEL DOORS Replacement Steel "14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 a a a a a a a a a



42

Decorative Glass Collection

Textured Privacy Glass Collection

Mini Blinds Collection


Grilles Between Glass Collection

Classic Collection

MONTCLAIRE COLLECTION

Available Caming: Nickel Vein Wrought Iron 🔞 Severe Weather Doorglass Available





ARCHITECTURAL FIBERGLASS DOORS









422MTC 8"x48" STANDARD FIBERGLASS DOORS PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS Traditional Cherry Rustic Cherry Knotty Alder Majestio Steel eplacement Mahogany Oak Fir Mahogany Oak Smooth DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 2/8 3/0 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 6/8 MODELS 422MTC 607MTC 608MTC 628MTC 686MTC ٠ ٠ ٠ ٠ . . . ٠ ٠ • • • • • • • • • • • ٠ 866MT • • SL422MT ٠ • • • • SL694MTC • • • • • • • 8/0 MODELS 759MTC 779MTC . 789MT0 799MT0 906MT0 . SL759MT



607MN

22"x48"

608MN

22"x48"

DOOR WIDTHS

6/8 MODELS 422MN 607MN

607MN 608MN 628MN 637MN 648MN 659MN 682MN

682MN 683MN 684MN 686MN 692MN 749MN 919MN 949MN 950MN

SL422MN SL690MN

SL692MN SL694MN

8/0 MODELS 759MN 779MN

789MN 799MN

906MN

SL759MN

628MN

22"x48"

Rustic

Cherry

.

٠

• •

682MN

22"x36"

3/0 12" 14" 3/0 12" 14"

•

•

•

٠

• •

• •

• •

٠

Traditional Cherry

684MN

22"x36"

686MN

22"x64'

PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS

Mahogany

٠

٠

• •

• •

٠

SL

422MN

8"x48"

Oak

٠

٠

٠

• •

• •

٠

SL

690MN

8"x64"

Knotty Alder

٠

.

.

• •

SL

692MN

8"x36'

Mahogany

• •

• •

• •

• •

• •

٠

779MN 22"x48"

•

٠

789MN

22"x64"

STANDARD FIBERGLASS DOORS

Oak

.

•

٠

.

٠

٠

.

•

• •

• •

• •

• • •

799MN

22"x64'

Smooth

.

• •

• •

• •

٠

• • •

• •

• • •

. . .

٠

• • •

SL

759MN

8"x64"

STEEL DOORS

Replacement

2/6 2/8 2/10 3/0

•

• • •

. . .

٠

Majestic Steel

٠

٠

• •

•••

• • •

• • •

•

• •

.

Classic Collection

14

6/8 8 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Satin Nickel Hinges for 6/8, 4 Satin Nickel Hinges for 8/0. Double door units available. Call for availability. Note: All Standard and Architectural Fiberglass doors can be prefinished in all Paint and Stain Colors. See page 3 and 4.

•••

OAK PARK COLLECTION

Available Caming: Patina () Severe Weather Doorglass Available







ARCHITECTURAL FIBERGLASS DOORS







* Dentil Shelf Avgilable



7"x64"

Transom

SL

521KP 62-7/8" x 11-7/8"

8"x48" 8"x48" 8"x36" 22"x48" 22"x64" 22"x64" 8"x64" PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Traditional Cherry Mahogany Knotty Alder Majestic Steel Rustic Oak Oak Mahogany Smooth Replacement Stee Cherry DOOR WIDTHS 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 2/8 3/0 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 6/8 MODELS 422KP 607KP ٠ ٠ ٠ 608KP 628KP 682KP ٠ • • ٠ • ٠ 683KP 684KP • • . . . • • • • ٠ 686KP 692KP . . . • • . ٠ • . . . • • • • • • 814KP ٠ 866KP • • SL422KP SL690KP SL692KP SL694KP • • • • • • • • • • . . • • • • • • . . • • • • • • • • • ٠ • ٠ ٠ ٠ ٠ • • • • • • • • • • SL819KP • ٠ 8/0 MODELS 759KP 779KP 789KP 799KF ٠ 906KP 6L759KF • •

SL

692KP

45



10

٠

• •

• •

• •

•

• •

• •

٠

692PEM 866PEM

SL422PEM

SL692PEM SL694PEM

B/O MODELS 759PEM 779PEM 789PEM 799PEM

906PEM 6L759PEM

٠

• •

• •

•

•

٠

• •

PEMBROOK COLLECTION

Severe Weather Doorglass Available 🜘 Available Caming: Patina





• •

• •

• •

.

• •

• • •

• •

• •

• •

. • •

.

• •

٠ ٠

• ٠ Textured Privacy Glass Collection

•

• • •

٠

• •

• •

• •

SELWYN COLLECTION

Available Caming: Patina

Severe Weather Doorglass Available









STANDARD FIBERGLASS & STEEL DOORS



ARCHITECTURAL FIBERGLASS DOORS











8/0

* Dentil Shelf Avgilable

759SWY 9065WY SI 22"x64"

759SWY 22"x48" 7"x64"

٠

•

٠

25.25" 8"x48"

779SWY

47



1

Low

9 10 📥 High

BLANCA COLLECTI

Severe Weather Doorglass Available 🚺





~ Comes with standard craftsman liteframe * Dentil Shelf Available



ARCHITECTURAL FIBERGLASS DOORS



PREMIUM ARCHITECTURAL[™] FIBE Traditional

Cherry

3/0 12" 14"

.

•

٠

Mahogany

3/0 12" 14"

٠

Rustic Cherry

3/0

DOOR WIDTHS

6/8 MODELS

8 MODE 607BLC 608BLC 628BLC 682BLC 683BLC 684BLC 686BLC 692BLC 866BLC 51692BL 51694B

SL694BLC

8/0 MODELS 759BLC 779BLC 789BLC 709PLC 799BL0 906BLC SL759BL0

759BLC 906BC SL 22"x64" 22"x48' 759BLC 7"x64" 7"x64'

8/0

** Premium Architectural doors use their own proprietary matching lite frame



•

	22	"x36	5"	23	2"x6	4"		8"x3		:					′9BI 2"x4				9 BL "x64				x64								
=1	BER	GLA	SS I	000	RS				5	TA	NDA	ARD	FIB	ER	GLA	SS	DO	ORS	5							STE	EL	DOG	ORS	5	
		Oak			otty der	F	ir	۲	1aha	ogar	ıy			Oak					Smo	ooth					Maje Ste	estic eel			Re	epla St	cem :eel
•	3/0	12"	14"	3/0	14"	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/1
4														٠						٠											
4	•		<u> </u>					<u> </u>			-			•			├──			•			<u> </u>				<u> </u>		<u> </u>		
-				•				<u> </u>			-					-	├──	•		•	-								<u> </u>		
1								<u> </u>				-				_		•		•	-						-			-	
1	•		-				-	•	•		-	•	_	•	-	_		•	•	•	-	_	-	•	•	•	_			•	•
	٠			٠				•	•			٠	•	٠				٠	•	•				•	•	•				•	٠
																	•	٠	•	٠			•	•	•	•			•	•	٠
						•	•											٠		٠	_										
_		٠	•							•	•				•	•					•	٠				_	•	•			
										٠	•				•	•					•	•					•	•			



٠

Textured Privacy Glass Collection

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Satin Nickel Hinges for 6/8, 4 Satin Nickel Hinges for 8/0. Double door units available. Call for availability. Note: All Standard and Architectural Fiberglass doors can be prefinished in all Paint and Stain Colors. See page 3 and 4.

48

CHINCHILLA COLLECTION

Privacy Rating 1 9 10 Low 📥 High



Severe Weather Doorglass Available

As touchable as its namesake, Chinchilla's fine lines and organic, fur-like texture create a striking wave pattern when seen from afar. It offers a high level of privacy to your home.		
Glass Details		- 4
Chinchilla Glass		
Zeel™ Doorglass Frame		
		J
Available in white	686CHI	
 * Evolve[®] frame available as special order only 	Premium Architectural Collection	
** Premium Architectural doors use their own proprietary matching lite	Shown in Knotty Alder Grain Dark Oak Stain	
frame		

STANDARD FIBERGLASS & STEEL DOORS

~ Comes with standard craftsman liteframe * Dentil Shelf Available

8/0



ARCHITECTURAL FIBERGLASS DOORS

Rustic

Cherry

3/0

DOOR WIDTHS

6/8 MODELS 607CHI 608CHI 628CHI 682CHI

683CH 684CH

686CH

866CHI SL692CHI

SL694CHI

8/0 MODELS 759CHI

759CHI 779CHI 789CHI 799CHI 906CHI 5L759CHI

Traditional

3/0 12" 14"

Cherry

٠

٠



Mahogany

3/0 12" 14"

•

•

SI 759CHI 692CHI 694CHI 22"x64' 8"x36" 7"x64"



Steel

. ٠

•

• •

. .

٠

٠

٠

** Premium Architectural doors use their own proprietary matching lite frame

• • •

• • •

•

• •



• • •

٠ ٠ ٠

٠

٠

٠

•

.

. .

779CHI 22"x48" 799СНІ 692CHI 8"x36" 22"x64' PREMIUM ARCHITECTURAL[™] FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Majestic Steel Knotty Fir Mahogany Oak Smooth Alder 2/8 3/0 2/8 3/0 12" 14" 3/0 12" 14" 3/0 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 ٠ . • . . . •

٠

.

• •

• •

.

٠

. • •

• •

• •

.

٠

٠ ٠

Oak

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Satin Nickel Hinges for 6/8, 4 Satin Nickel Hinges for 8/0. Double door units available. Call for availability Note: All Standard and Architectural Fiberglass doors can be prefinished in all Paint and Stain Colors. See page 3 and 4.

• •

• •

SL422RN SL692RN SL694RN

8/0 MODELS 759RN* 779RN 789RN

799RN 906RN SL759RN • •

٠

• •

• •

.

•



•

RAIN COLLECTI

Severe Weather Doorglass Available 🜘


Glass Details

Clear Bevels

Zeel[™] Doorglass Frame

All that's missing is the patter of raindrops. Rain features a vertical

50



6/8 6 8/0 Units Include: 4-9/16[®] Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Satin Nickel Hinges for 6/8, 4 Satin Nickel Hinges for 8/0. Double door units available. *950RN and 759RN architectural door models are only available in 6/0. Call for details. Note: All Standard and Architectural Fiberglass doors can be prefinished in all Paint and Stain Colors. See page 3 and 4.

• •

• •

٠

. .

• •

٠

• •

• •

• •

• •

VAPOR COLLECTION

\sim
(\mathbf{A})
$\langle \tau \rangle$

Glass Details

Vapor Glass

frame

Severe Weather Doorglass Available









ARCHITECTURAL FIBERGLASS DOORS





8"x36"

8"x15"



906VPR

22"x48"

SL

759VPR

7"x64"

~ Comes with standard craftsman liteframe * Dentil Shelf Available

8/0

759VPR 22"x64"

SI

7"x64"

8/0


799VPR 22"x64"

			PR	EMI	JM	ARC	HITE	ст	URA	۱L™	FIBE	RG	LAS	S DO	ORS	5					ST	AN	DA	RD I	FIBI	ERG	LA	SS	DOG	OR	5						-	STE	EL	DO	OR	s	
		Fir			Rust Cher			adit Che	iona rry	1	Maho	gany	Y	Oa	k		iotty Ider	F	Fir Mahogany			у	o Oak						s	imo	oth					Maje Ste	Rej	plac St	eme eel				
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12	" 14	" 3	/0 12	" 14	I" 3/	0 12	14	' 3/0	14'	2/8	3/0	2/8	3/0	12" [·]	14"	2/8	2/10	3/0 1	12"	14"	2/6 2	2/8 2	/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10
6/8 MODELS																																											
607VPR							•				•															•						•											
608VPR				•			٠						•													•						•											
628VPR				•			٠																																				
682VPR																•														•		•											
683VPR																														•		•											
684VPR							•				•		•							•	•			•		•				•	•	•				•	•	•				•	•
686VPR							٠				•		•			•				•	•			•	•	•				•	•	•				•	•	•				٠	•
692VPR																													•	•	•	•			•	٠	٠	٠			•	٠	•
866VPR	•																	•	•											•		•											
SL422VPR					٠	•		•	•		•	•		•	٠															_													
SL692VPR								•	•		•	•		•	٠							•	•				•	•		_			•	٠					٠	•			
SL694VPR																						•	•				•	•		_			•	٠					٠	•			
SL820VPR		•	•																			_																	•	•			
8/0 MODELS						1																																					
759VPR																1										•						•				_			_				
779VPR				i		-											•					-		- 1	-								_			_			_	_			
789VPR				•		-		-														_		-1				_					_						_		_		
799VPR				•		-			_			_			_			1			-	-			-	_		_					_						_				
906VPR						-			_																-			_	_			•	_			_			_	_		_	
SL759VPR							i —		_		_				_		_		_			- 1		- 1				•		- 1		-		•		-	_		_				

SPECIAL ORDER GLASS

SPECIAL ORDER Available in 3-6 Weeks

BANTER ATHERTON AVANT BALLANTYNE EXCLUSIVE OFFER EXCLUSIVE OFFER BRISTOL BREVARD CADENCE 100 CALDWELL EXCLUSIVE OFFER EXCLUSIVE OFFER CHATTER CONVERSE COURTYARD CATALINA 因 0 C 0



EXCLUSIVE OFFER










BRAINSTORM





SPECIAL ORDER GLASS SPECIAL ORDER Available in 3-6 Weeks



Raise, Lower and Tilt - No Dusting!

ENCLOSED BLINDS MEAN NO DUST OR DIRT, NO KINKS OR DENTS, AND NO BANGING OF THE MINI BLINDS WHEN YOU OPEN AND CLOSE YOUR DOOR.

Privacy Rating

Glass Details

681RLB

GBG

22"x36"

682RLB

GBG

22"x36"

683RLB

GBG

22"x36"

689RLB

GBG

22"x64"

C

759RLB

GBG

22"x64"

906RLB

22"x48"

759RLB

22"x64"

10 1 Low High Glass-Lite Frame Clear Glass Blinds lower neatly within full Uniform color in components Available in Low-E Glass privacy channels to eliminate provide a clean aesthetic light gaps. look. **Mini Blinds Color Collection** Stocked: White Special Order: Espresso, Sand, Silver Moon, or Slate Gray SPECIAL ORDER e in 3-6 Weeks Now available! Please call for more information (2) 686RLB LOW-E Shown in Fiberglass Smooth Brilliant White Paint 🔁 C+ 😪 🚱 🔹 🚱 🤂 6/8 Available in 2/6 size: 684RLB (20x36) 686RLB (20x64) C 607RLB 608RLB 682RLB 683RLB 684RLB^ 686RLB^ SL SL 22"x48" 22"x48" 22"x36" 22"x36" 22"x36" 22"x64" 694RLB 692RLB 8"x36" 7"x64" TILT ONLY 6/8 Low-E Glass @ 8/0

Textured Privacy Glass Collection


Mini Blinds Collection

Grilles Between Glass Collection

Classic Collection

GRILLES BETWEEN GLASS COLLECTION

GRILLES ARE THERMALLY-SEALED BETWEEN PANES OF CLEAR GLASS FOR A SMOOTH, EASY-TO-CLEAN SURFACE.



Glass Details



Available in Low-E Glass

Glass-Lite Frame



Privacy Rating

1	10
Low	High

Options to match your taste, decor, and budget!



Standard Grilles offer a clean look at a price that won't break the bank.

These grilles strike the geometric balance that is the trademark of Prairie Style architecture.

Grilles Between Glass Color Collection: 5/8" Flat

Stocked: White & Champagne Special Order: Tan, Black, Bronze, and Two-Tone Bronze (exterior) / White (interior)







Now available!

Please call for more information

Grilles Between Glass Low-E Transoms 🍘



Model	Glass Only Size
3313RIMLE	31-3/4" x 11-7/8" x 3/4"
3713RIMLE	35-3/4" x 11-7/8" x 3/4"



Model	Glass Only Size
5113RIMLE	49-1/4" x 11-7/8" x 3/4"




Model	Glass Only Size
6813RIMLE	66-3/4" x 11-7/8" x 3/4"









Decorative Glass Collection

Textured Privacy Glass Collection

Mini Blinds Collection

56

THE TIMELESS CLASSIC COLLECTION OFFERS A LARGE VARIETY OF DESIGNS AND STYLES TO CHOOSE FROM, ALLOWING FOR A COMPLETELY CUSTOMIZED SPACE.



Glass Details



Clear Glass

Available in Low-E Glass

Glass-Lite Frame



Privacy Rating





One Lite, No Grid



External Standard Grille

Transoms



Model	Size
3713R	37-1/2" x 13-1/2"
3715R	37-1/2" x 15-1/2"



Model	Size
6813R	68-1/2" x 13-1/2"
6815R	68-1/2" x 15-1/2"



Model	Size
6411E	64-1/2" x 11"
6413E	64-1/2" x 13-1/2"





* Different glass size dimensions for 2/6 models

58

Decorative Glass Collection

Textured Privacy Glass Collection

Mini Blinds Collection

Grilles Between Glass Collection

Classic Collection

6/8 Low-E Glass @



6/8 Zeel Frames with Low-E Glass@

See page 15 for more information on the Zeel frame.



8/0



8/0 Low-E Glass @



SL147 7"x64"

* Dentil Shelf Available

^ Different glass size dimensions for 2/6 models



801 w/Dentil Shelf Shown in Fiberglass Fir Grain

								\$	STA	NDA	RD FIBE	RGI	LAS	S D	000	RS												ST	EEL	DOC	ORS			
	F	ir	N	Maha	ogan	v			Oak		Rus	tic			Smc	ooth				Buik	der's	; Cla	ssic				Maj				Re	plac		nt
DOOR WIDTHS	2/8			_	_	_	2/8			12"			2/6				_	14"						14"	2/6	2/8	-	eel 3/0	12"	14"	2/6	Ste	_	3/0
6/8 MODELS	20	0,0	2.0	0.0			20	210	0,0							0,0			2.0	20	210	0.0				20	210	0.0						0.0
1						_	٠		•			_	•	•		•			٠	•		•			•	•		•					•	٠
2 4				-		-	•	•	•		_	-		•	•	•				•	•	•			•	•	•	•		_		_	_	•
4 LOW-E						-	•	•	•				_	•	•	•			_	•	•	•			-	•	•	•						•
5V														•		٠				•		•				•	•	•						٠
10 SHK														•		•																		
20 20 SHK						-	-	_			_	-		•		•				_						•		•						
21			•	•		-	•	-	•					•	•	•		-		•		•				•	•	•		-		•	•	•
22									_		•			•		•										•		•						
23													•	•	•	•				•		•		_	•	٠	•	•				•	•	٠
24 26				_		-	-	_			_	-	•	•	•	•		_		•		•			•	•	•	•				•		•
30 SHK	•	•		-	_	-		-	-		_	-	_	•	•	•		-	_	-	_					-	•	•		-		-		•
31							•		_				_	•																				
40														•		•										•		•						
55						_							•	•	•	•				•		•			•	•	•	•			•	•	•	•
59 59 LOW-E			•		•		•	•	•	_			•	•	•	•				•	•	•			•	•	•	•		-	•	•	•	•
61								-				- 10	•	•	•	•				•	•	•			•	•	•	•			•	•	•	•
61 LOW-E													•	•	•	•			•	•		•			•	•	•	•			•	•	•	•
62													•	•	•	•									•	•	•	•			•	•	•	•
65 110						_	•		•				_	•	•	•				•	•	•			•	•	•	•				_		•
122			•			-	•	-	•	_			•	•	•	•				•		•		_	•	•	•	•			•	•	•	•
122 LOW-E			•	•			•		•					•	•	•				•		•				•	•	•				•	•	•
122V														•	•	•				•		•				•	•	•				•	•	•
131 132			•	•	_		•		•		_	_		•	•	•				•		•				•		•	_			•		•
132				-	_	-		-	•			-	_	•	•	•		-	_	•	_	•				-		•		-		-		•
147				_		-		-	•				_			•								_				-				_		
200											•			•		•																		
220			•	•		_	•		•		_	- 10	•	•	•	•		_		•		•				•	•	•				•	•	•
225 608			•	•		-	•	-	•		_	-	•	•	•	•		-		•		•		_		•	•	•		_		•	•	•
630	_			-		-	-	-	•					-		•			_	_				_				-						_
682														•		•																		
682 LOW-E												_		•		•																		
683 683 LOW-E						-	-	_			_	_		•		•															<u> </u>	_		_
814 LOW-E				-	_	-		-	•					•		•				_										-		_	-	_
814 LOW-E									•				_			•																		
w/shelf 866 LOW-E	•	•		-	_	-		-	_					•		•				_										-		_	-	_
866 LOW-E	•	•							_					•		•																		
w/shelf SL140L				-	•	•		-	_	•	•						•	•					•	•					•	•			-	_
SL140L LOW-E					•	•				•	•						•	•					•	•					•	•				
SL141					•	•				•	•						•	•					•	•					•	•				
SL143 SL145						-		_		_							•	·					•	•					•	•				
SL145 SL147	_			_	•	•		_		•	•	-		-	_		•	•					•	•					•	•				
SL1400					•	•					•							•					•	•					•	_				
6/8 ZEEL FRAME MODELS																																		
607 LOW-E									•							•													_					
608 LOW-E									•							•																		
682 LOW-E																•																		
683 LOW-E						_		_								•										_		_						
684 LOW-E 686 LOW-E				•	_	-			•				_	_		•													_	-		_		
8/0 MODELS																																		
59									•							•												•						
59 LOW-E									•							•												•						
61																•												•						
147						_			•			-		_		•																		
147 LOW-E 801		•								_		-	_	_		•														_		_		
801 w/shelf		•				_			_							_																		
803		•																																
803 w/shelf		•														_																		
806		•									_			_																				
906 /al 16							1																		1					4				
806 w/shelf 906	_	-																- î																
806 w/shelf 906 SL147		-									•			_		•		•														_		

Double door units available. Call for availability.

EXTERIOR DOOR ORDER FORM

D	ealer Name	L	ocation	Ordered by:	PO Number	Order Date
	Width: 2/4	2/8		Height: 6/8 7/0 8/0	Other Sidelin Width	
2 Configu	uration: (When lookin	g at the unit	from the exteri	or of the building)		
Single	1 Sidelite	1 Sidelite	2 Sidelites	Double	🗌 Patio 2 Door	Patio 3 Door
3 Door Ho	anding (EXT = Exterio	or • INT = Inte	rior)			
	LH Inswing	RH Inswing				LH Center Swing
	RH Hinge Side	LH Hinge Side Inswing INT S EXT			RH Inswing	RH Center Swing
				LH Outswing		
				RH Outswing		
5 Double	Unit: Is a storm door Unit: The inactive (st and Sidelite(s):	ationary) do	or to be bored?	Yes 🗌 No ? 🗌 Yes 🗌 No 8 Sill Options:	9 Hinge C	Options:
FG Fibergle FS Fibergle FM Fibergle Prem ACC Prem ACF Prem ACK	ass Fir Grained ass Oak Grained ass Smooth ass Mahogany Fiberglass Cherry Fiberglass Fir A Fiberglass Knotty Alde	4-9/16	" [5" [Standard Saver	Mill Finish Adjustable Sta Bronze Adjustable Mill Finish Fixed Other	andard Satin Nickel St Lite Brass Bright Bras Antique Br Colonial Br Antique Ni Black	Brushed Chrome ss ass Spring onze Ball-Bearing
Prem ACO Prem ACRO BCF Builde MJ Majesti MP Replace Door Model #_ Sidelite Model Paint/Stair Outside Color_	# Door(s) Sidelite(s)	ry Drimed White Woodg Alumin Sands		Transoms: Model #	Peep Prep: 1/2" (20" from top of di Other Protector: 1 Side	Magnetic Optional
Inside Color		12 Spec	cial Instructions	5:		

OPENINGS


Exterior Fiberglass & Steel Rough Opening Widths - Measure stud to stud for inswing or outswing units

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Exterior Fik	Exterior Fiberglass & Steel Rough Opening Widths - Measure stud to stud for inswing or outswing units												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Door Size	Base Unit	One 6"	Two 6"	One 12"	Two 12"	One 14"	Two 14"	6/8	7/0	8/0			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/0 Single	26"	33-1/2"	41"	39-1/2"	53"	41-1/2"	57"	82-1/4"	86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/4 Single	30"	37-1/2"	45"	43-1/2"	57"	45-1/2"	61"	82-1/4"	86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/6 Single	32"	39-1/2"	47"	45-1/2"	59"	47-1/2"	63"	82-1/4"	86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/8 Single	34"	41-1/2"	49"	47-1/2"	61"	49-1/2"	65"	82-1/4"	86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/10 Single	36"	43-1/2"	51"	49-1/2"	63"	51-1/2"	67"	82-1/4"	86-1/4"	98-1/4"			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3/0 Single	38"	45-1/2"	53"	51-1/2"	65"	53-1/2"	69"	82-1/4"	86-1/4"	98-1/4"			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3/6 Single	44"	51-1/2"	59"	57-1/2"	71"	59-1/2"	75"	82-1/4"	86-1/4"	98-1/4"			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	5/0 Pair	62-1/2"	-	77-1/2"	-	89-1/2"	-	93-1/2"	82-1/4"	86-1/4"	98-1/4"			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	5/4 Pair	66-1/2"	-	81-1/2"	-	93-1/2"	-	97-1/2"	82-1/4"	86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6/0 Pair	74-1/2"	-	89-1/2"	-	101-1/2"	-	105-1/2"		86-1/4"	98-1/4"			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Unit Dimensions - Measured from outside frame to outside of frame, not including brickmould.												
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	2/0 Single	25-1/2"	33"	40-1/2"	39"	52-1/2"	41"	56-1/2"	81-5/8"	85-5/8"	97-5/8"			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2/4 Single	29-1/2"	37"	44-1/2"	43"	56-1/2"	45"	60-1/2"	81-5/8"	85-5/8"	97-5/8"			
2/10 Single 35-1/2" 43" 50-1/2" 49" 62-1/2" 51" 66-1/2" 81-5/8" 85-5/8" 97-5/8" 3/0 Single 37-1/2" 45" 52-1/2" 51" 64-1/2" 53" 68-1/2" 81-5/8" 85-5/8" 97-5/8" 3/6 Single 43-1/2" 51" 58-1/2" 57" 70-1/2" 59" 74-1/2" 81-5/8" 85-5/8" 97-5/8" 5/0 Pair 62" - 77" - 89" - 93" 81-5/8" 85-5/8" 97-5/8" 5/4 Pair 66" - 81" - 93" - 97" 81-5/8" 85-5/8" 97-5/8"	2/6 Single	31-1/2"	39"	46-1/2"	45"	58-1/2"	47"	62-1/2"	81-5/8"	85-5/8"	97-5/8"			
3/0 Single 37-1/2" 45" 52-1/2" 51" 64-1/2" 53" 68-1/2" 81-5/8" 85-5/8" 97-5/8" 3/6 Single 43-1/2" 51" 58-1/2" 57" 70-1/2" 59" 74-1/2" 81-5/8" 85-5/8" 97-5/8" 5/0 Pair 62" - 77" - 89" - 93" 81-5/8" 85-5/8" 97-5/8" 5/4 Pair 66" - 81" - 93" - 97" 81-5/8" 85-5/8" 97-5/8"	2/8 Single	33-1/2"	41"	48-1/2"	47"	60-1/2"	49"	64-1/2"	81-5/8"	85-5/8"	97-5/8"			
3/6 Single 43-1/2" 51" 58-1/2" 57" 70-1/2" 59" 74-1/2" 81-5/8" 85-5/8" 97-5/8" 5/0 Pair 62" - 77" - 89" - 93" 81-5/8" 85-5/8" 97-5/8" 5/4 Pair 66" - 81" - 93" - 97" 81-5/8" 85-5/8" 97-5/8"	2/10 Single	35-1/2"	43"	50-1/2"	49"	62-1/2"	51"	66-1/2"	81-5/8"	85-5/8"	97-5/8"			
5/0 Pair 62" - 77" - 89" - 93" 81-5/8" 85-5/8" 97-5/8" 5/4 Pair 66" - 81" - 93" - 97" 81-5/8" 85-5/8" 97-5/8"	3/0 Single	37-1/2"	45"	52-1/2"	51"	64-1/2"	53"	68-1/2"	81-5/8"	85-5/8"	97-5/8"			
5/4 Pair 66" - 81" - 93" - 97" 81-5/8" 85-5/8" 97-5/8"	3/6 Single	43-1/2"	51"	58-1/2"	57"	70-1/2"	59"	74-1/2"	81-5/8"	85-5/8"	97-5/8"			
	5/0 Pair	62"	-	77"	-	89"	-	93"	81-5/8"	85-5/8"	97-5/8"			
6/0 Pair 74" - 89" - 101" - 105" 81-5/8" 85-5/8" 97-5/8"	5/4 Pair	66"	-	81"	-	93"	-	97"	81-5/8"	85-5/8"	97-5/8"			
	6/0 Pair	74"	-	89"	-	101"	-	105"	81-5/8"	85-5/8"	97-5/8"			

Outswing unit height and low profile ADA unit: Deduct 3/4" from rough opening height.

For outside brickmold to outside brickmold INSWING unit add to frame sizes: Width 2-1/2" and height 1-1/4"

For outside brickmold to outside brickmold OUTSWING unit add to frame sizes: Width 3" and height 1-1/4"



Eliptical Transoms

Eliptical li	ransoms									
Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door							
6411E	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"							
6413E	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 95-1/2"							
Rectangle Transoms										
Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door							
Model 3713R		Fits Over	0 . 0							
	Dimension		with 6/8 Door							
3713R	Dimension 37-1/2" x 13-1/2"	3/0	with 6/8 Door 38" x 95-1/2"							

GBG Transoms

2

Left Hand Center Swing

Inside

GDG ITUN	SOLITS									
Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door							
3711RIM	37-1/2" x 11"	3/0	38" x 93"							
6411RIM	64-1/2" x 11"	1/0•3/0•1/0	65" x 93"							
6415RIM	64-1/2" x 15-1/2"	1/0•3/0•1/0	65" x 97-1/2"							
6811RIM	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"							
6815RIM	68-1/2" x 15-1/2"	1/2 • 3/0 • 1/2	69" x 97-1/2"							
Decorative Transoms										
Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door							
521	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 14"							

Inside

Right Hand Center Swing



DOOR WARRANTIES

Fiberglass Doors Limited Warranty Limited Lifetime Door Component • 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its fiberglass entry door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Limited Lifetime Warranty for the door component of the base prehung system*

- 2. Two (2) years for the Builder's Classic door component of the base prehung system*.
- 3. Two (2) years on our Msystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is non-transferable.
- 4. Limited Lifetime Warranty when upgrading to Composite or FrameSaver Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit and door component, without extending the 10 year door lite component warranty. This warranty is non-transferable.
- 5. Five (5) years from the date of installation for the stained or painted finish by MMI DOOR on the door component of the fiberglass prehung door unit. Coverage against deficiencies in material and workmanship of the finish, as well as coverage against flaking, cracking, checking, blistering and peeling.
 - * Base prehung system = door component prehung on a primed wood frame

EXCLUSIONS FROM COVERAGE:

- This warranty does not cover
- 1. Door units not installed according to published unit dimensions and installation instructions.
- a. Double doors with an astragal should not be installed in a direct weather exposure or without a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will void any warranty coverage
- 2. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- 3. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 4. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
- 5. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- 6. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
- 7. Products not finished/painted, or in accordance with installation instructions.
- 8. Products finished/painted a dark color with prolonged exposure to direct sunlight.
- 9. Products finished with non-recommended paints or topcoats.
- 10. Performance of finish paints.
- 11. Labor, shipping or other charges incurred or claimed by the Customer.
- 12. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure:

- 1. The Customer must promptly present a written claim to
- MMI DOOR 6361 Sterling Dr. North, Sterling Heights, MI 48312. 2. The Customer must use reasonable diligence to include in the written
 - claim all of the following:
- a. Adequate description of defect(s).
- b. Identification of Product design or pattern.
- c. Exact Product size.
- d. Date Product was manufactured.
- e. Date of the Customer's purchase and the date of delivery to the Customer. 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.

REMEDIES

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

* Storm doors void warranty due to possible excessive heat buildup.

10 Year Exterior Door Glass-Lite Warranty

WARRANTY COVERAGE:

MMI DOOR warrants that its Glass component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD: 1. Ten (10) years for the glass component for seal failure.

2. Lifetime for Frame component against warping and cracking

EXCLUSION FROM COVERAGE:

This warranty does not cover

- 1. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- 2. Defects of damages arising out of improper handling or cleaning, defective orimproper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 3. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- 4. Product used or installed in high-vibration environments.
- 5. Products not finished-painted in accordance with door edge label or installation instructions.
- 6. Product finished with non-recommended paints, stains or topcoats.
- 7. Performance of finish paints.
- 8. Labor, shipping or other charges incurred or claimed by the Customer.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure

- 1. The Customer must promptly present a written claim to MMI DOOR 6361 Sterling Dr. North, Sterling Heights, MI 48312. MMI DOOR must receive this claim no later than ten (10) years after the date of the Customer's purchase.
- 2. The Customer must use reasonable diligence to include in the written claim all of the following:

 - a. Adequate description of defect(s). b. Identification of Product design or pattern.
- c. Exact Product size.

d. Date Product was manufactured.

- e. Date of the Customer's purchase and the date of delivery to the Customer. 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.
- REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available

*After year 5, Homeowner may be responsible for a prorated portion of glass warranty cost.

Majestic Steel Limited Warranty

10 Years - Majestic Door Component • 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its Majestic Steel entry door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD:

- Ten (10) years for the Majestic door component of the base prehung system*.
 Two (2) years on our MSystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is nontransferable.
- 3. Limited Lifetime Warranty when upgrading to Composite or FrameSaver Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit, without extending door component or door lite component warranty. This warranty is nontransferable.

4. Five (5) years from the date of installation for the painted finish by MMI DOOR on the door component of the Majestic Premium prehung door unit. Coverage against deficiencies in material and workmanship of the finish, as well as coverage against flaking, cracking, checking, blistering and peeling.

* Base prehung system = door component prehung on a primed wood frame

EXCLUSIONS FROM COVERAGE

This warranty does not cover:

- 1. Door units not installed according to published unit dimensions and installation instructions.
- a. Double doors with an astragal should not be installed in a direct weather exposure or without a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will void any warronty coverage.
- 2. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- 3. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 4. Warp not exceeding $1/4^{\rm o}$ in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
- 5. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- 6. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
- 7. Products not finished/painted in accordance with installation instructions.
- Products finished/painted a dark color with prolonged exposure to direct sunlight.
 Product finished with non-recommended paints or topcoats.
- 3. Product TINIShed with non-reco
- 10. Performance of finish paints.
- 11. Labor, shipping or other charges incurred or claimed by the Customer.
- 12. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure:

- The Customer must promptly present a written claim to MMI DOOR 6361 Sterling Dr. North, Sterling Heights, MI 48312. MMI DOOR must receive this claim no later than ten (10) years on Majestic doors and two (2) years on Builder's Choice doors after the date of the Customer's purchase.
- The Customer must use reasonable diligence to include in the written claim all of the following:
- a. Adequate description of defect(s).
- b. Identification of Product design or pattern.
- c. Exact Product size.
- d. Date Product was manufactured.
- e. Date of the Customer's purchase and the date of delivery to the Customer.
 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY, IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the

provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.





THOUSANDS OF DOOR OPTIONS RIGHT AT YOUR FINGERTIPS!

LOCATE A DEALERBUILD YOUR DOOR

GET THE **FREE** MOBILE APP TODAY!

DOWNLOAD • SNAP • SHARE



Warranties

For more information on MMI DOOR products and services, please visit:

www.mmidoor.com



Michigan (HQ)

6361 Sterling Drive North Sterling Heights, MI 48312 586.264.0950 800.686.9218 Fax: 586.264.5430 Ohio 400 Circle Freeway Drive Cincinnati, OH 45246 513.874.6771 800.215.3770 Fax: 513.870.0242

Pennsylvania

172 Plummer Road Sidman, PA 15955 814.487.7800 800.452.0251 Fax: 814.487.7850



© 2022 MMI DOOR All Rights Reserved. STLFGENTBROCH 02/22

608SDL Shown in Fiberglass Oak Grain Walnut Stain