

VGP11FP (Vertical Grain Pine)

STILE & RAIL COLLECTION




FOR OVER 70 YEARS,

Shuster's Building Components has prevailed as an industry leader and continues to set the standards of excellence for the millwork market. Our committed levels of inventory and gold standard of quick shipments allow you to be assured you will receive a timely superior product fabricated by our expert craftsmen. Whether you are building the home of your dreams, or remodeling one to meet your needs, let the "Shuster Touch" enhance your home for years to come.



Table Of Contents


SBC Live.....	3	Knotty Alder.....	29
Stile & Rail Door Specs.....	4	Oak.....	33
Primed.....	5	Oak Glass.....	35
Primed Fire.....	11	Pattern Glass.....	37
Primed Glass.....	13	Barn Doors.....	47
Primed Divided Lite Glass.....	17	Louvers.....	53
Vertical Grain Pine.....	19	Transoms.....	55
Knotty & Mixed Pine.....	23	Barn Door Hardware.....	56
Pine Glass.....	27	Accessories & Components.....	57



Place your order on our online ordering system!



- Creates a log of quotes for your entire team.
- Ability to establish store-level pricing templates.
- Generates professional quotes with your company logo that can be presented to your customers.
- Training tools available for new employees.
- Reporting tools live and in real-time.
- Compatible with tablet, smartphone, and PC.
- Responsive and easy to use.



Stile & Rail Door Specs



- All stile & rail doors come pre-hung in specially designed clear wrap to protect against shop handling, delivery, and jobsite wear.
- Primed doors match very closely to primed jamb and primed casing color.
- Architectural elements in sticking, panel, and stiles add value and details to your project.
- All stile & rail doors available can be made into french openings, bifolds, & bypass units.
- Vertical grain pine allows for staining flexibility.
- Doors are made with Dowel Construction



Crisp lines, architectural details and a perfect surface to accept paint.

Door Specs:

- Flat Panel.
- Shaker Sticking.
- Dowel Construction.

Panel Sticking Options:




All availability charts:

S - In Stock ● - Not In Stock

C11VG

C11*

C22*




1-3'8"			
	6'8"	7'0"	8'0"
1'6"	.	.	.
2'0"	S	S	.
2'2"	S	S	.
2'4"	S	S	.
2'6"	S	S	.
2'8"	S	S	.
3'0"	S	S	.

*Only Flat Shaker Panel Sticking Available



1-3'8"			
	6'8"	7'0"	8'0"
1'0"	S	.	.
1'2"	S	.	.
1'3"	S	.	.
1'4"	S	.	.
1'6"	S	S	S
1'8"	S	S	S
1'10"	S	S	S
2'0"	S	S	S
2'2"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
2'10"	S	S	S
3'0"	S	S	S

1-3'4"			
	6'8"	7'0"	8'0"
1'6"	S	S	S
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	.	S	.
3'0"	.	S	.



1-3'8"			
	6'8"	7'0"	8'0"
1'0"	S	.	.
1'2"	S	.	.
1'3"	S	.	.
1'4"	S	.	.
1'6"	S	S	S
1'8"	S	S	S
1'10"	S	S	S
2'0"	S	S	S
2'2"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
2'10"	S	S	S
3'0"	S	S	S

1-3'4"			
	6'8"	7'0"	8'0"
1'6"	S	S	S
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	.	S	.
3'0"	.	S	.

*Found in Barn Doors




Bifold Slab Widths Available:

2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".


All doors shown on this page are 2'0", 2'6", & 3'0" configurations.

*Shows 1 double.

*4'0", 5'0", & 6'0" configurations are double.
(2 bifold units)




C11



C22



C11 (x2)





Crisp lines, architectural details and a perfect surface to accept paint.

Door Specs:

- Flat Panel.
- Shaker Sticking.
- Dowel Construction.


Panel Sticking Options:



All availability charts:


S - In Stock ● - Not In Stock

C30*



1-3-8"		6'8"	7'0"	8'0"
1'0"	S	.	.	.
1'2"	S	.	.	.
1'3"	S	.	.	.
1'4"	S	.	.	.
1'6"	S	S	S	S
1'8"	S	.	.	.
1'10"	S	.	.	.
2'0"	S	S	S	S
2'2"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
2'10"	S	S	S	S
3'0"	S	S	S	S


C35



1-3-8"		6'8"	7'0"	8'0"
1'0"	S	.	.	.
1'2"	S	.	.	.
1'3"	S	.	.	.
1'4"	S	.	.	.
1'6"	S	S	S	S
1'8"	S	S	S	S
1'10"	S	S	S	S
2'0"	S	S	S	S
2'2"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
2'10"	S	S	S	S
3'0"	S	S	S	S

1-3-4"		6'8"	7'0"	8'0"
1'6"	S	S	S	S
2'0"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
3'0"	S	S	S	S

C40*



1-3-8"		6'8"	7'0"	8'0"
1'4"	S	.	.	.
1'6"	S	S	.	.
1'8"	S	.	.	.
1'10"	S	.	.	.
2'0"	S	S	.	.
2'2"	S	.	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
2'10"	S	.	.	.
3'0"	S	S	.	.




Bifold Slab Widths

Available:

2'0", 2'6", 3'0", 4'0", 5'0",
& 6'0".

All doors shown on this page
are 2'0", 2'6", & 3'0"
configurations.


*4'0", 5'0", & 6'0"
configurations are
double.
(2 bifold units)



C30



C35



C40





Crisp lines, architectural details and a perfect surface to accept paint.

Door Specs:

- Flat Panel.
- Shaker Sticking.
- Dowel Construction.


Panel Sticking Options:



All availability charts:

S - In Stock ● - Not In Stock

C44*




1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	•	•
2'2"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
2'10"	S	•	•
3'0"	S	•	•

C55*



1-3'8"			
	6'8"	7'0"	8'0"
1'0"	S	•	•
1'2"	S	•	•
1'3"	S	•	•
1'4"	S	•	•
1'6"	S	S	S
1'8"	S	•	•
1'10"	S	•	•
2'0"	S	S	S
2'2"	S	S	•
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	•
2'10"	S	S	S
3'0"	S	S	•

C60



1-3'8"			
	6'8"	7'0"	8'0"
1'6"	•	•	S
2'0"	•	•	S
2'4"	•	•	S
2'6"	•	•	S
2'8"	•	•	S
3'0"	•	•	S



Bifold Slab Widths

Available:

2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".


All doors shown on this page are 2'0", 2'6", & 3'0" configurations.

*Shows 1 double.

*4'0", 5'0", & 6'0" configurations are double. (2 bifold units)




C44



C55



C55 (x2)



Primed

20 Minute Fire Flat Panel



C11




Availability:
6'8" - 2'6", 2'8", & 3'0"
8'0" - 2'8" & 3'0"

C22




Availability:
6'8" - 2'6", 2'8", & 3'0"
8'0" - 2'8" & 3'0"

C30




Availability:
6'8" - 2'6", 2'8", & 3'0"
8'0" - 2'8" & 3'0"

C35




Availability:
6'8" - 2'6", 2'8", & 3'0"
8'0" - 2'8" & 3'0"

C40



Availability:
6'8" - 2'8" & 3'0"

C44



Availability:
6'8" - 2'8" & 3'0"

C55



Availability:
6'8" - 2'6", 2'8", & 3'0"
8'0" - 2'8" & 3'0"

C60



Availability:
8'0" - 2'8" & 3'0"

Door Specs:

- Flat Panel
- Shaker Sticking only
- Dowell Construction



Shaker

Availability:
Height - Width

Primed Glass

Clear



Perfect for natural light or a statement door.
Glass doors add beauty to any application.

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	S	S
2'2"	S	•	•
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
2'10"	S	S	•
3'0"	S	S	S

1-3'4"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S

Pantry Glass availability:
1-3'8" • 6'8"
2'0", 2'4", 2'6",
2'8", & 3'0"

*1 3/4" Ovolo Sticking only.



1501
Clear



1501
Pantry

Ovolo Sticking


1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	•	S
2'4"	S	•	S
2'6"	S	•	S
2'8"	S	•	S
3'0"	S	•	S



C22
Flat Panel
Clear

Shaker Sticking


1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
3'0"	S	•	•



C22
Raised Panel
Clear

Ovolo Sticking

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S



C30
Clear

Shaker Sticking


1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
3'0"	S	S	•



C40
Clear


Shaker Sticking

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S



C55
Clear

Shaker Sticking



Ovolo



Shaker

All availability charts:
S - In Stock ● - Not In Stock

Primed Glass

Frosted



Perfect for natural light or a statement door.
Glass doors add beauty to any application.

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	S	S
2'2"	S	•	•
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
2'10"	S	S	•
3'0"	S	S	S

1-3'4"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S

Pantry Glass availability:
1-3'8" • 6'8"
2'0", 2'4", 2'6",
2'8", & 3'0"

*1 3/4" Ovolo Sticking only.



1501
Frosted



1501
Pantry

Ovolo Sticking

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	•	S
2'4"	S	•	S
2'6"	S	•	S
2'8"	S	•	S
3'0"	S	•	S



C22
Flat Panel
Frosted

Shaker Sticking


1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
3'0"	S	•	•



C22
Raised Panel
Frosted

Ovolo Sticking


1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S



C30
Frosted

Shaker Sticking

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
3'0"	S	S	•



C40
Frosted


Shaker Sticking

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S



C55
Frosted

Shaker Sticking



Ovolo



Shaker

All availability charts:
S - In Stock ● - Not In Stock

Primed Divided Lite Glass



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
2'10"	S	•	•
3'0"	S	S	•



1515
Clear



1515
Frosted

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
3'0"	S	•	•



1509
Clear

1-3'4"			
	6'8"	7'0"	8'0"
2'0"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
3'0"	S	S	•



1510
Clear



1512
Clear



1518
Clear



1505
Clear



1506
Clear

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	S	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
2'10"	S	•	•
3'0"	S	•	•

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	•	•	S
2'4"	•	•	S
2'6"	•	•	S
2'8"	•	•	S
2'10"	•	•	S
3'0"	•	•	S


1-3'8"			
	6'8"	7'0"	8'0"
2'4"	•	•	S
2'6"	•	•	S
2'8"	•	•	S
3'0"	•	•	S

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	S	•
2'4"	•	•	•
2'6"	•	•	•
2'8"	•	•	•
3'0"	•	•	•

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	•	•	S
2'4"	•	•	•
2'6"	•	•	•
2'8"	•	•	•
3'0"	•	•	•

1-3'4"			
	6'8"	7'0"	8'0"
2'0"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
3'0"	S	S	•

1-3'4"			
	6'8"	7'0"	8'0"
2'0"	•	•	S
2'4"	•	•	S
2'6"	•	•	S
2'8"	•	•	S
3'0"	•	•	S



Ovolo



Shaker

All availability charts:
S - In Stock **•** - Not In Stock

Vertical Grain Pine



Perfect for all homes that require stained doors. Our Vertical Grain pine doors offer style and strength.

All doors stocked are: 1-3'8"

- **6'8"**: 1'4", 1'6", 1'8", 1'10", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", 3'0", 2'0" CP, 2'6" CP, & 3'0" CP.
- **8'0"**: 1'6", 2'0", 2'4", 2'6", 2'8", & 3'0".

Door Specs:

- Double Hip Raised Panels
- Vertical Grain
- 3/4" Thick Panels & Ovolo Sticking or Flat Panel Shaker Sticking.
- V-Groove Panels Available.



*All doors shown on this page have Flat Panel Shaker Sticking.

VGP11FP



*Not available in 1'6"/8'0"

VGP22FP



*Not available in 1'6"/8'0"

VGP30FP



VGP35FP



*Not available in 1'6"/8'0"

VGP55FP



*Not available in any 8'0" sizes.

Vertical Grain Pine

Raised Panel

Perfect for all homes that require stained doors. Our Vertical Grain pine doors offer style and strength.

All doors stocked are: 1-3'8"

- **6'8"**: 1'4", 1'6", 1'8", 1'10", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", 3'0", 2'0" CP, 2'6" CP, & 3'0" CP.
- **8'0"**: 1'6", 2'0", 2'4", 2'6", 2'8", & 3'0".

Door Specs:

- Double Hip Raised Panels
- Vertical Grain
- 3/4" Thick Panels & Ovolo Sticking or Flat Panel Shaker Sticking.
- V-Groove Panels Available.



*All doors shown on this page have Ovolo Sticking.



VGP22RPDHO*



VGP22ARPDHO*



VGP44RPDHO



These models are also available in V-Groove*

*Not available in any 8'0" sizes.

Flat



VGP11FP



VGP30FP



VGP35FP



Bifold configuration

Raised



VGP22RPDHO




VGP22ARPDHO



VGP44RPDHO

Bifold Slab Widths Available: 2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".
*All doors shown on this page are 2'0", 2'6", & 3'0" configurations.



*4'0", 5'0", & 6'0" configurations are double.
(2 bifold units)

Knotty & Mixed Pine





Add a rustic warmth to your home that will stand out with these Mixed Grain and Knotty Pine units.

All doors stocked are: 1-3'8"

- **6'8"**: 1'4", 1'6", 1'8", 1'10", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", 3'0", 2'0" Bifold, 2'6" Bifold, & 3'0" Bifold

RAD66RPDHO available in 1'0", 1'2", 1'3", 1'4", 1'6", 1'8", 1'10, 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", & 3'0".

Door Specs:

- 6 Panel Mixed Grain Available.
- Knotty Pine V-Groove.
- 3/4" Thick Panels & Ovolo Sticking.
- Double Hip Raised Panels

RAD66RPDHO



*Mixed Pine

KP66RPDH



KP66RPDH (x2)



*All the doors on this page are available in 6'8" only.

Add a rustic warmth to your home that will stand out with these Mixed Grain and Knotty Pine units.

All doors stocked are: 1-3'8"

- **6'8"**: 1'4", 1'6", 1'8", 1'10", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", 3'0", 2'0" Bifold, 2'6" Bifold, & 3'0" Bifold.
- **8'0"**: 1'6", 2'0", 2'4", 2'6", 2'8", & 3'0".

Door Specs:

- 6 Panel Mixed Grain Available.
- Knotty Pine V-Groove.
- 3/4" Thick Panels & Ovolo Sticking.
- Double Hip Raised Panels

KP22VG

KP22AVG



6'8"



8'0"



6'8"




8'0"



Bifold configuration

Bifold Slab Widths Available: 2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".
*All doors shown on this page are 2'0", 2'6", & 3'0" configurations.



*4'0", 5'0", & 6'0" configurations are double.
(2 bifold units)

Pine Glass






1501
Clear



1501
Frosted



1515
Clear



1509
Clear

Availability:


6'8": 1'6", 2'0", 2'2", 2'4", 2'6", 2'8", & 3'0".

Availability:

6'8": 2'0", 2'4", 2'6", 2'8", 2'10", & 3'0".

Availability:

6'8": 2'6", 2'8", & 3'0".




1505
Clear



1510
Clear



1512
Clear



1518
Clear

Availability:

6'8": 1'6"
7'0": 1'6"

Availability:

6'8": 2'0"

Availability:

8'0": 2'0"

Availability:

8'0": 2'4", 2'6", 2'8", & 3'0".



*All doors shown on this page have Oволо Sticking.

*All doors shown are 1-3'8".

Knotty Alder



The unique combination of depth and texture gives the Knotty Alder style door a stand-out, rustic look.

All doors stocked are: 1-3'8"

- **6'8"**: 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 2'0" Bifold, 2'6" Bifold, 3'0" Bifold.
- **7'0"**: 2'0", 2'4", 2'6", 2'8", & 3'0" (KA11VG Only).
- **8'0"**: 3'0" (KA11VG Only).

Door Specs:

- 3/4" Double Hip Solid Panel or Flat Panel Shaker Sticking.
- Deep Rustic Knots



*All doors shown on this page have Flat Panel Shaker Sticking.

KA11VG



KA35FP



KA11VG (x2)



The unique combination of depth and texture gives the Knotty Alder style door a stand-out, rustic look.

All doors stocked are: 1-3'8"

- **6'8"**: 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 2'0" Bifold, 2'6" Bifold, 3'0" Bifold.
- **7'0"**: 2'0", 2'4", 2'6" 2'8", & 3'0" (KA11VG Only).
- **8'0"**: 3'0" (KA11VG Only).

Door Specs:

- 3/4" Double Hip Solid Panel or Flat Panel Shaker Sticking.
- Deep Rustic Knots



*All doors shown on this page have Ovolo Sticking.

KA22AVGDHO



KA22DHO



KA22AVGDHO



KA22ADHO



Raised



KA22VGDHO



KA22DHO



KA22AVGDHO




KA22ADHO

Flat



KA11VG




KA35FP



Bifold configuration

Bifold Slab Widths Available: 2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".
*All doors shown on this page are 2'0", 2'6", & 3'0" configurations.



*4'0", 5'0", & 6'0" configurations are double.
(2 bifold units)

Oak





Classic oak doors are rich and hearty. They create distinction in your home with lasting style.

All doors stocked are:

6'8" x 1-3'8"

*1'0", *1'2", *1'3", 1'4", 1'6", 1'8", 1'10", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10", & 3'0".

2'0" Bifold, 2'6" Bifold, & 3'0" Bifold.

*Available for OAK66RP only.

Door Specs:

- 3/4" Bladder Pressed Single Hip Panel with Ovolo Sticking.
- Flat Panel Doors include a Flat Panel with Shaker Sticking.



Page 34.



Page 35.

OAK22RPO



OAK22ARPO



OAK44RPO



OAK66RP



Oak

Oak Glass / Flat Panel



1501OAK

1510OAK

1515OAK



Ovolo Sticking
Clear

Availability:
6'8": 2'0", 2'4",
2'6", 2'8", &
3'0".



Ovolo Sticking
Clear

Availability:
6'8": 2'0".



Ovolo Sticking
Clear

Availability:
6'8": 2'4", 2'6",
2'8", & 3'0".

OAK22FP

OAK35FP



Raised



OAK22RPO



OAK22ARPO



OAK44RPO



Bifold configuration

Flat



OAK66RP




OAK22FP



OAK35FP

Bifold Slab Widths Available: 2'0", 2'6", 3'0", 4'0", 5'0", & 6'0".

*All doors shown on this page are 2'0", 2'6", & 3'0" configurations.



*4'0", 5'0", & 6'0" configurations are double. (2 bifold units)

Pattern Glass Doors

Crystal Flute



9

PRIVACY GUIDE

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Completely Clear
Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted
Objects are distorted, but can still be detected from the opposite side.


Completely Opaque
Only light will travel through from the opposite side.

C22 Primed Raised



1-3'8"		6'8"	7'0"	8'0"
1'6"	S	.	.	.
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

C22 Primed Flat



1-3'8"		6'8"	7'0"	8'0"
1'6"	S	.	.	.
2'0"	S	.	S	.
2'4"	S	.	S	.
2'6"	S	.	S	.
2'8"	S	.	S	.
3'0"	S	.	S	.

C35 Primed



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

C30 Primed




1-3'8"		6'8"	7'0"	8'0"
2'0"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
3'0"	S	S	S	S

C40 Primed



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
3'0"	S	S	.	.

C55 Primed



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
3'0"	S	S	S	S

1500 Knotty Alder



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 Oak



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 VG Pine



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 Primed



1-3'8"		6'8"	7'0"	8'0"
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
2'10"	S	S	.	.
3'0"	S	S	.	.

1-3'8"		6'8"	7'0"	8'0"
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
2'10"	S	S	.	.
3'0"	S	S	.	.

*All 1500 door models have Ovolo Sticking.
 *All door models beginning in "C" have Shaker Sticking.



All availability charts:
 S - In Stock ● - Not In Stock



9

PRIVACY GUIDE

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Completely Clear

Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

Completely Opaque

Only light will travel through from the opposite side.

Frosted

Pattern Glass Doors

C22 Primed Raised



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	.
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

C22 Primed Flat



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	.
2'0"	S	.	S	.
2'4"	S	.	S	.
2'6"	S	.	S	.
2'8"	S	.	S	S
3'0"	S	.	S	S

C35 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

C30 Primed




1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
3'0"	S	S	S	S

C40 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
3'0"	S	S	.	.

C55 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	S
2'4"	S	S	S	S
2'6"	S	S	S	S
2'8"	S	S	S	S
3'0"	S	S	S	S

1500 Knotty Alder



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 Oak




1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 VG Pine



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	.
2'4"	S	.	.	.
2'6"	S	.	.	.
2'8"	S	.	.	.
3'0"	S	.	.	.

1500 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
2'10"	S	S	.	.
3'0"	S	S	.	.

1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	.
2'4"	S	S	.	.
2'6"	S	S	.	.
2'8"	S	S	.	.
2'10"	S	S	.	.
3'0"	S	S	.	.

*All 1500 door models have Ovolo Sticking.
 *All door models beginning in "C" have Shaker Sticking.



All availability charts:
 S - In Stock ● - Not In Stock

Pattern Glass Doors

Micro-Granite



8

PRIVACY GUIDE

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Completely Clear
Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted
Objects are distorted, but can still be detected from the opposite side.

Completely Opaque
Only light will travel through from the opposite side.

C22 Primed Raised



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

C22 Primed Flat



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	
2'0"	S	.	S	
2'4"	S	.	S	
2'6"	S	.	S	
2'8"	S	.	S	
3'0"	S	.	S	

C35 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

C30 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	
2'4"	S	S	S	
2'6"	S	S	S	
2'8"	S	S	S	
3'0"	S	S	S	

C40 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
3'0"	S	S	.	

C55 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	
2'4"	S	S	S	
2'6"	S	S	S	
2'8"	S	S	S	
3'0"	S	S	S	

1500 Knotty Alder



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

1500 Oak



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

1500 VG Pine



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

1500 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
2'10"	S	S	.	
3'0"	S	S	.	

1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
2'10"	S	S	.	
3'0"	S	S	.	

*All 1500 door models have Ovolo Sticking.
 *All door models beginning in "C" have Shaker Sticking.



All availability charts:
 S - In Stock ● - Not In Stock



9

PRIVACY GUIDE

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Completely Clear
Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted
Objects are distorted, but can still be detected from the opposite side.

Completely Opaque
Only light will travel through from the opposite side.

Pattern Glass Doors

C22 Primed Raised



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

C22 Primed Flat



1-3'8"				
	6'8"	7'0"	8'0"	
1'6"	S	.	.	
2'0"	S	.	S	
2'4"	S	.	S	
2'6"	S	.	S	
2'8"	S	.	S	
3'0"	S	.	S	

C35 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

C30 Primed




1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	
2'4"	S	S	S	
2'6"	S	S	S	
2'8"	S	S	S	
3'0"	S	S	S	

C40 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
3'0"	S	S	.	

C55 Primed




1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	S	
2'4"	S	S	S	
2'6"	S	S	S	
2'8"	S	S	S	
3'0"	S	S	S	

1500 Knotty Alder



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

1500 Oak




1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	

1500 VG Pine



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	.	.	
2'4"	S	.	.	
2'6"	S	.	.	
2'8"	S	.	.	
3'0"	S	.	.	


1500 Primed



1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
2'10"	S	S	.	
3'0"	S	S	.	

1-3'8"				
	6'8"	7'0"	8'0"	
2'0"	S	S	.	
2'4"	S	S	.	
2'6"	S	S	.	
2'8"	S	S	.	
2'10"	S	S	.	
3'0"	S	S	.	

*All 1500 door models have Ovolo Sticking.
 *All door models beginning in "C" have Shaker Sticking.



All availability charts:
 S - In Stock ● - Not In Stock



PRIVACY GUIDE

1

Completely Clear

Objects can be clearly seen through the glass from the opposite side.

2

3

4

5

6

7

8

10

Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

Completely Opaque

Only light will travel through from the opposite side.

C22 Primed Raised



1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	.	.
2'0"	S	.	.
2'4"	S	.	.
2'6"	S	.	.
2'8"	S	.	.
3'0"	S	.	.

C22 Primed Flat



1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	.	.
2'0"	S	.	S
2'4"	S	.	S
2'6"	S	.	S
2'8"	S	.	S
3'0"	S	.	S

C35 Primed



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	.	.
2'4"	S	.	.
2'6"	S	.	.
2'8"	S	.	.
3'0"	S	.	.

C30 Primed




1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S

C40 Primed



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	.
2'4"	S	S	.
2'6"	S	S	.
2'8"	S	S	.
3'0"	S	S	.

C55 Primed



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	S
2'4"	S	S	S
2'6"	S	S	S
2'8"	S	S	S
3'0"	S	S	S

1500 Knotty Alder



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	.	.
2'4"	S	.	.
2'6"	S	.	.
2'8"	S	.	.
3'0"	S	.	.

1500 Oak



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	.	.
2'4"	S	.	.
2'6"	S	.	.
2'8"	S	.	.
3'0"	S	.	.

1500 VG Pine



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	.	.
2'4"	S	.	.
2'6"	S	.	.
2'8"	S	.	.
3'0"	S	.	.

1500 Primed



1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	.
2'4"	S	S	.
2'6"	S	S	.
2'8"	S	S	.
2'10"	S	S	.
3'0"	S	S	.

1-3'8"			
	6'8"	7'0"	8'0"
2'0"	S	S	.
2'4"	S	S	.
2'6"	S	S	.
2'8"	S	S	.
2'10"	S	S	.
3'0"	S	S	.

*All 1500 door models have Ovolo Sticking.
 *All door models beginning in "C" have Shaker Sticking.



All availability charts:
 S - In Stock ● - Not In Stock



Barn Doors



Barn Doors

Single & Double

Single

*All doors shown in Knotty Alder.



C11VGFP



C22VGFP



C22DIAVGFP*

● Knob



C30VG



C30FIGURE7

● Knob

Double



*Please identify which side of the design you want the knob.



C11VGFP (x2)



C22VGFP (x2)



C30VG (x2)



C30FIGURE7 (x2)*



C22DIAVGFP (x2)*



C22DIAVGFP (x2)*

Application Options:



Single Application



Bi-Parting Application



Bypassing Application

Door Specs:

- Panel Specifications are Flat V-Groove unless noted.
- Shaker Sticking
- All Models are available in both Paintable Primed and Knotty Alder

*Designs are available in:

Height: 6'8", 7'0", & 8'0".

Width: 2'0", 2'4", 2'6", 2'8", 3'0", & 3'6".

Single

*All doors shown in Knotty Alder.



C40VG



C44KVGFP*

● Knob



C441XBUKVGFP



C442DIAVG*

● Knob



C55VG

Double

*Please identify which side of the design you want the knob.

Application Options:



Single Application



Bi-Parting Application



Bypassing Application



C40VG (x2)



C441XBUKVGFP (x2)



C442DIAVG (x2)*



C55VG (x2)



C44KVGFP (x2)*



C44KVGFP (x2)*

Door Specs:

- Panel Specifications are Flat V-Groove unless noted.
- Shaker Sticking
- All Models are available in both Paintable Primed and Knotty Alder

*Designs are available in:

Height: 6'8", 7'0", & 8'0".

Width: 2'0", 2'4", 2'6", 2'8", 3'0", & 3'6".

Barn Doors

Single & Double

Single

*All doors shown in Knotty Alder.



C55-1XBUK
BTM-VG



C55-1XBUK
TOP-VG



C55-1XBUK
CRAFTMNTOP



C55-1XBUK
CRAFTMNBTM



C60VG

Double



C55-1XBUKBTM-VG (x2)



C55-1XBUKTOP-VG (x2)



C55-1XBUKCRAFTMNTOP (x2)



C55-1XBUKCRAFTMNBTM (x2)



C60VG (x2)

Application Options:



Single Application



Bi-Parting Application



Bypassing Application

Door Specs:

- Panel Specifications are Flat V-Groove unless noted.
- Shaker Sticking
- All Models are available in both Paintable Primed and Knotty Alder

*Designs are available in:

Height: 6'8", 7'0", & 8'0".

Width: 2'0", 2'4", 2'6", 2'8", 3'0", & 3'6".

Single

*All doors shown in Knotty Alder.



C88-STAR-OF-TEXAS
*3/0 & 3/6 Only



C66-1XBUK-MID



C66-XTOPIDIA
BTM-VG*

● Knob



C66-XBTMI
DIATOP-VG*

● Knob



C88-2XBU-VG

Double

*Please identify which side of the design you want the knob.

Application Options:



Single Application



Bi-Parting Application



Bypassing Application



C88-STAR-OF-TEXAS (x2)
*3/0 & 3/6 Only



C66-1XBUK-MID (x2)



C66-XTOPIDIABTM-VG (x2)*



C66-XBTMIDIATOP-VG (x2)*



C88-2XBU-VG (x2)

Door Specs:

- Panel Specifications are Flat V-Groove unless noted.
- Shaker Sticking
- All Models are available in both Paintable Primed and Knotty Alder

*Designs are available in:

Height: 6'8", 7'0", & 8'0".

Width: 2'0", 2'4", 2'6", 2'8", 3'0", & 3'6".

Louvers




Louvers

Add ventilation and style to your project!


Primed

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	S	•
2'0"	S	S	•
2'2"	S	S	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
2'10"	S	S	•
3'0"	S	S	•



PR730

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	S	•
2'2"	•	•	•
2'4"	S	S	•
2'6"	S	S	•
2'8"	S	S	•
2'10"	S	S	•
3'0"	S	S	•



PR732

Pine

1-3'8"			
	6'8"	7'0"	8'0"
1'4"	•	•	•
1'6"	S	•	•
1'8"	S	•	•
1'10"	S	•	•
2'0"	S	•	•
2'2"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
2'10"	S	•	•
3'0"	S	•	•



S730

1-3'8"			
	6'8"	7'0"	8'0"
1'6"	S	•	•
2'0"	S	•	•
2'4"	S	•	•
2'6"	S	•	•
2'8"	S	•	•
3'0"	S	•	•



S732

Door Specs:

- Panel Louvers are 3/4" Double Hip
- Louver Sticking

All availability charts:
S - In Stock ● - Not In Stock


Transoms

Transom Configurations

Single Prehung w/ Transom




French Opening Prehung w/ Transom




Transom Options

Single Prehung w/ Transom




1 Lite




3 Lite


French Opening Prehung w/ Transom



1 Lite



4 Lite



5 Lite

Transom Height Options:

1/0

1/2

Barn Door Hardware

Everything you need for your Barn Door is all included in your Barn Door Kit!

Application Options:



Single Application



Bi-Parting Application



Bypassing Application

Barn Door Hardware



Straight Strap Hardware Kit (78")



Top of Door Strap Hardware Kit (78")



Bent Strap Hardware Kit (78")



Straight Strap Hardware Kit (96")



Top of Door Strap Hardware Kit (96")



Bent Strap Hardware Kit (96")


Barn Door Hardware Kits



1 Kit




2 Kits with Connector



2 Kits

Barn Door Hardware Finishes:



Matte Black



Stainless Steel

Barn Door Handle Options:



Matte Black



Stainless Steel

Barn Door Flush Pull Options:



Matte Black



Stainless Steel



Standard Barn Door Grooving (1/4" wide, 1" deep)



Soft Close *Recommended*



*All kits include all necessary bolts, spacers, mounts, etc.

SLAB WIDTH	SINGLE	BI-PARTING	BYPASSING
2'0"	78" TRACK ONLY	96" TRACK ONLY + 1 STRAP SET	BP HDW+ 2- 78" HARDWARE KIT 2 HANDLES IF PICKED
2'4"	78" TRACK ONLY	2-78" KITS + JOINER KIT, 2 HANDLES IF PICKED	BP HDW+ 2- 78" HARDWARE KIT 2 HANDLES IF PICKED
2'6"	78" TRACK ONLY	2-78" KITS + JOINER KIT, 2 HANDLES IF PICKED	BP HDW+ 2- 78" HARDWARE KIT 2 HANDLES IF PICKED
2'8"	78" TRACK ONLY	2-78" KITS + JOINER KIT, 2 HANDLES IF PICKED	BP HDW+ 2- 78" HARDWARE KIT 2 HANDLES IF PICKED
3'0"	78" TRACK ONLY	2-78" KITS + JOINER KIT, 2 HANDLES IF PICKED	BP HDW+ 2- 78" HARDWARE KIT 2 HANDLES IF PICKED
3'6"	96" TRACK ONLY	2-96" KITS + JOINER KIT, 2 HANDLES IF PICKED	BP HDW+ 2- 96" HARDWARE KIT 2 HANDLES IF PICKED
	1 SOFT CLOSE FOR ALL	2 SOFT CLOSE FOR ALL	NO SOFT CLOSE

Accessories & Components

Jambs Types



FLAT JAMB

Flat Jamb




2 PC. SPLIT

2 Piece Split



3 PC. SPLIT

3 Piece Split



PFJ JAMB

PFJ

Jambs Species



SHUSTER'S PRO JAMB

Shuster's Pro Jamb



PFJ NAIL HOLE

Primed Fingerjoint



SHUSTER'S PRO JAMB
1-3/4"

Shuster's Pro Jamb 1 3/4"



PFJ NAIL HOLE

PFJ w/ Nail Holes



PFJ NO STOPS

PFJ No Stops



PFJ RABBETED

PFJ Rabbeted Ext w/ Sill, W/S



PFJ NAIL HOLE
81-1/2"

PFJ w/ Nail Holes 81.5



5/4" SOLID OAK

5/4 Flat Oak



Oak



SOLID PINE

Solid White Pine



SOLID OAK

Solid Oak



5/4" SOLID PINE

5/4 Flat WP



VENEER PINE

Veneer White Pine



KNOTTY PINE

Knotty Pine



KNOTTY ALDER

Knotty Alder



IMPERIAL OAK

Imperial Oak



RAW FINGERJOINT

Raw Fingerjoint



VENEER OAK

Veneer Oak



MAPLE

Solid Maple

Casing Profiles



97

1-1/16" X 3-1/2"

WM97



327

11/16" X 2-1/4"

WM327



356

*FAT EDGE
11/16" X 2-1/4"

WM356



361

*SQUARE EDGE
11/16" X 2-1/2"

WM361



366

11/16" X 2-1/4"

WM366



376

*BEADED
11/16" X 2-1/4"

WM376



412

11/16" X 3-1/2"

WM412



444

11/16" X 3-1/4"

WM444



445

*BEADED
11/16" X 3-1/4"

WM445



452

11/16" X 2-1/2"

WM452




S4S

23/32" X 3-1/2"

S4S 1x4

Accessories & Components

Casings



Primed



Pine



Imperial Oak



Oak

Hinges



Plain Bearing
(5/8" Radius)



Plain Bearing
(Square Corner)



Ball Bearing
(5/8" Radius)



Spring
(5/8" Radius)

Catches



Ball Catch



Conceal Magnetic
Catch

Astragals



1 3/8" or 1 3/4"

*Available in Primed, Oak, Knotty Alder, White Pine, & Maple.

Hinge & Catch Finishes



US15 - Brushed
Nickel



US15A - Antique
Nickel




US10R - Oil
Rubbed Bronze



US26 - Bright
Chrome



US26D - Dull
Chrome




US3LB - Light
Brass



US3 - Bright
Brass



ABA - Antique
Brass



US1D - Black

ALL OF OUR DOORS ARE BUILT...
SHUSTER'S STRONG!



SHUSTER'S

BUILDING COMPONENTS

2920 Clay Pike, North Huntingdon, PA 15642-3098

Office: 724-446-7000 or 412-351-0979

Toll Free: 800-735-9899

Fax: 800-676-0640

www.shusters.com

Sales Email: Sales@Shusters.com