
PALMER DONAVIN





KITCHEN KOMPACT Cabinets





Soft close doors standard on Gray and DWhite

Gray



Recessed Panel | Decorative Laminate Veneer

In Stock in select SKU's



Gray

DWhite



Recessed Panel | Shaker Style

In Stock in select SKU's

Painted White

KITCHEN KOMPACT

Glenwood



Recessed Panel | Shaker Style

In Stock in select SKU's



Glenwood

KITCHEN COMPACT

Warmwood



Recessed Panel | Shaker Style

In Stock in select SKU's



Warmwood

KITCHEN KOMPACT

Chadwood



Oak Recessed Panel | Classic Style

In Stock in select SKU's



Chadwood

KITCHEN COMPACT


KITCHEN KOMPACT

42” and 24” High Wall Cabinets
Plus 96” Broom and Oven Cabinets











Made in America
Jeffersonville, IN
Fully Assembled and Ready to Install Cabinetry

Available in
Gray
DWhite
Glenwood
Warmwood

Meets HUD, FHA, KCMA & ANSI 161.1 Standards

Joined by **mortise & tenon**



3/4” solid wood hanging rails



3/4” solid wood face frames



Base shelves are **dadoed** into sides




1/2” end panels plywood/veneered



Drawer box **100 lbs. suspension**



Wall Cabinets




3 Adjustable shelves

42” High Wall Cabinets (WXT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
9WXT*	230	230	NA	271	271
12WXT*	254	254	NA	287	287
15WXT*	289	289	NA	308	308
18WXT*	323	323	NA	326	326
21WXT*	357	357	NA	344	344
24WXT*	392	392	NA	362	362
27WXT	460	460	NA	500	500
30WXT	496	496	NA	519	519
33WXT	530	530	NA	538	538
36WXT	565	565	NA	556	556

**Single door. Single door wall units are reversible for right or left hinging, simply turn the cabinet over.




2 Adjustable shelves

36” High Wall Cabinets (WT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
9WT*	202	202	222	228	228
12WT*	218	218	238	244	244
15WT*	229	229	259	260	260
18WT*	248	248	282	276	276
21WT*	269	269	308	290	290
24WT*	286	286	329	307	307
27WT	348	348	404	418	418
30WT	366	366	422	433	433
33WT	384	384	445	448	448
36WT	407	407	468	468	468

**Single door. Single door wall units are reversible for right or left hinging, simply turn the cabinet over.




2 Adjustable shelves

30” High Wall Cabinets (W)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
9W*	170	170	183	206	206
12W*	185	185	202	220	220
15W*	204	204	222	237	237
18W*	219	219	241	249	249
21W*	237	237	262	264	264
24W*	252	253	280	278	278
27W	331	331	344	384	394
30W	345	345	357	397	397
33W	366	366	380	413	413
36W	383	383	397	427	427
42W	424	424	439	455	455
48W	464	464	488	487	487

*Single door. Single door wall units are reversible for right or left hinging, simply turn the cabinet over.


Wall Cabinets



24” High Wall Cabinets (Z)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24Z*	225	225	NA	261	261
30Z	312	312	NA	381	381
36Z	339	339	NA	403	403


*Single door.



21” High Wall Cabinets (R)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24R*	204	204	224	235	235
30R	261	261	281	335	335
36R	287	287	310	360	360


*Single door.



18” High Wall Cabinets (Y)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24Y*	189	189	206	222	222
30Y	242	242	258	319	319
36Y	269	269	288	344	344

*Single door.




15” High Wall Cabinets (X)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30X	209	209	221	287	288
33X	220	220	234	297	297
36X	230	230	244	307	307



12” High Wall Cabinets (X12)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30X12	193	193	203	270	270
36X12	210	210	220	288	288



24” Deep Refrigerator Cabinets (X12)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
36X12(24)	302	302	317	346	346
36Y(24)	390	390	415	440	440
36Z(24)	456	456	NA	509	509

Wall Cabinets



42” High have 3 Adjustable shelves
30”& 36” High have 2 Adjustable shelves

42” High Wall Corner Cabinets (WCXT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24WCXT*	344	344	NA	380	380
36WCXT*	487	487	NA	460	460

36” High Wall Corner Cabinets (WCT)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24WCT*	284	284	321	321	321
36WCT*	366	366	414	389	389

30” High Wall Corner Cabinets (WC)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24WC*	251	251	275	289	289
36WC*	320	320	354	347	347
42WC	391	391	432	465	465

All lines may be pulled 4-1/2”.
*Single door.

24WC Can pull to 28-1/2” - One 6” opening. One 6” Stile. One 9” opening for a 27 x 9-1/2” door.
36WC Can pull to 40-1/2” - One 6” opening. One 6” Stile. One 21” opening for a 27 x 21-1/2” door.
42WC Can pull to 46-1/2” - One 6” opening. One 6” Stile. Two 12” openings for two 27 x 12-1/2” doors. One 3” Stile (between 12” openings).



42” High have 3 Adjustable shelves
30”& 36” High have 2 Adjustable shelves

42” High Angle Wall Cabinet (AXT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24AXT	488	488	NA	509	509


36” High Angle Wall Cabinet (AT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24AT	380	380	424	414	414

30” High Angle Wall Cabinet (A)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
24A	344	344	375	380	380


Base Cabinets



Base Cabinets (B)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
12B*	304	304	326	345	345
15B*	327	327	351	366	366
18B*	349	349	378	387	387
21B*	372	372	405	408	408
24B*	396	396	434	431	431
27B* (3" Side Stiles)	504	504	525	574	574
30B	518	518	560	600	600
33B (3" Side Stiles)	549	549	586	622	622
36B	560	560	608	639	639
42B	614	614	672	691	691
48B	661	661	730	734	734

Toe Kick is 4" high x 3" deep.
*Single door. Single door base units are reversible, simply hang door right or left, using holes predrilled in rails.



Tray Cabinet (T)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
9T	226	226	246	265	265



Drawer Cabinets (D)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
15D	542	542	583	528	528
18D	586	586	638	567	567
24D	674	674	738	649	649
	Available only as 4 Drawer Stack	Available only as 4 Drawer Stack	Available only as 4 Drawer Stack	Available only as 3 Drawer Stack	Available only as 3 Drawer Stack


Base Cabinets




Base Corner Cabinets (BC)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
39BC	444	444	478	488	488
42BC	486	486	528	529	529

39BC must be pulled to 39” and may be pulled to 46”.
42BC may be pulled to 49”.






Lazy Susan Corner Cabinet (LS)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
36LS	595	595	651	572	572

Lazy Susan is 34-1/2” high and takes up 36” on each wall. Actual shelf is 24” diameter.
Shipped without end panels.




Peninsula Base Corner Cabinets (P)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
36B-P	738	738	831	811	811
48B-P	880	880	1,016	940	940
48BC-P	794	794	912	863	863

BC-P indicates Blind Corner Peninsula.

Miscellaneous Cabinets




Range & Sink Base Corner Cabinets (RBS)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30RBS	388	388	425	489	489
33RBS (3" Side Stiles)	408	408	451	510	510
36RBS	416	416	460	514	514
42RBS	458	458	512	553	553

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
60SB	789	789	864	898	898


No shelf under sink (center section) and no back on cabinet.
Combination unit consists of 15-30-15.
Opening between drawers on 60SB is 33".



Sink Front (SF)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
18SF*	149	149	172	178	178

*Square edge.



Metal support rails included.

96" High Oven Cabinet (OUXT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30OUXT	1,335	1,335	NA	1,437	1,437

90" High Oven Cabinet (OUT)


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30OUT	1,212	1,212	1,350	1,308	1,306

84" High Oven Cabinet (OU)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
30OU	1,142	1,142	1,278	1,252	1,252

To accommodate almost every type of oven, the opening can be cut from a minimum width of 21" to a maximum width of 28.5" and a minimum height of 27.5" to a maximum height of 60" (one or more lower drawers may need to be removed).

Vanity Cabinets




4 Drawer Stack
Glenwood
Warmwood
Chadwood


3 Drawer Stack
DWhite
Gray

30.5” High Vanity Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
V12B	266	266	285	307	307
V15D	456	456	474	482	482
V24S	297	297	324	311	311
V30S	347	347	377	425	425
V36S	378	378	414	454	454
V36SD	528	528	580	554	554
V42S*	548	548	596	635	635
V48S*	590	590	643	674	674

Opening between drawers on V42S/V48S is 21.5”.
*Two outside working drawers.








4 Drawer Stack
Glenwood
Warmwood
Chadwood



3 Drawer Stack
DWhite
Gray








4 Drawer Stack
Glenwood
Warmwood


3 Drawer Stack
DWhite
Gray

34.5” High Vanity Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
V12BT	288	288	NA	328	328
V15DT	538	538	NA	517	517
V24ST	320	320	NA	336	336
V30ST	377	377	NA	454	454
V36ST	410	410	NA	483	483
V36SDT	607	607	NA	578	578
V42ST*	594	594	NA	678	678
V48ST*	637	637	NA	719	719

All Standard/Tall Vanities 21” deep.
Opening between drawers on V42S/V48S is 21.5”.
*Two outside working drawers.







4 Drawer Stack
Glenwood
Warmwood




3 Drawer Stack
DWhite
Gray





Miscellaneous



96” High Broom Cabinets (BRBXT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
18BRWXT (12” deep)	621	621	NA	677	677
18BRBXT (24” deep)	824	824	NA	887	887
24BRBXT (24” deep)	1,020	1,020	NA	959	959


90” High Broom Cabinets (BRBT)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
18BRWT (12” deep)	585	585	650	653	653
18BRBT (24” deep)	786	786	858	859	859
24BRBT (24” deep)	944	944	1,036	920	920

84” High Broom Cabinets (BRB)

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
18BRW (12” deep)	548	548	605	615	615
18BRB (24” deep)	737	737	802	811	811
24BRB (24” deep)	808	808	890	869	869


No shelves included with Broom Cabinets. Optional Shelf Kit Includes four (4) shelves and clips: 18BRW/BRWT/BRWXT kits @ $68/kit, 18BRB/BRBT/BRBXT kits @ $124/kit, and 24BRB/BRBT/BRBXT kits @ $165/kit.



Pantry/Base Roll-Out Tray


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
15BT	212	212	212	212	212
18BT	228	228	228	228	228
24BT	241	241	241	241	241

Priced per box – packaged 2 trays per box



Glenwood
Warmwood
DWhite
Gray


Chadwood





Miscellaneous Items


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
72” Valance 3/4” x 5-1/2” x 72” (6 to box) Per piece	87	87	128	99	99
48” Valance 3/4” x 5-1/2” x 48” (6 to box) Per piece	66	66	95	76	76
3” Filler Strip 3”W x 42”L (12 to box) Per piece	44	44	41	51	51
6” Filler Strip 6”W x 42”L (6 to box) Per piece	65	65	84	78	78
3” Filler Strips 3”W x 96”L (12 to box) Per piece (Chadwood 3”W x 90”L)	79	79	100	92	92
Touch-Up Pens (12 to box) Per pen	41	41	44	NA	NA
Pint of Stain (Per pint)	73	73	50	NA	NA
Touch-up Kit	NA	NA	NA	140	140


Miscellaneous

























Miscellaneous Items

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
Base End Panels – EP May be used R or L 1/2” x 23-1/2” x 34-1/2” (6 to box) Per piece	71	71	73	81	81
Salesman Sample Door & Frame 15” x 26-1/2” Front (4 to box) Per piece	174	174	192	205	205
Panel (also for dishwashers) 7/32” x 34-1/2” x 48” (6 to box) Per piece	186	186	174	216	216
Panel 7/32” x 11-1/4” x 42” (6 to box) Per piece	50	50	NA	57	57
End Panel Faced (EPF3) Faced with 3” stile. 1/2” x 24” x 34-1/2” (4 to box) Per piece	125	125	138	145	145
Refrigerator End Panel (REF – EPF) Faced with 1.5” stile 1/2” x 24” x 96” (CHADWOOD 90”) (2 to box) Per piece	324	324	309	571	571
Scribe Molding 1/4” x 3/4” x 96” (63 pieces/504’ to box) Per piece	50	50	37	49	49
Quarter Round Molding 11/16” x 11/16” x 96” (25 pieces/200’ to box) Per piece	55	55	41	41	41
Small Crown Molding 1-3/16” x 1-3/16” x 96” (15 pieces/120’ to box) Per piece	97	97	73	70	70
Large Crown Molding 2” x 2” x 96” (16 pieces/128’ to box) Per piece	155	155	131	112	112
Toe Kick Material Black Hardboard 1/8” x 4” x 96” (25 pieces/200’ to box) Per piece	20	20	20	20	20
Matching Toe Kick Material Finished TK 3/16” x 4” x 96” (25 pieces/200’ to box) Per piece	72	72	68	67	67



Universal Design Base Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD12B*	365	365	391	414	414
UD15B*	392	392	421	439	439
UD18B*	419	419	454	464	464
UD21B*	447	447	486	489	489
UD24B*	476	476	521	517	517
UD27B* (3" Side Stiles)	607	607	630	689	689
UD30B	622	622	672	720	720
UD33B (3" Side Stiles)	660	660	704	747	747
UD36B	672	672	730	767	767
UD42B	736	736	807	830	830
UD48B	793	793	876	881	881



Universal Design Tray Cabinet


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD9T	271	271	295	318	318

Toe Kick is 4" high x 3" deep.
*Single door. Single door base units are reversible, simply hang door right or left, using holes predrilled in rails.




Universal Design Drawer Cabinets

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD15D	651	651	700	633	633
UD18D	704	704	765	681	681
UD24D	808	808	885	779	779
	Available only as 4 Drawer Stack	Available only as 4 Drawer Stack	Available only as 4 Drawer Stack	Available only as 3 Drawer Stack	Available only as 3 Drawer Stack



Universal Design Range & Sink Base Cabinets

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD30RBS	465	465	510	586	586
UD33RBS (3" Side Stiles)	490	490	541	612	612
UD36RBS	499	499	552	617	617
UD42RBS	550	550	614	663	663




Universal Design Base Corner Cabinets

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD39BC	532	532	574	585	585
UD42BC	583	583	633	634	634

UD39BC must be pulled to 39" and may be pulled to 46". UD42BC may be pulled to 49".


Handicapped Design Cabinets ADA Accessible Cabinets



Handicapped Design Base Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
H12B*	365	365	391	414	414
H15B*	392	392	421	439	439
H18B*	419	419	454	464	464
H21B*	447	447	486	489	489
H24B*	476	476	521	517	517
H27B* (3" Side Stiles)	607	607	630	689	689
H30B	622	622	672	720	720
H33B (3" Side Stiles)	660	660	704	747	747
H36B	672	672	730	767	767
H42B	736	736	807	830	830
H48B	793	793	876	881	881

Toe Kick is 8.75" high x 6" deep.
*Single door. Single door base units are reversible, simply hang door right or left, using holes predrilled in rails.



Handicapped Design Drawer Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
H15D	651	651	700	633	633
H18D	704	704	765	681	682
H24D	808	808	885	779	779
	Available only as 3 Drawer Stack	Available only as 3 Drawer Stack	Available only as 3 Drawer Stack	Available only as 2 Drawer Stack	Available only as 2 Drawer Stack



Handicapped Design Base Corner Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
H39BC	532	532	574	585	585
H42BC	583	583	633	634	634

H39BC must be pulled to 39" and may be pulled to 46". H42BC may be pulled to 49".



Handicapped Design Range & Sink Base Cabinets


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
H30RBS	465	465	510	586	586
H33RBS	490	490	541	612	612
H36RBS	499	499	552	617	617
H42RBS	550	550	614	663	663



Handicapped Design Wall Hung Base

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
36WHB24	664	664	680	770	770


36WHB shown only as example. Can be ordered any width 36” or less for the same price. To order, simply add desired width to the front of the nomenclature and desired depth to the back of the nomenclature. Order width 2” less and depth 1” less than universal design removable sink front base cabinet for ADA conversion option.



Handicapped Design Wall Hung Vanity

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
36WHV21	590	590	607	687	687


36WHV shown as only example. Can be ordered any width 36” or less for the same price. To order, simply add desired width to the front of the nomenclature and desired depth to the back of the nomenclature. Order width 2” less and depth 1” less than universal design vanity cabinet for ADA conversion option.



Universal Design Removable Sink Front Base Cabinet

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD33RSF	1,500	1,500	1,568	1,771	1,771
UD36RSF	1,541	1,541	1,612	1,817	1,817
UD39RSF	1,581	1,581	1,657	1,864	1,864


The lower part of the frame, toe kick, and bottom are attached and can be removed in the field.



Handicapped Design Removable Sink Front Base Cabinet

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
H33RSF	1,500	1,500	1,568	1,771	1,771
H36RSF	1,541	1,541	1,612	1,817	1,817
H39RSF	1,581	1,581	1,657	1,864	1,864

The lower part of the frame, toe kick, and bottom are attached and can be removed with 20 screws in the field.




Universal Design Sink Front


Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UD30SF	467	467	504	540	540
UD33SF	486	486	529	560	560
UD36SF	504	504	549	576	576

How To: Universal Design Sink Base Conversion ADA Accessible Cabinets

By simply removing the back of a universal design sink base cabinet and installing it over a reduced width and depth handicapped design wall hung base, a conversion to an accessible unit is achieved when the base cabinet is removed. Width of wall hung base should be 2” less than base cabinet.



1. Remove back panel, hanging bar, and rear corner blocks from universal design range and sink base cabinet.




2. Install cabinet over handicapped design wall hung base.

Example Combinations


Wall Hung Base	Base Cabinet
31WHB23	UD33RBS
34WHB23	UD36RBS
See page 19	*See page 19*

How To: Universal Design Vanity Conversion ADA Accessible Cabinets

By simply removing the back of a universal design vanity cabinet and installing it over a reduced width and depth handicapped design wall hung vanity, a conversion to an accessible unit is achieved when the vanity cabinet is removed. Width of wall hung base should be 2” less than base cabinet.



1. Remove back panel, hanging bar, and rear corner blocks from universal design range and sink base cabinet.



2. Install cabinet over handicapped design wall hung vanity.

Example Combinations

Wall Hung Vanity	Base Cabinet
31WHV20	UDV33ST
34WHV20	UDV36ST
See page 19	*See page 19*

How To: Value Engineered ADA Sink Base ADA Accessible Cabinets


This ADA sink base option combines other Kitchen Kompact components instead of using a UD36RSF cabinet.

Use an EPF-3, UD36SF (front only), REF-EP (90” tall end panel), 48VAL, and another EPF-3. The EPF-3s are for support, once the UD36SF is removed. You do not need EPF-3s if there are adjoining cabinets on both sides.

A 48” valance board can be cut to the desired width in the field and installed as a skirt behind the UD36SF. The EPF-3s can be cut to size in the field (as much as a 1.5” wide). The REF-EP should be cut to size in the field and will act as a bottom for the sink base cabinet.

Use cleats on the EPF-3 or adjoining cabinets to hold the bottom in place.


Contact us via website for video and more information.



Required Products

EPF-3 (2)	*See page 16*
REF-EP	*Special Order*
48VAL	*See page 15*
UD36SF	*See page 19*


Universal Design Vanity Cabinets




32.5" High

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
UDV12BT	345	345	NA	394	394
UDV15BT	646	646	NA	621	621
UDV24ST	384	384	NA	404	404
UDV30ST	453	453	NA	545	545
UDV36ST	492	492	NA	580	580
UDV36SDT**	729	729	NA	693	693
UDV42ST*	712	712	NA	813	813
UDV48ST*	765	765	NA	863	863

Opening between drawers on UDV42ST/UDV48ST is 21.5".
*Two outside working drawers.
** Available with drawers on left side with upcharge.




Handicapped Design Vanity Cabinets



32.5" High

Model	Glenwood	Warmwood	Chadwood	DWhite	Gray
HV12BT	345	345	NA	394	394
HV15DT	646	646	NA	621	621
HV24ST	384	384	NA	404	404
HV30ST	453	453	NA	545	545
HV36ST	492	492	NA	580	580
HV36SDT**	729	729	NA	693	693
HV42ST*	712	712	NA	813	813
HV48ST*	765	765	NA	863	863











All Standard/Tall Vanities 21" deep.
Opening between drawers on HV42ST/HV48ST is 21.5".
*Two outside working drawers.
** Available with drawers on left side with upcharge.



PALMER DONAVIN


Mouldings to Match Kitchen Kompact

Effective: January 12, 2026


Profile	Code	Description	Glenwood/ Warmwood	Chadwood	White/Gray
	SM	Scribe Mold 96"	**$50.00**	**$37.00**	**$49.00**
	BM	Batten Mold 96"	**$48.00**	**$38.00**	**$40.00**
	QRM	Quarter Round Mold 96"	**$55.00**	**$41.00**	**$41.00**
	OCS	Outside Corner 96"	**$59.00**	**$66.00**	**$69.00**
	IC	Inside Corner 96"	**$59.00**	**$66.00**	**$69.00**
	CRM	Crown (Large) 96"	**$155.00**	**$131.00**	**$112.00**
	CSM	Crown (Small) 96"	**$97.00**	**$73.00**	**$70.00**
	TKC	Toe Kick 96"	**$72.00**	**$68.00**	**$67.00**
	HC	Toe Kick 96"	**$105.00**	**$99.00**	**$105.00**
	PVB	48x96 Panel	**$464.00**	**$472.00**	**$464.00**
	PVCG	96x48 Cross Grain Panel	**$651.00**	**$630.00**	-

Door Styles

| Glenwood and Warmwood
Shaker style door frames are made of solid beech, mortised and tenoned. The recessed plywood insert is three-ply with a rotary cut hard maple veneer. Drawer heads have routed finger pulls.




Glenwood




Warmwood

| Chadwood
Shaker style door frames are made of solid Appalachian oak, mortised and tenoned. The recessed plywood insert is three-ply with a rotary cut red oak veneer. Drawer heads have routed finger pulls.




Chadwood Oak

| DWhite
Painted white shaker style door frames are made of solid beech and/or poplar, mortised and tenoned. The recessed MDF or plywood insert is a three-ply with a rotary cut hard maple veneer. Drawer heads have routed finger pulls.



DWhite

| Gray
Decorative Laminate Veneer (DLV) doors are a polypropylene material over MDF. The DLV doors are manufactured using a 5 piece coped joint construction.



Gray

Specifications

| Cabinet Construction
All face frames are 3/4" kiln-dried rails, joined by mortise and tenon with glue. Glenwood and Warmwood, are built using a mixture of solid beech and sycamore. DWhite and Gray face frames are built using a mixture of solid beech, sycamore and poplar. Chadwood face frames are built using solid oak. All wall and base cabinets have 1/8" backs. Wall cabinets are equipped with solid wood hanging rails at back, both top and bottom. End panels are wood veneered, 1/2" thick engineered wood core plywood, fastened to front frame with tongue-in-groove construction. Tops and bottoms are 3/16" hardboard dadoed into sides, interlocked into hanging rails of all wall units, and secured with an adhesive for added strength.

| Finish
A 4-step process is applied to the exterior finish of Glenwood, Warmwood, and Chadwood: Stain, Sealer, Sanding, and Catalyzed Top Coat.

A 3-step process is applied to the exterior finish of DWhite: Primer, Sanding, and Enamel.

Gray: A 3-step process is applied to the exterior finish of the gray cabinet box: Primer, Sanding, and Enamel. The Gray Door and Drawer Front is a Decorative Laminate Veneer.

| Wood Characteristics & Finishes
On all wood products, expansion, contraction, and warping are typical due to changes in climate conditions. Painted finishes may develop slight separation lines, finish breaks, and seam lines. These changes will be most noticeable at the stiles, rails, and panel joints. Painted and stained finishes are also susceptible to changes in color due to exposure to natural light, extreme heat, smoke, etc. The changes may become more noticeable over time and through seasonal changes. These changes are normal and are not considered quality defects.

| Shelves
All wall cabinets feature adjustable shelves. A selection of six different heights is built into each 30" high and taller wall cabinet. On 2-door wall units, the center 3" stile is used for center support of adjustable shelves. It is recommended that a 1/4" hole be drilled in the back for additional center support. The extra shelf clip is provided. Shelves are 1/2" engineered wood, with rounded front edge and printed wood grain.

| Hardware
Chadwood, Glenwood, Warmwood, and DWhite feature concealed self-closing hinges. Gray features concealed soft-closing hinges. No door pulls included.

| Vanities
Vanity size cabinets are available in all lines. Tall vanities only available in Glenwood, Warmwood, DWhite and Gray.

| Doors
Chadwood: Door frames are mortised and tenoned construction of solid oak. The recessed plywood insert is three-ply with a rotary cut red oak veneer.

Glenwood/Warmwood: Shaker style door frames are made of solid beech, mortised and tenoned. The recessed plywood insert is three-ply with a rotary cut hard maple veneer.

DWhite: Painted white shaker style door frames are made of solid beech and/or poplar, mortised and tenoned. The recessed MDF or plywood insert is a three-ply with a rotary cut hard maple veneer.

Gray: Decorative Laminate Veneer (DLV) doors are a polypropylene material over MDF. The DLV doors are manufactured using a 5 piece coped joint construction.

| Drawers
Drawers operate with a full front to back epoxy coated suspension system on nylon rollers. Drawer fronts of solid oak, poplar, and beech are finger routed on the bottom for easy opening.

| Oven Cabinets
Oven cabinets are made to accommodate almost every type oven by removing the necessary lower drawer units. Metal support rails are included.

| ADA Accessible Cabinets
Kitchen Kompact will only provide ADA accessible cabinets on multi-family projects where the ADA accessible units are 10% or less of the entire project. ADA accessible cabinets are available, on special order, in a limited number of sizes.

| Outline Specifications
Kitchen cabinets shall be as manufactured by Kitchen Kompact according to the company's material specifications. Finishes and cabinet units (Chadwood, Glenwood, Warmwood, DWhite and Gray) are as specified by size and type according to Kitchen Kompact stock catalogs. Cabinets are reversible so there is no need to specify left or right. Hardware, finish, materials, and other requirements shall be as specified by Kitchen Kompact. Each cabinet is shipped individually and in its own carton.

| Cabinet Code Descriptions
For ease of ordering, the numerical designation indicates the cabinet width, the letter identifies the height.

| Flexible Installation
Wall cabinets are reversible for right- or left-hand installation. Base cabinets come hinged left, but can be easily reversed by moving hinges to predrilled right-hand locations.

| General Information
Orders are taken subject to our approval. Any changes must be made within four days after date of our acknowledgment. If this notice is not received, cabinets will be shipped according to the acknowledgment. Orders are not subject to cancellation without our written consent. Do not return merchandise to factory without our Kitchen Kompact is certified under the Kitchen Cabinet Manufacturers Association's Environmental Stewardship Program**.n. All merchandise shipped in good condition -
any damage claims must be made with delivering carrier.

SUBJECT TO CHANGE WITHOUT NOTICE.
SHIPMENTS F.O.B. JEFFERSONVILLE.

Kitchen Kompact cabinets meet or exceed the American National Standards Institute #A161.1 recommended minimum construction and performance standards for kitchen and vanity cabinets.

Kitchen Kompact, Inc. reserves the right to change design, specifications, or materials without being obliged to incorporate such changes in products of prior manufacture. The artwork and specifications contained herein are the property of Kitchen Kompact, Inc., and may not be copied or reproduced without the written consent of the company.

KITCHEN KOMPACT

Distributed by
PALMER DONAVIN

Kitchen Kompact is certified under the Kitchen Cabinet Manufacturers Association's Environmental Stewardship Program**.

** This certification has been recognized by the National Association of Home Builders' (NAHB) with the Green Building Award for Advocate of the Year for its environmental and sustainability achievements.

Wall Cabinets

Frames | All frames are built of solid 3/4” hardwoods. Each rail is kiln-dried, joined by mortise and tenon, then glued for added strength.

End Panels | End panels are wood veneered, 1/2” thick engineered wood core plywood, fastened to front frame with tongue-in-groove construction.

Backs | 1/8” hardboard recessed in sides.


Tops & Bottoms | 3/16” hardboard dadoed into sides, interlocked into hanging rails of all wall units, and secured with an adhesive for added strength.

Hanging Rails | Solid wood, 3/4” x 2-5/8”, located at top and bottom.

Shelves | All wall cabinets feature adjustable shelves. A selection of six different heights is built into each 30” high and taller wall cabinet. On 2-door wall units, the center 3” stile is used for center support of adjustable shelves. It is recommended that a 1/4” hole be drilled in the back for additional center support. The extra shelf clip is provided. Shelves are 1/2” engineered wood, with rounded front edge and printed wood grain.

Hardware | Chadwood, Glenwood, Warmwood and DWhite feature concealed self-closing hinges — no door pulls included.

Finish | A 4-step process is applied to the exterior finish of Glenwood, Warmwood, and Chadwood: Stain, Sealer, Sanding, and Catalyzed Top Coat. This finish is resistant to household chemicals such as water, beverages, mild acids – even nail polish. A 3-step process is applied to the exterior finish of DWhite: Primer (2 coats), Sanding, and Enamel.



Base Cabinets

Frames | All frames are built of solid 3/4” hardwoods. Each rail is kiln-dried, joined by mortise and tenon, then glued for added strength.

End Panels | End panels are wood veneered, 1/2” thick engineered wood core plywood, fastened to front frame with tongue-in-groove construction.

Backs | 1/8” hardboard, recessed in sides.

Bottoms | 3/16” hardboard dadoed into sides and power nailed into supporting strips.

Hanging Rails | Solid wood, 3/4” x 1-1/2”, located at top.


Toe Kick | 3/4” pine.

Shelf | 1/2” engineered wood 11” deep dadoed into sides, with rounded front edge and printed wood grain.

Hardware | Chadwood, Glenwood, Warmwood, and DWhite feature concealed self-closing hinges — no door pulls included.

Finish | A 4-step process is applied to the exterior finish of Glenwood, Warmwood, and Chadwood: Stain, Sealer, Sanding, and Catalyzed Top Coat. This finish is resistant to household chemicals such as water, beverages, mild acids – even nail polish. A 3-step process is applied to the exterior finish of DWhite: Primer (2 coats), Sanding, and Enamel.

Plywood drawers are standard on all lines. “Four sided captive” 7/16” birch 9-ply box with 1/8” birch 3-ply bottom.



Kitchen Kompact’s front-to-back drawer glide system provides greater stability and strength through the drawer’s full range of motion. Durable nylon rollers ride smoothly on finished metal runners. One captured track offers stability, while the companion open track increases leeway and prevents binding.

Lazy Susan

Frames | All frames are built of solid 3/4” hardwoods. Each rail is kiln-dried, joined by mortise and tenon, then glued for added strength.


End Panels | Not required unless cabinet is used at the end of a run.

Toe Kick | 3/4” pine.

Shelf | High impact polystyrene shelves have internal struts for maximum strength.

Hardware | Engineered with an adjustable mechanism (detail A) for aligning the vertical and rotational position of cabinet doors within the cabinet frame. The nylon gear and cam mechanism requires no lubrication.

Finish | A 4-step process is applied to the exterior finish of Glenwood, Warmwood, and Chadwood: Stain, Sealer, Sanding, and Catalyzed Top Coat. This finish is resistant to household chemicals such as water, beverages, mild acids – even nail polish. A 3-step process is applied to the exterior finish of DWhite: Primer (2 coats), Sanding, and Enamel.




Installation and Care Guidelines


- Cabinets must be attached to wall studs with screws, not nails, for full support.
- Check each cabinet as it is installed to ensure that it is level and plumb. Sand or shim where needed. Remove baseboard and chair rails from behind cabinets for a flush fit.
- To protect cabinets, do not remove them from cartons until ready to be installed. Never use an installed cabinet as a workbench.
- To protect the finish, wipe up spills promptly. Clean occasionally with a soft, damp cloth and dry immediately. Use no abrasives. Wax periodically with a liquid wax.
- Avoid such unnecessary moisture as towels draped over doors and steaming coffee machines under cabinets. Place appliances carefully so as to avoid unnecessary extremes of temperature.
- Do not swing on or slam doors or drawers. Do not overload shelves. Use bumper pads provided to absorb the impact of closing and protect against splitting of doors.

Beginning Installation

- Always install with 2-1/2" or longer wood screws. Never use nails.
- Always begin with a base corner cabinet and alternate cabinets to each side.




Start base cabinets in corner




Attach to wall studs

- Use "C" clamps to obtain proper alignment when connecting cabinets. Secure with T-nuts and 1/2" bolts through end panels and adjoining cabinets, or drill and screw through the stiles of the face frame.




Use "C" clamps to align

- To prevent backrail from bowing, install a block between cabinet back and wall.
- After base units are installed, cover toe kick with optional material. Attach counter tops and cover with cartons for protection.
- Begin wall cabinets with a corner unit. From inside, screw through hanging strips at back of cabinets 3/4" above bottom shelf and 3/4" below top shelf. Adjust loosely.



Start wall cabinets in corner



Use shims as needed

- After aligning, tighten all screws.
- After installing adjustable shelves in desired position in double door cabinets, mark a line-at bottom center of each shelf on the inside back wall of the cabinet. Remove shelves and drill 1/4" hole 3/16" below each line on the inside back wall of the cabinet. Install shelf support in back and front stiles and replace shelf.

Notes |

Nationwide Manufacturer of Kitchen and Bath Cabinetry
Since 1937

Warranty

Kitchen Kompact, Inc. warrants to the purchaser of Kitchen Kompact cabinets that any part, which proves to be defective, within one year from the date of installation, will be replaced to the distributor without charge.

Wood Characteristics & Painted Finishes On all wood products, expansion, contraction and warping are typical due to changes in climate conditions. Painted finishes may develop slight separation lines, finish breaks and seam lines. These changes will be most noticeable at stiles, rails and panel joints. Painted and stained finishes are also susceptible to changes in color due to exposure to natural light, extreme heat, smoke, abrasive cleansers, etc. The changes may become more noticeable over time and through seasonal changes. These changes are normal and are not considered quality defects. This warranty does not extend to normal wear and tear, or to damage by circumstance beyond the manufacturer's control and does not include any replacement labor. Any alterations to the structure of the cabinets, or its parts will void this warranty.

If any such part is claimed defective, claim should be referred to the distributor from whom the Kitchen Kompact cabinets were purchased.

Kitchen Kompact, Inc.
P.O. Box 868
Jeffersonville, IN 47131-0869

PALMER DONAVIN

800.652.1234

palmerdonavin.com

© 2026 Palmer-Donavin | All Rights Reserved

© Palmer-Donavin 061726