MMI DOOR
Your Doorway to a Beautiful Home®

ENTRY DOORS
BROCHURE










ABOUT **MMI DOOR**

YOUR DOORWAY TO A BEAUTIFUL HOME

For over 70 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. Strict quality control standards are followed allowing us to deliver maximum value. With one of the largest and most diverse inventories in the country, MMI DOOR offers product choices that are second to none.



ABOUT JELD-WEN®

JELD-WEN is a leading global designer, manufacturer and distributor of high-performance interior and exterior doors, windows, and related building products serving the new construction and repair and remodeling sectors. Headquartered in Charlotte, N.C., the company operates facilities in 16 countries in North America and Europe and employs approximately 18,000 people.

Since 1960, the JELD-WEN team has been committed to making quality products that create safe and sustainable environments for customers, associates and local communities. The JELD-WEN family of brands includes JELD-WEN® worldwide; LaCantina® and VPI™ in North America; and Swedoor® and DANA® in Europe. For more information, visit jeld-wen.com



FS686DG with Vapor glass, shown in Salty Tide

MMI DOOR
Your Doorway to a Beautiful Home®

Combining our extensive selection of premium fiberglass, fiberglass and steel door styles with stocked and special order collections of decorative, energy efficient glass designs allows you to create the perfect exterior door for every application

"Replacing your front door can increase the perceived value of your home 6%"

– ODL Proprietary Research

ODL DOORGLASS®

TABLE OF CONTENTS

Choose Your Door	**4**
Door Glass	**5**
Pre-finish Program	**6–7**
Fiberglass Doors	**8–9**
Steel Doors	**10–11**
Components & Hardware	**12–13**
Frames	**14–15**
Astragals	**16**
Hardware & Accessories	**17**
Multi-Point Locks	**18–19**
Patio & Double Doors	**20–22**
Pet Doors	**23**
Retractable Screens	**24**
Fire-Rated Doors	**25–26**
Severe Weather Fiberglass Doors	**27–30**
Simulated Divided Lites	**31–32**
Direct Glazed Collection	**33–34**
Modern Collection	**35**

DECORATIVE GLASS

Courtyard	**37**
Elegant Star	**38**
Grace	**39**
Harris	**40**
Heirlooms	**41**
Majestic	**42**
Montclaire	**43**
Nouveau	**44**
Oak Park	**45**
Pembrook	**46**
Selwyn	**47**

PRIVACY GLASS


Blanca	**48**
Chinchilla	**49**
Rain	**50**
Vapor	**51**

Special Order Glass	**52**
Mini Blinds Collection	**53**
Grilles Between Glass Collection	**54–55**
Classic Collection	**56–59**
Exterior Door Order Form	**60**
Openings	**61**
Warranties	**62–67**

CHOOSE YOUR DOOR

MMI DOOR offers one of the widest selections of fiberglass and steel entry doors in the country. We understand the need and desire for custom millwork products and have based our diverse product offering around that simple fact. Sometimes, with all of the options that are available, simplification is key. Follow these 5 easy steps to choose your new entry door from MMI DOOR.

1. CHOOSE YOUR DOOR CONFIGURATION



Replacement Door | Single Door | Door with Sidelite Left | Door with Sidelite Right | Door with 2 Sidelites | Double Doors | Patio Doors


2. CHOOSE YOUR DOOR STYLE

We offer a wide variety of architectural styles and glass options to choose from.




3. CHOOSE YOUR GLASS DESIGN

We stock 11 decorative glass collections some with multiple caming options.
Plus, we offer over 22 special order decorative glass collections.



4. CHOOSE YOUR DOOR SURFACE



5. CHOOSE YOUR DOOR FINISH


Choose from our 26 paint colors and 8 stain colors!




Same Color Both Sides | Different Color Both Sides | Stain One Side Paint on other Side | Same Stain Both Sides


DOOR GLASS

DECORATIVE GLASS COLLECTION



COURTYARD
PG 37


ELEGANT STAR
PG 38



GRACE
PG 39



HARRIS
PG 40



HEIRLOOMS
PG 41



MAJESTIC
PG 42



MONTCLAIRE
PG 43


NOUVEAU
PG 44


OAK PARK
PG 45



PEMBROOK
PG 46


SELWYN
PG 47


SPECIAL ORDER GLASS
PG 52


SEVERE WEATHER GLASS
PG 27

TEXTURED PRIVACY GLASS COLLECTION


BLANCA
PG 48


CHINCHILLA
PG 49


RAIN
PG 50


VAPOR
PG 51

ADDITIONAL GLASS OPTIONS


MINI BLINDS (RLB)
PG 53


GRILLES BETWEEN GLASS (GBG)
PG 54


SIMULATED DIVIDED LITES (SDL)
PG 31


DIRECT GLAZED (DG)
PG 33


CLASSIC
PG 56

CAMING OPTIONS

Caming is the metal banding that joins panels of glass together in a unique design. Simply said, it is "the lead in leaded glass".

Make sure to choose a caming finish that coordinates your door hardware, outdoor fixtures and interior furnishings to fit your personal style. It may seem like a small detail but it can have a big impact on the overall look of your entryway.


Brass Caming


Nickel Caming



Satin Nickel Caming



Zinc Caming


Patina Caming


Black Chrome Caming


Oil Rubbed Bronze Caming


Bronze Vein Wrought Iron


Nickel Vein Wrought Iron


Wrought Iron

YOUR ENTRY WAY IS A GUEST'S FIRST IMPRESSION –
MAKE SURE IT REFLECTS YOU!

Severe weather

Special order

PRE-FINISH PROGRAM



FS686DG 6-Lite shown in Serenity

NOTHING BEATS A QUALITY FINISH

Our process begins with a dust-free, rigorously inspected unfinished door followed by multi-coat paint or stain applications, baked on at every step. The result is a finish as durable as it is beautiful.

THE MMI DOOR PROMISE

THE PRE-FINISH 10-YEAR LIMITED WARRANTY INCLUDES:

10-year limited coverage from the date of purchase for the painted or stained finish by MMI DOOR on the door component of any residential premium or standard fiberglass exterior prehung door unit when properly protected from the environment. Please evaluate your current weather exposure and home overhangs, as certain applications of prefinished doors with excessive exposure to weather can void the warranty.

LIMITED 10-YEAR WARRANTY

MMI also offers already pigmented fiberglass skin door which does not require finishing. Please see page 36 for more details.

Please see page 62 for pre-finished warranty information.

PAINT OPTIONS

Brilliant White	Modern White	Ash	Desert Sand	Reclaimed Bark	Gray Pearl
Salty Tide	Serenity	Blush Silk	Sunset Quartz	Warm Hibiscus	Cranberry
Organic Gray	Renew	Flower Sprout	Revival Blue	Marine	Colony
Currant	Fresh Fig	Clay Hearth	Harvest	Dark Chocolate	Chestnut Bronze
Steele Gray	Black				

Smooth painted finish may vary slightly between manufacturers.
Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

STAIN OPTIONS



Amaretto



Coffee Bean



Espresso




Hazelnut




Milk Chocolate



Mocha



Warm Toffee



Earl Grey

Woodgrain patterns may vary slightly between species, textures, and manufacturers.
Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.








FIBERGLASS DOORS

A new fiberglass entry door can add substantial curb appeal to your home. Fiberglass is virtually maintenance free and will not warp, rot, dent, or split.



FS659 5-lite with Sunburst glass, shown in Dark Chocolate

- Limited Lifetime Warranty
  (Full warranty details on page 62)
- Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides
- Available in smooth or woodgrain designs
- The woodgrain series (Oak, Mahogany, Fir or Rustic) provides the rich appearance of wood with the strength and stability of fiberglass



At MMI DOOR, it is important to make sure our fiberglass exterior door offering meets our customer's goals. Below are examples of the fiberglass door options available. Fiberglass doors are available in a smooth series for easy painting and four distinctive woodgrain patterns (Fir, Mahogany, Oak and Rustic) suitable for staining or painting.



Fir Grain | Mahogany Grain | Oak Grain | Rustic Grain | Smooth | Onyx Black

JELD-WEN plastpro® THE DOOR OF BEAUTY & INNOVATION

BUILDER'S CLASSIC



(2)686GBG with Low-E glass, shown in Brilliant White

684RLB Builder's Classic Fiberglass, shown in Brilliant White



The Builder's Classic Collection is our fiberglass door at steel door pricing. The Builder's Classic represents value by offering a limited collection, that cannot be cut down or prefinished and comes with a 2-Year Limited Warranty.

bc™ Builder's Classic

- 2-Year Limited Warranty (see page 62 for details)
- Deep embossing and panel detail provide the most significant curb appeal
- Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides



Composite stiles prevent water infiltration and ensures that the door will NEVER rot or rust

Fiberglass reinforced skin that is unaffected by moisture and humidity. Won't dent or delaminate

Insulated core is 100% CFC-Free and provides high R-Value for maximum thermal protection

Composite top and bottom rails prevent water infiltration on all six sides


STEEL DOORS

MAJESTIC SERIES

- 10-Year Limited Warranty (full warranty details on page 62)
- 24-gauge, all steel construction provides superior strength and durability, while galvanization resists rust and corrosion
- The "Double Hip" panel design enhances your home's appearance
- Available in steel edge and wood edge



Double Hip
Panel Design



Some of our Steel Doors do qualify for the Energy Star® Program. Please refer to www.mmidoor.com for a complete list of our qualifying products.

(Qualification based on 2018 Energy Star® Program Criteria and can change)



MJ686ME 1-Lite Majestic Steel shown in Gray Pearl



MP-21 6-panel replacement steel

REPLACEMENT SERIES

QUICK & EASY INSTALLATION;
INSTALLS IN HALF THE TIME OF
NEW CONSTRUCTION

Replacement steel exterior doors are durable and manufactured to prevent water absorption, resist rust and come factory primed for easy finishing.

Replacement Series is designed to be installed using your existing door frame, not the rough stud opening.

Great choice for Do-It-Yourselfers: Minimal tools and product knowledge Convenience – Simplifies and quickens the installation process.



Double Hip
Panel Design

6 preset security installation fastening points at critical lockset impact area

KEY FEATURES

- 10-Year Limited Warranty (Full warranty details on page 62)
- Prehung on a commercial, 18-gauge steel frame
- All steel door – 24-gauge face and 22-gauge reinforced edges for additional strength and security
- 14 Pre-set security installation with fastening points secure the opening - 6 at the critical lockset impact area
- All doors are pre-prepped for entry and deadbolt locks and are factory primed
- Weatherstrip system - bulb door sweep, adjustable sill, weatherstrip stop and corner seals complete the entire package
- 2/6, 2/8, 2/10 & 3/0 – 6/8 and 7/0 sizes are available. Size availability may vary by door style
- Double Hip Panel Design
- Configurable with clear, decorative, or textured glass
- Clear glass available with simulated divided lites, mini blinds or grilles between glass

Please Note: 2/8 replacement doors with decorative 1/2 & full lites and 2/6 replacement doors with clear 1/2 & full lites will require a glass offset of 1/4" from lock prep.

COMPONENTS & HARDWARE




MJ21 Majestic Steel 6-Panel, shown in Desert Sand

TYPES OF SILLS




COMPOSITE ADJUSTABLE SILL



CONTINUOUS SILL




SILL COVER



ADA SILL


TYPES OF FRAMES




PRIMED WOOD



ROT RESISTANT



SMOOTH OR GRAINED COMPOSITE




WHITE CAPPED COMPOSITE

GLASS-LITE FRAMES



ULTIMATE FLIP LEVER™ ASTRAGAL




HARDWARE & ACCESSORIES



RETRACTABLE SCREENS



PET DOORS




TYPES OF SILLS

COMPOSITE ADJUSTABLE SILL



Advanced technology sills are made of all-composite substrates, synthetic caps and nosing. These materials prevent rotting, warping or deteriorating over time.

CONTINUOUS SILL




By providing a continuous sill across the door unit, you receive a better fit that prevents leaks. Patented inactive Sidelite Seats are repositional for Mull or Patio System convenience.

SILL COVER




Composed of a durable material, sill covers give valuable protection against damage to the sill during the construction process.

FIXED INSWING




This sill is perfect for garage and utility doors and comes with a convertible cap to allow easy conversion to an adjustable cap.

FIXED OUTSWING BUMPER



Ultimate protection with increased pressure against the door producing a tight seal and excellent protection for high exposure areas.

ADA COMPLIANT THERMALLY BROKEN



By incorporating a dam that meets ADA height requirements, a better seal is created between the door and sill, while providing ease of entry.

FINISHES




MILL



BLACK

CONTINUOUS HEADERS AND SILLS



Continuous headers and sills are part of an error-free system, built to spec, for greater structural integrity.



Sill gasket provides a water tight seal between the end of the sill and the door jamb.



One piece mulls feature superior strength, a perfect fit and no additional finishing.



Our **mull systems** include inactive seats engineered for perfect panel placement.

FRAMES

TYPES OF FRAMES

Prefinishing the frame the same paint or stain color has always been a challenge in our industry. Fortunately, we can prefinish both! Listed below, you will see our 8 frame options and whether they can be painted, stained, or both.



PRIMED WOOD
(Paintable)

Our standard wood frame is made of finger-jointed pine and is pre-machined to accept MSystem components - weather-strip, sills, gaskets and corner seals. The entire frame is pre-primed, ready for paint.



ROT RESISTANT
(Primed - Paintable)

A revolutionary wood composite material so resistant to rot and insect damage, we guarantee the frame with a 15-year Limited Warranty (nontransferable).



SMOOTH COMPOSITE
(Paintable)

The closed cellular structure ensures door frame will not absorb or wick moisture, and prevent warping, rotting and splitting. Twice the screw holding power of traditional wood door frames.



WHITE CAPPED
(No paint required)

This ready to use pre-painted white frame is long-lasting and rot-free. With its strong screw-holding power this frame will maintain its integrity today and tomorrow.



OAK GRAINED COMPOSITE
(Paintable & Stainable)

Oak grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant.



FIR GRAINED COMPOSITE
(Paintable & Stainable)

Fir grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



MAHOGANY GRAINED COMPOSITE
(Paintable & Stainable)

Mahogany grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



REPLACEMENT DOOR 18 GAUGE STEEL
(Paintable)

Our Steel Replacement Door is assembled on an 18-gauge steel frame that is pre-prepped and pre-primed. Reinforced to ensure a proper installation and provide increased security.

CLADDING



Crownline
Compatible with most clad window profiles

Brickmould
Matches wood brickmould dimensions exactly



Transoms
Clear and decorative glass in all shapes: rectangle, round top, elliptical, and springline.

MAINTENANCE-FREE ALUMINUM ENTRY DOOR CLADDING

- Heavy Duty – resists denting
- No painting
- Limited lifetime warranty*

FrontLine® Bldg. Products Inc.
Member of the Bay Family of Companies

- Storm door ready
- No exposed fasteners
- Entry doors, sidelites and transoms



* For full warranty details please call customer service

GLASS-LITE FRAMES







FEATURE / BENEFIT	EVOLVE® White	EVOLVE® Oak	ZEEL White
FRAME MATERIAL	High Performance (HP®)	FiberPRO®	FiberMate Plus®
Compression seal/ no squeeze out	●	●	●
Designed to reduce scalloping	●	●	●
Best defense against air/ water infiltration	●	●	●
No screw plugs			●
Easy-install screw plugs	●	●	
UV Resistant	●	●	●
High heat tolerant			●
Paints without adhesion promoter		●	●
Stainable		●	●
No finishing required	●		
Flat Profile			●



Meet ZEEL. A minimal design with endless opportunities.

1. **ZEEL** is a sleek, versatile frame designed to be stained or painted that blends seamlessly into the entry door, allowing the doorglass to take center stage. This clean, low-profile look offers an alternative to flush glazed doors that provides the benefits of a frame system with the style homeowners desire.

2. Traditional frames can warp when subject to severe temperature changes or direct sunlight exposure, especially when painted dark colors. **FiberMate Plus™** is our strongest material yet and exceeds performance expectations in extreme environments.

3. **Resolve®** sealant is immune to squeeze out and doesn't degrade over time, reducing service calls and warranty issues. This clean thermoset foam seal can be repositioned and stays consistent over time.


4. **ZEEL** eliminates the need for screws and cumbersome screw hole covers with an innovative clip system. This allows each frame to sit flush, streamlining installation and greatly reducing installation time and effort. This efficient installation offers an alternative to costly flush glazed doors.

ASTRAGALS

MULTI-POINT ASTRAGAL (MPA)

MPA's cost-effective design works with most standard deadbolt packages, eliminating the need for expensive hardware, extensive machining and allowing for easy installation or retrofitting to existing door units.

- Three secure locking points stop air and water infiltration
- Ease of installation or retrofit
- Works with most standard deadbolt lock sets
- Flip Lever standard enhances sealing power
- 4-way adjustable strike










INTUITIVE CUT DOWN AND ADJUSTMENT

Multi-Point Astragal and Flip Lever Astragal

The **Multi-Point Astragal** and **Ultimate Flip Lever™ Astragal** can be cut down by up to 7 inches to accommodate all applications.

ULTIMATE FLIP LEVER™ ASTRAGAL



The **Ultimate Flip Lever™ Astragal** – One flip of the lever activates both Flush Bolts and the Floating Boot, eliminating the need for bending and reaching – a must-have for taller door systems.

PATENTED DESIGN

- Easy-to-use, enhanced accessibility
- Spring-loaded Floating Boot and Flush Bolts operate independently, allowing the Floating Boot to form a tight seal against the cap
- Standard in Multi-Point Locking Astragal and Trilennium® Compatible Astragals
- Upgrade option in Ultimate Astragal

RETRACTABLE FLOATING BOOT

Lifts with the Flush Bolt to prevent excessive rubbing and wear that lead to poor performance with traditional boot-type seals.





4-WAY ADJUSTABLE STRIKE RETAINER



Adjustable strike plates with hardware in place

Adjustable strike retainer available only on Flip Lever Upgrade and Multi-Point Astragals

TAKE DOUBLE DOOR PROTECTION TO THE ULTIMATE LEVEL

HARDWARE & ACCESSORIES

EXTERIOR LOCKSETS

Box set finish options: Colonial Bronze, Satin Nickel



Decorative Handle and Deadbolt

- Solid brass 1 piece cylinder housing
- 1" throw deadbolt with hardened anti-saw rod



Standard Levers



Standard Knobs



Standard Deadbolt

- Full 1" throw deadbolt with hardened steel rod insert
- 5 pin tumbler solid brass cylinder

- All metal construction
- 5 pin solid brass cylinder with nickel plated keys
- Cylinder removable for rekeying
- Tubular locks keyed together with single cylinder deadbolts

PEEPHOLE DOOR VIEWER & DOOR KNOCKERS WITH VIEWERS



Colonial Bronze



Satin Nickel



Oil Rubbed Bronze



Satin Nickel

Door Peephole Viewer

- 180 degree viewing
- Adjusted to fit doors from 1-3/8" to 2-1/4" thick

Door Knocker with Viewer

- 5 1/4" with 1/2" bore 180 degree viewer
- Mounting Hardware: Two 2" length brass screws included

MAIL SLOTS



US15 Satin/Dull Nickel
3-9/16" x 13"



US10B Dark/Colonial Bronze
3-9/16" x 13"

KICK PLATES

AVAILABLE FINISHES



US10B
Dark/Colonial Bronze



US15
Satin/Dull Nickel



US32D
Stainless Steel



KPLT634SN (Satin/Dull Nickel)
6" x 34"

DOOR HINGES

TYPES



Standard Hinge



Ball Bearing



Square Hinge



Spring Loaded

FINISHES (finish availability varies by hinge type)



US3/4* Light Brass



US3 Bright Brass



US26 Bright Chrome



US26D* Dull Chrome



US15 Satin/Dull Nickel~



US15A* Antique Nickel



US5* Antique Brass



US10B Dark/ Colonial Bronze*



US19 Flat Black



USP* White Primed

*Available in Spring Loaded
~ Available in Spring Loaded and Ball Bearing as US-15 Satin Nickel

Note: US15 = Satin Nickel or Dull Nickel and US10B= Colonial Bronze or Dark Bronze depending on manufacturers

PANOLOCK®+ MULTI-POINT LOCK

WORKS WITH STANDARD HARDWARE

Historically, the use of multi-point locks has been limited, primarily due to **high cost, difficult installation and operation**, and the **limitations of dedicated handset hardware** that are required for each manufacturer's lock offering.

PanoLock+ is the first and only multi-point lock that works with most off-the-shelf hardware, including electronic deadbolts. Brands like **Schlage, Kwikset And more.**

PanoLock+ integrates with almost every brand and type of handset through an innovative system of adapters.




PanoLock Adaptor



PanoLock Adaptor Pack (ships with door)


1



2



3



Most multi-point locks operate separately, and require extra steps to lock the door. PanoLock+ delivers a single operation system by integrating the handleset with the multi-point system. All three locking points activate with a simple turn of a key or thumbpress, lever, or knob and resulting in a product that is easy to live with, even after years of use.



A. Tapered bolt.
Unlike other locks that tend to catch, PanoLock+'s tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike.
Rollers lower operating force and allow the tapered bolt to gently snug the door panel against the weatherstrip.

POWERED BY ENDURA
DOOR COMPONENTS MADE IN THE USA

TRILENNIUM®

SPECIAL ORDER


MULTI-POINT LOCKING SYSTEM

Trilennium delivers three times the strength, the security and the performance with one multi-point locking system, resulting in maximum peace of mind and homeowner satisfaction.



PROTECTION
Trilennium delivers the strength of 3 full dead-bolts for uncompromised protection.

No weak hooks or delivering catches, only tested, proven strength.



PERFORMANCE
Trilennium corrects misalignment in 3 different directions, even fighting deflection when unlocked for lasting, error-free operation.



EASY OPERATION
Unlike other systems, Trilennium is easy to use, activating with a single turn of the key or thumb-turn, and releasing with just a single turn of the interior handle.



STRENGTH
Unlike other competitors, Trilennium's one-piece I-Beam lock construction is so strong, it even strengthens the door panel.

HARDWARE COLLECTION

SPECIAL ORDER

For optimum performance with our locking system, Trilennium® hardware combines elegant design with precision engineering for beautiful, reliable performance. Hardware, active and inactive, is available for entry, patio and passage doors in a variety of styles and finishes.



ECLIPSE
Shown in Satin Nickel
*Available in Victorian Bronze – In-Stock



PINNACLE
Shown in Victorian Bronze



GRIP SET
Shown in Victorian Bronze



Trilennium® compatible hardware is also available from EMTEK® and Rocky Mountain Hardware®.



HORIZON
Shown in Bright Brass



(2) FS59LE shown in Brilliant White

PATIO DOORS

Built for stability, strength, reliability and energy efficiency. Many of our units qualify for the Energy Star Program. Choose from grained fiberglass, smooth fiberglass or steel.


The difference between Patio and Double Doors has always been a bit confusing. MMI DOOR defines Patio Doors as a two or three door unit with one active panel and one or two stationary panels. The operating panel will typically be hinged on the center mull post. A Double Door opens in the middle and has one "active" door and one "inactive" door. The inactive panel is anchored by an astragal that can be released to allow both doors to open freely.



Patio Doors
One active panel and one or two stationary doors



Double Doors
Also called "French Doors" Double doors open in the middle and both panels can be activated by releasing the astragal




Inactive patio door panels are sealed with glazing tape (no caulk) No re-caulking required resulting in a better appearance

(Example is a Patio Door)




Continuous head with non-invasive routing provide exceptional strength



One piece mulls feature superior strength, a perfect fit and no additional finishing



Continuous sills give added strength beneath the mull with the continuous seal along the door unit



Our mull systems include inactive seats engineered for perfect panel placement




Sill gasket provides a water tight seal




Available with composite or rot-resistant frame

PATIO HANDINGS

2 DOOR



3 DOOR



TRANSOM OPTIONS



Model	Glass Only Size	Description
TRAN7413RLE	72-1/4" x 11-7/8"	Transom Clear Low-E glass
TRAN7513RLE	73-1/4" x 11-7/8"	Transom Clear Low-E glass



Model	Glass Only Size	Description
TRAN7413RIMLE	72-1/4" x 11-7/8"	Transom Low-E glass w/GBG
TRAN7513RIMLE	73-1/4" x 11-7/8"	Transom Low-E glass w/GBG

PATIO DOORS

* Available in Low-E
~ Low-E only

*Textured glass offered with Zeel frame. All Patio Doors are offered with the door hinge on the frame side at no extra cost at your request. Note: Add "P-" in front of model number when ordering Patio Doors.


6/8 - 2 DOOR



59*
(2) 22"x64"
(available in 8/0)




686*
(2) 22"x64"



61*
(2) 22"x64"
(available in 8/0 as 18-Lite)



686GBG*
(2) 22"x64"



686GBG Contour~
(2) 22"x64"



686PIM
(2) 22"x64"



686SDL~
(2) 22"x64"



686RLB~
(2) 22"x64"




689RLB GBG~
(2) 22"x64"




686BLC~
(2) 22"x64"



686CHI~
(2) 22"x64"



686RN~
(2) 22"x64"



686VPR~
(2) 22"x64"



686MG~
(2) 22"x64"



147
(2) 22"x64"



607~
(2) 22"x64"



608~
(2) 22"x64"




607RLB
(2) 22"x64"




608RLB
(2) 22"x64"


6/8 - 3 DOOR




59*
(3) 22"x64"
(available in 8/0)




686*
(3) 22"x64"




61*
(3) 22"x64"
(available in 8/0 as 18-Lite)




686GBG*
(3) 22"x64"




686GBG Contour~
(3) 22"x64"




686PIM
(3) 22"x64"




686SDL~
(3) 22"x64"



686RLB~
(3) 22"x64"




689RLB GBG~
(3) 22"x64"




686BLC~
(3) 22"x64"




686CHI~
(3) 22"x64"



686RN~
(3) 22"x64"



686VPR~
(3) 22"x64"



686MG~
(3) 22"x64"

See page 61 for unit dimensions and rough opening widths


TRUFIT REPLACEMENT MAJESTIC STEEL

TruFit Replacement Patio Doors are sized to correctly fit the opening of worn out, sliding patio doors. No custom sizing or extensive carpentry work is necessary. Save time and money while gaining the perfect look that your home deserves.

TRUfit patio door

UNIT INCLUDES:

- 4-9/16" Primed Frame
- Primed Brickmould
- One Piece Primed Mull Post (Patio)
- One Piece Flip Lever Astragal (Double)
- One Piece Composite Sill
- One Piece Continuous Header
- Wood Edge
- 3 Brass Hinges



Available with composite or rot-resistant frame

		Patio Doors	Double French Doors
DOORS		2 Door	
6/8 MODELS UNIT SIZES		71-1/2" X 79-1/2"	70-1/2" X 79-1/2"
	P-59 (1-Lite)	•	•
	P-59 Low-E (1-Lite)	•	•
	P-61 (15-Lite Standard Grid)	•	•
	P-61 Low-E (15-Lite Standard Grid LowE)	•	•
	P-686GBG (15-Lite Internal Muntins)	•	•
	P-686GBG Low-E (15-Lite Contour Internal Muntins)	•	•
	P-686 GBG CTR Low-E (15-Lite Contour Internal Muntins)	•	•
	P-686RLB (Internal Blinds - Tilt, Raise & Lower)	•	•
	P-686RLB Low-E (Internal Blinds - Tilt, Raise & Low-E)	•	•
	P-689RLB GBG Low-E (15-Lite Internal Muntins with Internal Blind - Tilt, Raise & Lower)	•	•
	P-686 PIM (9 Lite Prairie Internal Muntins)	•	•
	P-686 SDL (8 Lite Simulated Divided)	•	•

SAVE *TIME* AND *EFFORT*

TruFit fits in the frame of your old sliding door with easy installation!



(2) MJ P-61 TruFit Majestic Steel, shown in Brilliant White



59 1-Lite



686SDL 8-Lite



15-Lite GBG
White or Tan
Grids between Glass



Blinds Between Glass
Raise, Lower & Tilt



9-Lite Prairie Interial
Muntins



15-Lite RLBGBG
White or Tan
Grids between Glass

Please refer to page 12 for hardware options.

PET DOORS

In keeping with the idea that MMI DOOR strives to be our customer's single source for all of their door needs, we now offer 3 different sizes of Pet Doors - Medium, Large, and X-Large. Each of the three Pet Doors are pictured below. Our Pet Doors are manufactured by PetSafe®, a leading provider of Pet Products.

GIVE YOUR PETS THE FREEDOM THEY DESERVE!

- Durable construction
- Simple installation instructions included
- Solid aluminum frame with closing panel
- Intended for heavy use and multiple pet homes
- Flexible, soft flap with UV sun protection
- Great for storm, wood, PVC and steel doors
- Interior and exterior applications
- 1-Year Warranty





Medium
1 - 40 lbs.
8-1/4" x 12-1/4"
(Flap Opening)

Large
1 - 100 lbs.
10-1/4" x 16-1/4"
(Flap Opening)

X-Large
12 - 220 lbs.
13-3/4" x 23-3/4"
(Flap Opening)

OTHER SUGGESTED FIELD INSTALLATIONS:

Wood, Storm, PVC & Steel Walls 3/8"-2" Thick

Interior Applications

Alternative Applications





Please reach out to your local rep for door configuration options

RETRACTABLE SCREENS



SCRNFULLRET30 shown in Brilliant White

LET THE FRESH AIR IN, KEEP EVERYTHING ELSE OUT.

- Mesh screen allows for maximum fresh air circulation
- In-track Velcro holds the screen tight, keeping insects out
- Woolpile fin seal provides added seal on door edge
- Sleek handle design with release lever
- Enhanced slide guide for smooth operation and stability
- Attractive white finish to match any home design



SINGLE

INSWING FULL-SIZE RETRACTABLE SCREEN
SCRNFULLRET30
3/0 x 6/8 full-size assembly for single door
Screen height is 82" and fits openings up to 38" wide



DOUBLE

INSWING FULL-SIZE RETRACTABLE SCREEN
SCRNFULLRET60
6/0 x 6/8 full-size assembly for double door
Screen height is 82" and fits openings up to $74^{1/4}$" wide



DOUBLE

INSWING TRUFIT RETRACTABLE SCREEN
SCRNRETRORET60
6/0 x 6/8 TruFit assembly for double door
Screen height is $79^{3/4}$" and fits openings up to 72" wide

Notice: Responsibility for the care and maintenance of the unit will be solely on the purchaser. Any resulting damage to the screen mesh component from improper use or care shall be at the discretion of the purchaser to replace at a cost with an available screen mesh cartridge.

Retractable screens fit some configurations for outswing doors. Please call for configurability.





FIRE-RATED DOORS

Residential styling, commercial grade safety. MMI DOOR offers a comprehensive line of 20 and 90-Minute fire rated door units in fiberglass and steel.

FIRE RATING 20 MIN FIRE DOORS ON 20-MINUTE WOOD FRAMES


Fiberglass Smooth 6-Panel


Fiberglass Smooth 2-Panel


Fiberglass Smooth 2-Panel Archtop


Fiberglass Smooth 2-Panel Archtop Planked


Fiberglass Smooth 10 SHK 1-Panel


Fiberglass Smooth 20 SHK 2-Panel


Fiberglass Smooth 30 CRF 3-Panel

WARRANTY

- 10-Year coverage on exterior steel door slabs for defects in material and workmanship
- 1-Year coverage on door frames for defects in material and workmanship

FIRE RATING 90 MIN FIRE DOORS ON 90-MINUTE STEEL FRAMES


Majestic Steel Flush


Majestic Steel 2-Panel


Majestic Steel 6-Panel


Majestic Steel 2-Panel Archtop


Majestic Steel 10 SHK 1-Panel


Majestic Steel 20 SHK 2-Panel


Majestic Steel 30 CRF 3-Panel

COMMERCIAL PRODUCTS

MMI DOOR offers a full line of commercial doors, frames and hardware in stock for immediate delivery. Many of these items are adaptable to our residential products in this catalog. You may want to consider self closing hinges, automatic door closers or panic devices for the choices above. Please refer to our commercial brochure for further details.

FIRE RATING 20 MIN PREHUNG PRIMED WOOD FRAME UNITS


Fiberglass Smooth FS21 20M**


Fiberglass Smooth FS20 20M**


Fiberglass Smooth FS22 20M


Fiberglass Smooth FS200 20M


Fiberglass Smooth FS10 SHK 20M


Fiberglass Smooth FS20 SHK 20M


Fiberglass Smooth FS30 CRF 20M*

UNITS INCLUDE:

- 4-9/16" primed 20-minute frame
- Primed brickmould
- High dam composite adjustable sill
- SN Spring Hinges (2 Spring/1 Std)
- Compression weatherstrip
- 20-Minute fire rated labeled door

*Available with Dentil Shelf
**Available in Majestic Steel Wood Edge

PREHUNG OPTIONS:

PREP OPTIONS:

2-1/8" Deadbolt Prep

200 degree UL door viewer 15 with privacy flap prep & install

200 degree UL door viewer 26D with privacy flap prep & install

SILL OPTIONS:

Fixed Sill

Low Profile Sill (ADA Compliant)

FRAME OPTIONS:

4-9/16" 20-Minute Frame

7-1/4" 20-Minute Frame

No brickmould

Custom Frame size 4-7/8" thru 7-1/8" available

HINGE OPTIONS:

(2) US-3/4 Brass Spring Hinges

(2) US-15A Antique Nickel Spring Hinges

(2) US-26D Brushed Chrome Spring Hinges

3rd Spring Hinge

Note: Spring Hinges include a 3rd, standard hinge.

Unit Dimensions

Frame Size	Width	Height
2/8 x 6/8	33-1/2"	81-5/8"
3/0 x 6/8	37-1/2"	81-5/8"

Low profile (ADA Compliant) sill units deduct 3/4" from unit dimensions

Note: All 20M FS flat panel shaker doors available with no sticking and all 90M MJ flat panel craftsman doors available with craftsman sticking.

FIRE RATING 90 MIN

EZ FLEX ADJUSTABLE STEEL FRAME PREHUNG UNITS


Majestic Steel
MJ-1-90M*^


Majestic Steel
MJ-20-90M


Majestic Steel
MJ-21-90M*^


Majestic Steel
MJ-22-90M


Majestic Steel
10 SHK
1-Panel



Majestic Steel
20 SHK
2-Panel


Majestic Steel
30 CRF
3-Panel


UNIT DIMENSIONS

Frame Size	Width	Standard Height	ADA Height
2/6 x 6/8	30"	80-7/8"	80"
2/8 x 6/8	32"	80-7/8"	80"
2/10 x 6/8	34"	80-7/8"	80"
3/0 x 6/8	36"	80-7/8"	80"
3/6 x 6/8	42"	80-7/8"	80"

Rough Opening



W = Nominal Door width + 1 1/4"
H = Inside Frame height + 13/16"



EZ FLEX Steel Frame

MODEL: EZ Flex Frame, 1-3/4 doors only 5/8" stop height

FIRE RATING: (90 Minute) Fire Rating NAMI Label

FRAME MATERIAL: 18 Gauge Steel Adjustable Split Frame


INSTALLATION READY: Shipped Prehung or Knocked Down

FRAME SIZES AVAILABLE: 3 adjustable frame sizes:
4-½"-5-½", 5-½"-6-½", 6-½"-7-½", 7-½"-8-½", 8-½"-9-½", 10-½"-11-½", 12-½"-13-½"
**1" adjustments, special/custom sizes are available*

HINGES & LOCK STRIKE PREPARATIONS: Hinge Prep for 4", 2-3/4" deadbolt prep and 2-3/4" adjustable T-strike prep

HANDED FOR LEFT OR RIGHT SWING

Universal Application
(Adjustable Split Frame - Interior & Exterior Application)



UNITS INCLUDE:

- 20-Gauge galvanized primed steel
- Adjustable Throat: 4-1/2" to 5-1/2", 5-1/2" to 6-1/2", 6-1/2" to 7-1/2", 7-1/2" to 8-1/2", 8-1/2" to 9-1/2", 9-1/2" to 10-1/2", 10-1/2" to 11-1/2", 12-1/2" to 13-1/2"
- Lock strike preparation: 2-1/4" full lip strike, 2-1/2" T-Strike, 2-3/4" deadbolt, 4-7/8" ASA
- Prepped for 2 sets of steel casing TA-8 or a wood casing
- Primed in white
- Hinge Prep: Accepts three (3) 4" 5/8" radius hinges

PREHUNG OPTIONS:

PREP OPTIONS:
2-1/8" Deadbolt Prep
200 degree UL door viewer 15 with privacy flap prep & install
200 degree UL door viewer 26D with privacy flap prep & install

SILL OPTIONS:
Low Profile Sill (ADA Compliant)

HINGE OPTIONS:
(2) US-3/4 Brass
(2) Dull Nickel
(2) US-15A Antique Nickel
(2) US-26D Brushed Chrome

CASING OPTIONS:
Steel Snap On Casing Per Door Side

SEVERE WEATHER (SW) FIBERGLASS DOORS

Our severe weather fiberglass smooth and oak grained fiberglass doors are constructed with full length composite stiles. The top and bottom rails prevent any water penetration in all six sides. The unit will not, warp, rot, dent, or split and are virtually maintenance free.

Decorative glass is available and is independently tested by ODL to meet Florida and Texas wind-borne debris risks and comes with an aluminum frame for enhanced strength and durability.

Our severe weather doorglass is approved for use in severe weather door systems that meet Florida code FL17347.5, and are certified by NAMI. Please call for design and quote.

HIGH VELOCITY HURRICANE ZONE (HVHZ)
Broward and Dade County are not supported.




Aluminum Flat Profile Frame




Severe Weather shown in Brilliant White

FLORIDA WIND-BORNE DEBRIS REGION FOR RISK CATEGORY II BUILDINGS



TEXAS FIRST TIER COASTAL COUNTIES



SW PANEL AND CLEAR GLASS DOORS



SWFS 59 Severe Weather with Low-E glass, shown in Brilliant White

6/8



SWFG 21
6-Panel
2/8 x 6/8
3/0 x 6/8



SWFG 110
2-Panel
3/0 x 6/8



SWFG 158
9-Panel
3/0 x 6/8



SWFG 140
4-Panel
3/0 x 6/8



SWFG 400
6-Panel
3/0 x 6/8



SWFG 59
Low-E Glass
2/8 x 6/8
3/0 x 6/8

8/0 SPECIAL ORDER



SWFG 21
6-Panel
3/0 x 8/0



SWFG 300
3-Panel
3/0 x 8/0



SWFG 59
Low-E Glass
3/0 x 8/0

6/8



SWFS 20
2-Panel
3/0 x 6/8



SWFS 21
6-Panel
2/8 x 6/8
3/0 x 6/8



SWFS 22
2-Panel
2/8 x 6/8
3/0 x 6/8



SWFS 31
3-Panel
3/0 x 6/8



SWFS 40
4-Panel
2/8 x 6/8
3/0 x 6/8



SWFS 110
2-Panel
3/0 x 6/8



SWFS 140
4-Panel
3/0 x 6/8



SWFS 158
9-Panel
3/0 x 6/8



SWFS 200
2-Panel
Planked
2/8 x 6/8
3/0 x 6/8



SWFS 400
6-Panel
3/0 x 6/8



SWFS 59
Low-E Glass
2/8 x 6/8
3/0 x 6/8



SWFS 684 RLB
2-Panel
Mini-Blinds
3/0 x 6/8



SWFS 686 RLB
Mini-Blinds
3/0 x 6/8

8/0 SPECIAL ORDER



SWFS 300
3-Panel
3/0 x 8/0



SWFS 59
Low-E Glass
3/0 x 8/0

Low-E door available Special order

SIMULATED DIVIDED LITES (SDL) COLLECTION


Looks like a traditional true divided lite door but with the benefit of greater energy efficiency while still maintaining a classic profile.



FF868SDL 6-Lite shown in Warm Toffee

PRACTICAL AND ELEGANT TAKE ON TRADITIONAL DIVIDED DOOR LITES.

The look of a true divided lite, with the energy efficiency of a single lite. A mill finish between glass, and backing strips for a true wood muntin appearance.



The Traditional SDL bars are injection molded along with our Evolve® Frame to eliminate separate application of the SDL bars. This all-in-one design offers a better flush-to-glass fit.

IN-STOCK GLASS



Clear Low-E

Privacy Rating

1 — 10

Low — High

SIMULATED DIVIDED LITES COLLECTION



FG686 8-Lite shown in Espresso

SPECIAL ORDER GLASS

SPECIAL ORDER



Baroque

Privacy Rating

1 — 3 — 10


Low ▲ High

Blanca

Privacy Rating

1 — 9 10

Low — High



Chinchilla

Privacy Rating

1 — 9 10

Low — High



Rain

Privacy Rating

1 — 9 10

Low — High

6/8 Low-E Glass

*Dentil Shelf Available.



607SDL
4-Lite



608SDL
4-Lite



607SDL
6-Lite



608SDL
6-Lite



686SDL
8-Lite



867SDL*
3-Lite

8/0



868SDL*
6-Lite



SL422SDL
3-Lite



SL690SDL
4-Lite



906SDL
4-Lite



906SDL
6-Lite

Notes:

- **Craftsman doors come with a flat Craftsman lite frame, side lites come with standard Evolve lite frame**
- **Select skin configurations available for Fir, Mahogany, Oak, and Fiberglass Smooth**

DIRECT GLAZED (DG) COLLECTION

STRONG, DURABLE, ATTRACTIVE, AND READY TO BE PAINTED.



FS607DG 4-Lite shown in Black

DIRECT GLAZED COLLECTION

CLEAR GLASS

Formed with high-definition panels and wide profiles, JELD-WEN® Smooth-Pro™ and Design-Pro™ fiberglass doors feature a light paint-brush-stroke texture that can be painted or stained any color, without presanding or scuffing the surface, and they won't warp, dent or rust.



FS866DG 3-Lite shown in Modern White

6/8



801 DG | 803 DG | 806 DG | 801 DG | 802 DG | 866 1-LITE | 866 3-LITE | 866 4-LITE | 866 6-LITE | 607 1-LITE | 607 4-LITE | 607 6-LITE | 686 1-LITE | 686 6-LITE

8/0



422 1-LITE | 422 2-LITE | 422 3-LITE | 820 1-LITE | 820 2-LITE | 801 DG | 803 DG | 806 DG | 866 1-LITE | 866 3-LITE | 866 4-LITE | 866 6-LITE | 607 1-LITE | 607 4-LITE | 607 6-LITE | 820 1-LITE | 820 2-LITE | 422

STANDARD FIBERGLASS DOORS							
		Smooth Pro				Fir	
6/8 MODELS		Size					
		2/8	3/0	12"	14"	3/0	14"
607	1-Lite		•				
	4 Lite		•				
	6 Lite		•				
686	1-Lite	•	•				
	6 Lite	•	•				
866	1-Lite*		•				
	3 Lite*		•				
	4 Lite*		•				
	6 Lite*		•				
801	1-Lite*					•	•
802	2 Lite						•
803	3 Lite*					•	
806	6 Lite*					•	
422	1-Lite			•	•		
	2 Lite			•	•		
	3 Lite			•	•		
820	1-Lite			•			
	2 Lite			•			

STANDARD FIBERGLASS DOORS						
	Smooth Pro				Fir	
8/0 MODELS	Size					
	3/0	12"	14"		3/0	14"
607	1-Lite	•				
	4 Lite	•				
	6 Lite	•				
866	1-Lite*	•				
	3 Lite*	•				
	4 Lite*	•				
	6 Lite*	•				
801	1-Lite*				•	
803	3 Lite*				•	
806	6 Lite*				•	
422	1-Lite		•	•		
820	1-Lite		•			
	2 Lite		•			

* Dentil Shelf Available SPECIAL ORDER

PRIVACY GLASS



FS607DGRN 4-Lite shown in Salty Tide


6/8



607BLC 1-Lite | 607BLC 4-Lite | 607BLC 6-Lite | 422BLC 1-Lite | 607RN 1-Lite | 607RN 4-Lite | 607RN 6-Lite | 866RN 1-Lite | 866RN 3-Lite | 866RN 4-Lite | 866RN 6-Lite | 690BLC 1-Lite | 690RN 1-Lite

STANDARD FIBERGLASS DOORS				
Smooth Pro				
8/0 MODELS		3/0	12"	14"
607 Blanca	1-Lite	•		
	4 Lite	•		
	6 Lite	•		
607 Rain	1-Lite	•		
	4 Lite	•		
	6 Lite	•		
866 Rain	1-Lite	•		
	3 Lite	•		
	4 Lite	•		
	6 Lite	•		
422 Blanca	1-Lite		•	
422 Rain	1-Lite		•	
690 Blanca	1-Lite		•	
690 Rain	1-Lite		•	

Glass Details



Blanca



Rain

DIRECT GLAZED COLLECTION


ONYX NOVA 90

A striking new take on the beauty of the Nova 90 series, the Onyx collection features a durable pigmented fiberglass skin which does not require finishing. Enjoy the contemporary look of a black door without the need for frequent maintenance or painting.




FS607 Onyx

6/8



607 1-LITE 686 1-LITE

8/0




607 1-LITE 686 1-LITE

STANDARD FIBERGLASS DOORS				
Fiberglass Smooth Onyx				
6/8 MODELS		Size		
		2/6	2/8	3/0
607	1-Lite	•		•
	4 Lite			
	6 Lite			
686	1-Lite	•	•	•
	6 Lite			

STANDARD FIBERGLASS DOORS		
Fiberglass Smooth Onyx		
8/0 MODELS		Size
		3/0
607	1-Lite	•
686	1-Lite	•

1. Composite Stile Cap
2. Full- Lenght LVL
   (Hinge & strike side for extra rigidity).
3. Insulated 1" Glass
4. Compression Molded Fiberglass Skin
5. Brushed Finished Texture
6. Integrally Molded Glass Stop
7. High-Density Polyurethane Foam
8. ADA Compliant Bottom Rall
9. Composite Bottom Rall



Nova series feautures a 90 degree sticking as shown above

plastpro®
THE DOOR OF BEAUTY & INNOVATION

MODERN COLLECTION

AUTHENTIC DESIGN FOR THE ARCHITECTURE ENTHUSIAST™



FS694V shown in Black

IN-STOCK GLASS



Clear Low-E

Privacy Rating

1 — 10

Low — High


Frosted

Privacy Rating

1 — 9 10

Low — High

CLEAR LOW-E GLASS



651H4 694V 840Q3 842H5 842V3 SL694

FROSTED GLASS




651H4 694V 840Q3 842H5 842V3 SL694

Low-E door glass

SPECIAL ORDER GLASS

SPECIAL ORDER



Cubed

Privacy Rating

1 — 9 10

Low — High



Chinchilla

Privacy Rating

1 — 9 10

Low — High



Circuit

Privacy Rating

1 — 5 — 10

Low — High



Rain

Privacy Rating

1 — 9 10

Low — High



FS608CTD (2) shown in Black

COURTYARD

Privacy Rating

1 9 10


Low ▲ High



FS686CTD shown in Black


Wrought iron designs are as current today as they were 100 years ago. The pronounced fretwork of Courtyard creates a look that is both strong and subtle. Courtyard offers a high privacy level.

Glass Details




1 - Granite
2 - Nickel Vein Wrought Iron

Available Caming




Granite — Nickel Vein Wrought Iron

6/8



422GRC (2) 8"x48" | 607GRC 22"x48" | 608GRC 22"x48" | 682GRC 22"x36" | 683GRC 22"x36" | 684GRC 22"x36" | 686GRC 22"x64" | 692GRC (2) 8"x36" | 814CTD 25"x15.25" | 866CTD 22"x15.25" | SL 692GRC 8"x36" | SL 422GRC 8"x48" | SL 694GRC 7"x64"

8/0



759GRC 22"x64" | 906GRC 22"x48" | SL 759GRC 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS													
	Fir		Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge					Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																														
422CTD									•					•															
607CTD									•					•															
608CTD									•					•															
682CTD												•		•															
683CTD												•		•															
684CTD			•	•			•		•			•	•	•				•	•	•				•	•			•	•	•
686CTD			•	•			•	•	•			•	•	•				•	•	•				•	•			•	•	•
692CTD												•		•			•	•	•	•			•	•	•			•	•	•
814CTD									•					•																
866CTD	•	•										•		•				•		•					•					
SL422CTD										•	•				•	•														
SL692CTD					•	•				•	•				•	•														
SL694CTD					•	•				•	•				•	•					•	•				•	•			
8/0 MODELS																														
759GRC									•					•																
906GRC														•																
SL759GRC																•														

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

ELEGANT STAR

Privacy Rating

1 — 9 10

Low — High

Elegant Star with wrought iron and textured translucent glass is a rustic, South Western treatment. Providing you with a high level of privacy.

Glass Details



1 - Wrought Iron 2 - Micro Granite

Available Caming


Wrought Iron


Patina


Platinum Nickle




FS686TX shown in Dark Chocolate

6/8


682TX
22"x36"


683TX
22"x36"


684TX
22"x36"


692TX
(2) 8"x36"


686TX
22"x64"


SL 692TX
8"x36"



SL 690TX
8"x64"

8/0


759TX
22"x64"


SL 759TX
7"x64"

Transom


506TX
62-7/8"x13-7/8"

	STANDARD FIBERGLASS DOORS															STEEL DOORS										
	Mahogany				Oak					Smooth						Majestic Steel				Majestic Steel Wood Edge				Replacement Steel		
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	2/6	2/8	2/10	3/0	2/8	2/10	3/0
6/8 MODELS																										
682TX											•		•													
683TX											•		•													
684TX	•	•			•		•				•	•	•				•	•	•		•		•	•	•	•
686TX	•	•			•	•	•				•	•	•				•	•	•		•		•	•	•	•
692TX										•	•	•	•			•	•	•	•	•	•		•	•	•	•
SL692TX			•	•				•	•					•	•											
SL690TX														•	•											
8/0 MODELS																										
759TX							•						•													
SL759TX															•											

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN
ODL DOORGLASS
plastpro® THE DOOR OF BEAUTY & INNOVATION

GRACE

Privacy Rating

1 — 7 — 10


Low — High



FM686GRC shown in Amaretto

Accent your front door with the graceful styling of a bevel cluster. The Cluster look of Grace includes a backdrop of glass textures and a nickel or patina finish. Offering your home with a high level of privacy.

Glass Details



1 - Nickel or Patina
2 - Micro-cubed
3 - Clear Bevel
4 - Granite
5 - Micro-granite

Available Caming



Nickel — Patina

6/8



422GRC (2) 8"x48" | 607GRC 22"x48" | 608GRC 22"x48" | 659GRC 21.8"x 9.81" | 682GRC 22"x36" | 683GRC 22"x36" | 684GRC 22"x36" | 686GRC 22"x64" | 692GRC (2) 8"x36" | 749GRC 14"x37" | 949GRC 14"x37" | 950GRC 14"x37"

8/0



SL 692GRC 8"x36" | SL 422GRC 8"x48" | SL 694GRC 7"x64" | 759GRC 22"x64" | 906GRC 22"x48" | SL 759GRC 7"x64"

	STANDARD FIBERGLASS DOORS														STEEL DOORS														
	Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																														
422GRC							•						•																	
607GRC							•						•																	
608GRC							•						•																	
659GRC	•	•			•		•			•	•	•	•			•	•		•			•	•		•					
682GRC											•		•																	
683GRC											•		•																	
684GRC	•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686GRC	•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692GRC											•		•			•	•	•	•			•	•		•			•	•	•
749GRC		•					•						•																	
949GRC													•																	
950GRC													•																	
SL422GRC								•	•					•	•															
SL692GRC			•	•				•	•					•	•															
SL694GRC			•	•				•	•					•	•					•	•					•	•			
8/0 MODELS																														
759GRC							•						•																	
779GRC																														
789GRC																														
799GRC																														
906GRC													•																	
SL759GRC															•															

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

HARRIS


Privacy Rating

1 — 8 — 10

Low — High

Blending texture and a micro-granite pattern glass with the classic patina finish diamond design, Harris evokes traditional design quest for an inspired modern look. Harris offers a high privacy level.

Glass Details



1 - Patina Caming 2 - Micro-granite

Available Caming




Patina



FS684HAR shown in Black

* Dentil Shelf Available

6/8



422HAR (2) 8"x48" | 607HAR 22"x48" | 608HAR 22"x48" | 648HAR 22"x10" | 682HAR 22"x36" | 683HAR 22"x36" | 684HAR (2) 8"x36" | 686HAR 22"x64" | 692HAR (2) "8x36" | 866HAR* 22"x 25.25" | SL 692HAR 8"x36" | SL 422HAR 8"x48" | SL 694HAR 7"x64"

8/0



759HAR 22"x64" | 906HAR 22"x48" | SL 759HAR 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS													
	Fir		Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																	
422HAR									•						•																		
607HAR									•						•																		
608HAR									•						•																		
648HAR			•	•			•		•			•	•	•	•			•	•		•			•	•		•			•	•		•
682HAR													•		•																		
683HAR													•		•																		
684HAR			•	•			•		•				•	•	•				•	•	•				•		•				•	•	•
686HAR			•	•			•	•	•				•	•	•				•	•	•				•		•				•	•	•
692HAR								•					•		•			•	•	•	•			•	•		•				•	•	•
866HAR	•	•											•		•				•		•						•						
SL422HAR										•	•					•	•																
SL692HAR					•	•				•	•					•	•																
SL694HAR					•	•				•	•					•	•					•	•					•	•				
8/0 MODELS																																	
759HAR									•						•																		
906HAR															•																		
SL759HAR																•																	

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

HEIRLOOMS

Privacy Rating

1 — 6 — 10


Low ▲ High



FG686HM and (2) FG960HM shown in Milk Chocolate


The value you place on history makes Heirlooms your perfect choice. Its deeply cut bevels and satin nickel or brass finish create a Classic design that endures, just like family features that lie within your home. Heirlooms offers a medium level of privacy.

Glass Details



1 - Brass or Nickel
2 - Glue Chip
3 - Clear Bevel
4 - Granite

Available Caming



Brass



Nickel

6/8



422HM (2) 8"x48" | 607HM 22"x48" | 608HM 22"x48" | 659HM 21.8"x 9.81" | 682HM 22"x36" | 683HM 22"x36" | 684HM 22"x36" | 686HM 22"x64" | 692HM (2) 8"x36" | 749HM 14"x37" | 919HM 20.5"x 56.35" | 949HM 14"x37" | 950HM 14"x37" | SL 692HM 8"x36" | SL 422HM 8"x48" | SL 690HM 8"x64" | SL 694HM 7"x64"

8/0



759HM 22"x64" | 906HM 22"x48" | SL 759HM 7"x64"

Transom



521HM 62-7/8"x11-7/8"

	STANDARD FIBERGLASS DOORS														STEEL DOORS														
	Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																														
422HM							•						•																	
607HM							•						•																	
608HM							•						•																	
659HM	•	•			•		•			•	•	•	•			•	•	•	•			•	•		•					
682HM											•		•																	
683HM											•		•																	
684HM	•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686HM	•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692HM											•		•			•	•	•	•			•	•		•			•	•	•
749HM		•					•						•																	
919HM					•		•			•	•		•			•	•	•	•			•	•		•			•		•
949HM													•																	
950HM													•																	
SL422HM								•	•					•	•															
SL690HM														•	•															
SL692HM			•	•				•	•					•	•															
SL694HM			•	•				•	•					•	•					•	•					•	•			
8/0 MODELS																														
759HM							•						•																	
906HM													•																	
SL759HM															•															

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

MAJESTIC


Privacy Rating

1 — 6 — 10

Low — High

Majestic's formal pattern of bevels and glass, accented with gray shades, is the epitome of Classic design. Providing you with a medium level of privacy to your home.

Glass Details




1 - Nickel Caming
2 - Glue Chip Bevels
3- Glue Chip
4-Gray Soft Wave

Available Caming




Nickel | Brass | Patina



FM686ME shown in Amaretto

6/8



422ME (2) 8"x48" | 607ME 22"x48" | 608ME 22"x48" | 682ME 22"x36" | 683ME 22"x36" | 684ME 22"x36" | 686ME 22"x64" | 692ME (2) 8"x36"



SL 692ME 8"x36"



SL 422ME 8"x48"




SL 690ME 8"x64"



SL 694ME 7"x64"

8/0



759ME 22"x64" | 906ME 22"x48"



SL 759ME 7"x64"

	STANDARD FIBERGLASS DOORS														STEEL DOORS														
	Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																														
422ME							•						•																	
607ME							•						•																	
608ME													•																	
682ME											•		•																	
683ME											•		•																	
684ME	•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686ME	•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692ME											•		•			•	•	•	•			•	•		•			•	•	•
SL422ME								•	•					•	•															
SL690ME														•	•															
SL692ME			•	•				•	•					•	•															
SL694ME			•	•				•	•					•	•					•	•					•	•			
8/0 MODELS																														
759ME							•						•																	
906ME													•																	
SL759ME															•															

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

MONTCLAIRE

Privacy Rating

1 — 6 — 10


Low — High



FS608MTC shown in Dark Chocolate

Montclaire pays homage to Tuscan architecture with overtures of cathedral arches as seen in doors, cabinetry, railings and archways. This old world design combines warmth through simple wrought iron craftsmanship integrated with granite textured glass. Montclaire offers a medium privacy level.


Glass Details



1 - Nickel Vein Wrought Iron

2 - Granite


Available Caming




Nickel Vein Wrought Iron

* Dentil Shelf Available

6/8




422MTC
(2) 8"x48"



607MTC
22"x48"



608MTC
22"x48"



686MTC
22"x64"



866MTC*
22"x15.25"




SL
422MTC
8"x48"




SL
694MTC
7"x64"

8/0



759MTC
22"x64"



906MTC
22"x48"



SL
759MTC
7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS												
	Fir		Mahogany				Oak					Smooth					Majestic Steel					Majestic Steel Wood Edge					Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																												
422MTC									•					•														
607MTC									•					•														
608MTC									•					•														
686MTC			•	•			•	•	•			•	•	•			•	•	•			•		•			•	•	•
866MTC	•	•										•		•			•		•					•					
SL422MTC										•	•				•	•													
SL694MTC					•	•				•	•				•	•				•	•				•	•			
8/0 MODELS																												
759MTC									•					•														
906MTC														•														
SL759MTC																•												

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN. ODL DOORGLASS plastpro® THE DOOR OF BEAUTY & INNOVATION

NOUVEAU


Privacy Rating

1 — 6 — 10

Low — High

Nouveau places a brilliant bevel cluster at its center and frames it with a Classic bevel and translucent glass design. Nouveau doorglass provides your home a medium level of privacy.

Glass Details



1 - Patina Caming
2 - Clear Bevel
3 - Glue Chip

Available Caming



Nickel




Patina



FG684MN shown in Warm Toffee

* Dentil Shelf Available

6/8




422MN (2) 8"x48"



607MN 22"x48"



608MN 22"x48"



637MN 22"x36"



648MN 22"x10"



659MN 21.8"x 9.81"




682MN 22"x36"




683MN 22"x36"



684MN 22"x36"




686MN 22"x64"



692MN (2) 8"x36"



749MN 14"x37"



919MN 20.5" x56.35"



949MN 14"x37"



950MN 14"x37"



SL 692MN 8"x36"




SL 422MN 8"x48"




SL 690MN 8"x64"

SL 694MN 7"x64"

8/0



759MN 22"x64"



906MN 22"x48"



SL 759MN 7"x64"

Transom



521MN
62-7/8" x 11-7/8"

	STANDARD FIBERGLASS DOORS														STEEL DOORS															
	Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																															
422MN							•						•																		
607MN							•						•																		
608MN							•						•																		
637MN	•	•			•		•				•	•	•				•		•				•		•				•		•
648MN	•	•			•		•			•	•	•	•			•	•		•			•	•		•			•	•		•
659MN	•	•			•		•			•	•	•	•			•	•		•			•	•		•						
682MN											•		•																		
683MN											•		•																		
684MN	•	•			•		•				•	•	•				•	•	•				•		•				•	•	•
686MN	•	•			•	•	•				•	•	•				•	•	•				•		•				•	•	•
692MN											•		•			•	•	•	•			•	•		•				•	•	•
749MN		•					•						•																		
919MN					•		•			•	•		•			•	•	•	•			•	•		•				•		•
949MN													•																		
950MN													•																		
SL422MN								•	•					•	•																
SL690MN														•	•																
SL692MN			•	•				•	•					•	•																
SL694MN			•	•				•	•					•	•					•	•					•	•				
8/0 MODELS																															
759MN							•						•																		
906MN													•																		
SL759MN															•																

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN. ODL DOORGLASS plastpro® THE DOOR OF BEAUTY & INNOVATION

OAK PARK

Privacy Rating

1 — 5 — 10


Low ▲ High



FS686KP, (2)SL690KP, and 521KP shown in Currant

A patina finish and handcrafted textured glass creates a striking geometric pattern. Oak Park provides a medium level of privacy.

Glass Details



1 - Patina Caming
2 - Seedy
3 - Clear Bevel
4 - Thin Reed
5 - Crinkle


Available Caming



Patina

* Dentil Shelf Available

6/8




422KP (2) 8"x48" | 607KP 22"x48" | 608KP 22"x48" | 682KP 22"x36" | 683KP 22"x36" | 684KP 22"x36" | 686KP 22"x64" | 692KP (2) 8"x36" | 814KP* 25"x 15.25" | 866KP* 22"x 15.25" | SL 692KP 8"x36" | SL 422KP 8"x48" | SL 690KP 8"x64" | SL 694KP 7"x64" | SL 819KP 8"x64"

8/0



759KP 22"x64" | 906KP 22"x48" | SL 759KP 7"x64"

Transom



521KP
62-7/8" x 11-7/8"

	STANDARD FIBERGLASS DOORS																STEEL DOORS													
	Fir		Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																
422KP									•						•																
607KP									•						•																
608KP									•						•																
682KP													•		•																
683KP													•		•																
684KP			•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686KP			•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692KP									•				•		•			•	•	•	•			•	•		•			•	•	•
814KP									•						•																	
866KP	•	•											•		•				•		•						•					
SL422KP										•	•					•	•															
SL690KP																•	•															
SL692KP					•	•				•	•					•	•															
SL694KP					•	•				•	•					•	•					•	•					•	•			
SL819KP										•	•					•	•															
8/0 MODELS																																
759KP									•						•																
906KP															•																
SL759KP																	•														

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

PEMBROOK


Privacy Rating

1 — 8 — 10

Low — High


Pembrook's modern geometric design with sharp lines and a beautiful arrangement of clear bevels, streamed, arctic, and micro cubed glass textures elicits a sense of style to the entry of your home. Pembrook offers a high privacy level.

Glass Details



1 - Patina Caming
2 - Arctic
3 - Micro-cubed
4 - Streamed
5 - Clear Bevel

Available Caming



Patina



FS686PEM shown in Modern White


* Dentil Shelf Available

6/8



422PEM (2) 8"x48"
607PEM 22"x48"
608PEM 22"x48"
682PEM 22"x36"
683PEM 22"x36"
684PEM 22"x36"
686PEM 22"x64"
692PEM (2) 8"x36"
866PEM* 22"x 15.25"
SL 692PEM 8"x36"
SL 422PEM 8"x48"
SL 690PEM 8"x64"
SL 694PEM 7"x64"

8/0



759PEM 22"x64"
906PEM 22"x48"
SL 759PEM 7"x64"

Transom



521PEM
62-7/8" x 11-7/8"

	STANDARD FIBERGLASS DOORS																STEEL DOORS													
	Fir		Mahogany				Oak					Smooth					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																
422PEM									•						•																	
607PEM									•						•																	
608PEM									•						•																	
682PEM													•		•																	
683PEM													•		•																	
684PEM			•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686PEM			•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692PEM													•		•			•	•	•	•			•	•		•			•	•	•
866PEM	•	•											•		•				•		•						•					
SL422PEM										•	•					•	•															
SL690PEM																•	•															
SL692PEM					•	•				•	•					•	•															
SL694PEM					•	•				•	•					•	•					•	•					•	•			
8/0 MODELS																																
759PEM									•						•																	
906PEM															•																	
SL759PEM																	•															

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.

SELWYN

Privacy Rating

1 — 8 — 10


Low ▲ High



FM686SWY shown in Amaretto

Your design sophistication and love of all things elegant make Selwyn the choice for your home. A sophisticated and graceful mix of bevels, glass textures, and a patina finish add immediate impact to your home. Proving you a high privacy level.

Glass Details



1 - Patina Caming
2 - Seedy
3 - Clear Bevel
4 - Thin Reed
5 - Crinkle

Available Caming



Patina

* Dentil Shelf Available

6/8



422SWY (2) 8"x48" | 607SWY 22"x48" | 608SWY 22"x48" | 648SWY 22"x10" | 682SWY 22"x36" | 683SWY 22"x36" | 684SWY (2) 8"x36" | 686SWY 22"x64" | 692SWY (2) "8x36" | 866SWY* 22"x 25.25" | SL 692SWY 8"x36" | SL 422SWY 8"x48" | SL 694SWY 7"x64"

8/0



759SWY 22"x64" | 906SWY 22"x48" | SL 759SWY 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS															
	Fir		Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																	
422SWY									•						•																	
607SWY									•						•																	
608SWY									•						•																	
648SWY			•	•			•		•			•	•	•	•			•	•		•			•	•		•			•	•		•
682SWY													•		•																	
683SWY													•		•																	
684SWY			•	•			•		•				•	•	•				•	•	•				•		•				•	•	•
686SWY			•	•			•	•	•				•	•	•				•	•	•				•		•				•	•	•
692SWY													•		•			•	•	•	•			•	•		•				•	•	•
866SWY	•	•											•		•				•		•						•						
SL422SWY										•	•					•	•																
SL692SWY					•	•				•	•					•	•																
SL694SWY					•	•				•	•					•	•					•	•					•	•				
8/0 MODELS																																	
759SWY									•						•																	
906SWY															•																	
SL759SWY																	•															

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.

JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

BLANCA

Privacy Rating

1 — 9 10

Low — High

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface. Textured surface enclosed in glass.

Glass Details



Blanca Silk Screened Glass

Zeel™ Doorglass Frame



Available in white

* Evolve® frame available as special order only



FS686BLC shown in Black

~ Comes with standard craftsman liteframe * Dentil Shelf Available

6/8



607BLC 22"x48"



608BLC 22"x48"



682BLC 22"x36"

683BLC 22"x36"



684BFT 22"x36"

686BLC 22"x64"



692BLC (2)8"x36"



866BLC*^ 22"x15.25"



SL 692BLC 8"x36"



SL 694BLC 7"x64"

8/0

759BLC 22"x64"



906BC 22"x48"

SL 759BLC 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS														
	Fir		Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																
607BLC									•						•																
608BLC									•						•																
682BLC													•		•																
683BLC													•		•																
684BLC			•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686BLC			•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692BLC													•		•			•	•	•	•			•	•		•			•	•	•
866BLC	•	•											•		•				•		•						•					
SL692BLC					•	•				•	•					•	•															
SL694BLC					•	•				•	•					•	•					•	•									
8/0 MODELS																																
759BLC									•						•																
906BLC															•																
SL759BLC																	•														

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.

JELD-WEN. ODL DOORGLASS plastpro® THE DOOR OF BEAUTY & INNOVATION

CHINCHILLA

Privacy Rating

1 9 10

Low ▲ High



As touchable as its namesake, Chinchilla's fine lines and organic, fur-like texture create a striking wave pattern when seen from afar. It offers a high level of privacy to your home.

Glass Details



Chinchilla Glass

Zeel™ Doorglass Frame



Available in white

* Evolve® frame available as special order only

FS866CHI shown in Currant

~ Comes with standard craftsman liteframe * Dentil Shelf Available

6/8



607CHI 22"x48"
608CHI 22"x48"
682CHI 22"x36"
683CHI 22"x36"
684CHI 22"x36"
686CHI 22"x64"
692CHI (2)8"x36"
866CHI 22"x15.25"
SL 692CHI 8"x36"
SL 694CHI 7"x64"

8/0



759CHI 22"x64"
906CHI 22"x48"
SL 759CHI 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS														
	Fir		Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																
607CHI									•						•																
608CHI									•						•																
682CHI													•		•																
683CHI													•		•																
684CHI			•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686CHI			•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692CHI													•		•			•	•	•	•			•	•		•			•	•	•
866CHI	•	•											•		•				•		•						•					
SL692CHI					•	•				•	•					•	•															
SL694CHI					•	•				•	•					•	•					•	•						•	•			
8/0 MODELS																																
759CHI									•						•																
906CHI															•																
SL759CHI																	•														

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.

JELD-WEN ODL DOORGLASS plastpro® THE DOOR OF BEAUTY & INNOVATION

RAIN

Privacy Rating

1 — 9 10

Low — ▲ High

All that's missing is the patter of raindrops. Rain features a vertical pattern and textured surface that creates the illusion of rain trickling down a window. It offers a high level of privacy.

Glass Details



Clear Bevels

Zeel™ Doorglass Frame



Available in white

* Evolve® frame available as special order only



FF866RN shown in Hazelnut

^ Comes with standard EVOLVE lite frame ~ Comes with standard craftsman liteframe * Dentil Shelf Available

6/8



23RN (2) 8"x6"



607RN 22"x48"



608RN 22"x48"



682RN 22"x36"



683RN 22"x36"



684RN 22"x36"



686RN 22"x64"



692RN (2) 8"x36"



749RN 16"x40"



866RN *^ 16"x40"



949RN *^ 16"x40"



950RN 16"x40"



SL 692RN 8"x36"



SL 694RN 7"x64"

8/0



759RN 22"x64"



906RN 22"x48"



SL 759RN 7"x64"

	STANDARD FIBERGLASS DOORS																		STEEL DOORS													
	Fir		Mahogany				Oak					Smooth							Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																	
23RN			•	•					•			•	•	•	•			•	•		•			•	•		•			•	•	•	•
607RN									•						•																		
608RN									•						•																		
682RN													•		•																		
683RN													•		•																		
684RN			•	•			•		•				•	•	•				•	•	•				•		•				•	•	•
686RN			•	•			•	•	•				•	•	•				•	•	•				•		•				•	•	•
692RN													•		•			•	•	•	•			•	•		•				•	•	•
749RN				•					•						•																		
866RN	•	•											•		•				•		•						•						
949RN															•																		
950RN*															•																		
SL692RN					•	•				•	•					•	•																
SL694RN					•	•				•	•					•	•					•	•					•	•				
8/0 MODELS																																	
759RN*									•						•																		
906RN															•																		
SL759RN											•						•																

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinished, see page 6 and 7 for color options.

VAPOR

Privacy Rating

1 — 6 — 10

Low ▲ High



FS608VPR shown in Black

Reminiscent of Northern Lights, Vapor creates an ethereal play of light and shadow, and a medium level of privacy to your entryway.

Glass Details



Vapor Glass

Zeel™ Doorglass Frame




Available in white

* Evolve® frame available as special order only


~ Comes with standard craftsman liteframe * Dentil Shelf Available

6/8



607VPR 22"x48" | 608VPR 22"x48" | 682VPR 22"x36" | 683VPR 22"x36" | 684VPR 22"x36" | 686VPR 22"x64" | 692VPR (2)8"x36" | 866VPR *~ 22"x15.25" | SL 692VPR 8"x36" | SL 694VPR 7"x64"

8/0



759VPR 22"x64" | 906VPR 22"x48" | SL 759VPR 7"x64"

	STANDARD FIBERGLASS DOORS																STEEL DOORS													
	Fir		Mahogany				Oak					Smooth						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel		
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																
607VPR									•						•																
608VPR									•						•																
682VPR													•		•																
683VPR													•		•																
684VPR			•	•			•		•				•	•	•				•	•	•				•		•			•	•	•
686VPR			•	•			•	•	•				•	•	•				•	•	•				•		•			•	•	•
692VPR													•		•			•	•	•	•			•	•		•			•	•	•
866VPR	•	•											•		•												•					
SL692VPR					•	•				•	•					•	•															
SL694VPR					•	•				•	•					•	•					•	•						•	•		
8/0 MODELS																																
759VPR									•						•																
906VPR															•																
SL759VPR											•						•															


6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.


JELD-WEN | ODL DOORGLASS | plastpro® THE DOOR OF BEAUTY & INNOVATION

SPECIAL ORDER GLASS


SPECIAL ORDER

























































plastpro® THE DOOR OF BEAUTY & INNOVATION

ODL® DOORGLASS

MINI BLINDS COLLECTION

Privacy Rating

1 — 10

Low — High

Enclosed blinds mean no dust or dirt, no kinks or dents, and no banging of the mini blinds when you open and close your door.



(2) FS686RLBLE with Low-E glass, shown in Brilliant White

Glass Details



Clear Glass

Available in Low-E Glass


Glass-Lite Frame



Mini Blinds Color Collection

Stocked: White

Special Order: Espresso, Silver Moon, Slate Gray



SPECIAL ORDER

Please call for more information

6/8



607RLB 22"x48" | 608RLB 22"x48" | 682RLB 22"x36" | 683RLB 22"x36" | 684RLB^ 22"x36" | 686RLB^ 22"x64" | SL 692RLB 8"x36" | SL 694RLB 7"x64" TILT ONLY

6/8 Low-E Glass



681RLB GBG 22"x36" | 682RLB GBG 22"x36" | 683RLB GBG 22"x36" | 689RLB GBG 22"x64"

8/0



759RLB 22"x64" | 759RLB GBG 22"x64" | 906RLB 22"x48"

	STANDARD FIBERGLASS DOORS																		STEEL DOORS															
	Mahogany				Oak				Smooth						Builder's Classic					Majestic Steel						Majestic Steel Wood Edge						Replacement Steel				
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																		
607RLB												•																						
608RLB						•						•																						
682RLB						•				•		•																						
683RLB										•		•																						
684RLB	•	•							•	•	•	•			•	•	•			•	•	•	•			•	•	•				•	•	•
686RLB	•	•			•	•			•	•	•	•			•	•	•			•	•	•	•			•	•	•			•	•	•	•
SL692RLB			•	•	•	•							•	•				•	•															
SL694BL (TILT ONLY)			•	•			•	•					•	•				•	•					•	•									
6/8 LOW-E MODELS																																		
681RLB GBG LE	•	•			•	•				•	•	•				•	•				•	•	•				•	•				•	•	•
682RLB GBG LE										•		•																						
683RLB GBG LE										•		•																						
686RLB LE	•	•			•	•			•	•	•	•			•	•	•			•	•	•	•			•	•	•				•	•	•
689RLB GBG LE	•	•			•	•				•	•	•				•	•				•	•	•				•	•				•	•	•
8/0 MODELS																																		
759RLB												•																						
906RLB												•																						
8/0 LOW-E MODELS																																		
759RLB LE												•																						
759RLB GBG LE												•																						

6/8 & 8/0 Units Include: 4-9/16" Primed Frame • Primed Brickmold • Composite Adjustable Sill • 3 Dull Nickel Hinges for 6/8, 4 Dull Nickel Hinges for 8/0. Double door units available. Call for availability.
Note: All Standard Fiberglass doors can be prefinisheds, see page 6 and 7 for color options.

JELD-WEN | plastpro® THE DOOR OF BEAUTY & INNOVATION | ODL DOORGLASS®

GRILLES BETWEEN GLASS (GBG) COLLECTION

Grilles are thermally-sealed between panes of clear glass for a smooth, easy-to-clean surface.



(2) FS686GBGLE with Low-E glass, shown in Black

Glass Details

Clear Glass

Available in Low-E Glass

Privacy Rating

1 — 10

Low — High

Glass-Lite Frame




Grilles Between Glass Transoms



Model	Glass Only Size
3313RIMLE	31-3/4" x 11-7/8" x 3/4"
3713RIM	35-3/4" x 11-7/8" x 3/4"



Model	Glass Only Size
5113RIM	49-1/4" x 11-7/8" x 3/4"



Model	Glass Only Size
6813RIM	66-3/4" x 11-7/8" x 3/4"

Grilles Between Glass Color Collection: 5/8" Flat

Stocked: White & Champagne



Special Order: Tan, Black, Bronze, and Two-Tone Bronze (exterior) / White (interior)



SPECIAL ORDER

Please call for more information







JELD-WEN

plastpro® THE DOOR OF BEAUTY & INNOVATION

Note: 2/6 x 6/8 doors with half lite glass size is 20"x36" and full lite glass size is 20"x64"

6/8



659GBG 22"x10"
682GBG* 22"x36" (2/6 = 20"x36" w/clear glass)
683GBG* 22"x36" (2/6 = 20"x36" w/clear glass)
684GBG* 22"x36" (2/6 = 20"x36" w/clear glass)
686GBG* 22"x64" (2/6 = 20"x64")
866GBG* 22"x15.25"
692GBG* (2) 8"x36"
SL692GBG* 8"x36"
SL694GBG* 7"x64"
SL1405GBG 11 or 13"x79"



FS686GBG 10-Lite and (2) SL FS694GBG 5-Lite shown in Brilliant White

6/8 PIM



682PIM 22"x36"
683PIM 22"x36"
684PIM 22"x36"
686PIM 22"x64"
SL692PIM 8"x36"
SL694PIM 7"x64"

8/0



612GBG* 18-Lite 22"x80"
759GBG 8-Lite 22"x64"
759GBG* 15-Lite 22"x64
906GBG 12-Lite 22"x48"

*Available Grille options:

Select door models are available with "**Standard**" or "**Contour**" grilles.

STANDARD GRILLE



CONTOUR GRILLE



Low-E door available

	STANDARD FIBERGLASS DOORS																						STEEL DOORS																	
	Mahogany				Oak					Smooth						Builder's Classic							Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
659 GBG	•	•			•		•			•	•	•	•				•		•				•			•			•	•		•			•	•		•
682 GBG											•		•																											
682 GBG CONTOUR											•		•																											
682 PIM											•		•																											
683 GBG											•		•																											
683 GBG CONTOUR											•		•																											
683 PIM											•		•																											
684 GBG	•	•			•		•			•	•	•	•				•		•			•	•	•	•			•	•		•				•	•	•	•
684 GBG CONTOUR	•	•			•		•				•	•	•				•		•				•	•	•				•		•				•	•	•	•
684 PIM	•	•			•		•				•	•	•				•		•				•	•	•				•		•				•	•	•	•
686 GBG	•	•			•		•			•	•	•	•			•	•		•			•	•	•	•			•	•		•			•	•	•	•	•
686 GBG CONTOUR	•	•			•		•				•	•	•				•		•				•	•	•				•		•				•	•	•	•
686 PIM	•	•			•		•			•	•	•	•			•	•		•			•	•	•	•			•	•		•			•	•	•	•	•
692 GBG			•	•				•	•		•		•	•	•		•		•	•	•	•	•	•	•			•	•		•				•		•	•
692 GBG CONTOUR			•	•				•	•		•		•	•	•		•		•	•	•		•	•	•				•		•				•			•
692 PIM			•	•				•	•					•	•					•	•																		
694 GBG			•	•				•	•					•	•					•	•						•	•					•	•					
694 GBG CONTOUR			•	•				•	•					•	•					•	•						•	•					•	•					
694 PIM			•	•				•	•					•	•					•	•						•	•					•	•					
1405 GBG			•	•				•	•					•	•					•	•						•	•					•	•					
866 GBG																							•		•				•			•							
8/0 MODELS																																								
612 GBG											•		•																											
612 GBG CONTOUR													•												•															
759 GBG 8 LITE													•																											
759 GBG 15 LITE													•																											
759 GBG CONTOUR 15 LITE													•																											
906 GBG													•											•		•														


CLASSIC COLLECTION

The timeless Classic Collection offers a large variety of designs and styles to choose from, allowing for a completely customized look.



FS21 and (2) FS SL145 shown in Brilliant White

Glass Details




Clear Glass

Available in Low-E Glass

Privacy Rating

1 — 10

Low — High



One Lite, No Grid



External Standard Grille

Glass-Lite Frame



Low-E door glass

Transoms



Model	Size
3713R	35-3/4 X 11-7/8 X 3/4
3715R	35-3/4 X 13-3/8 X 3/4



Model	Size
6813R	66-3/4 X 11-7/8 X 3/4
6815R	66-3/4 X 13-3/8 X 3/4

JELD-WEN plastpro® THE DOOR OF BEAUTY & INNOVATION



FS59 shown in Brilliant White

6/8

1



2
10"x10"



4*
22"x36"



5V
22"x36"

10 SHK



20

20 SHK



21



22



23
(2) 8"x6"



24
22"x10"



26
22"x64"



30 CRF



40



55*
22"x36"



59*
22"x64"



61*
22"x64"



62
(2) 8"x36"



65
20"x56"



110



122*
22"x36"



122V*
22"x36"



131
22"x36"



132
22"x36"



140



147
22"x48"



158



187
7"x18"



200



220
22"x10"



225
22"x10"



608
22"x48"



630



682
22"x36"



683
22"x36"



400



SL140L
7"x64"



SL141
8"x36"



SL143
8"x36"

SL145
7"x64"

SL147
8"x48"

SL1400
11-7/8"x79" or
13-7/8"x79"

~ Dentil Shelf Available

* Different glass size dimensions for 2/6 models

CLASSIC COLLECTION

6/8 Low-E Glass


4
22"x36"


59^
22"x64"


61^
22"x64"


122
22"x36"


682
22"x36"


683
22"x36"


55
22"x36"


814*
25"x15.25"


866*
22"x15.25"


SL140L
7"x64"


SL140 CRF
8"x64"


SL820 CRF SHK
8"x15"

6/8 Zeel Frames with Low-E Glass

See page 15 for more information on the Zeel frame.


4
22"x36"


607
22"x48"


608
22"x48"


682
22"x36"


683
22"x36"


684
22"x36"


686
22"x64"

8/0

1


21


59
22"x80"


61
22"x80"


147
22"x64"


300


906
22"x48"


SL147
7"x64"

8/0 Low-E Glass


59
22"x80"


147
22"x64"


SL147
7"x64"

Low-E door glass

*** Dentil Shelf Available**

^ Different glass size dimensions for 2/6 models


FS683LE (Zeel frame) with Low-E glass, shown in Brilliant White


FG608LE shown in Coffee Bean

	STANDARD FIBERGLASS DOORS																								STEEL DOORS															
	Fir		Mahogany				Oak						Rustic	Smooth						Builder's Classic						Majestic Steel						Majestic Steel Wood Edge						Replacement Steel			
DOOR WIDTHS	2/8	3/0	2/8	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	3/0	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
1								•		•				•	•		•			•	•		•			•	•	•	•			•	•		•					•	•
2														•	•		•			•	•		•			•	•	•	•			•	•		•						•
4							•	•		•				•	•		•			•	•		•			•	•	•	•			•	•		•						•
4 LOW-E								•		•					•		•				•		•				•	•	•				•		•						•
5V															•		•				•		•				•	•	•				•		•						•
10 SHK															•		•										•		•													
20															•		•										•		•				•									
20 SHK															•		•										•		•													
21				•			•	•		•					•	•	•				•		•			•	•	•	•			•	•		•			•	•	•	•
22													•		•		•										•		•													
23														•	•	•	•				•		•			•	•	•	•			•	•		•			•	•	•	•
24														•	•	•	•				•		•			•	•	•	•			•	•		•			•	•		•
26															•	•	•				•		•				•	•	•				•		•					•		•
30 SHK	•	•													•		•																								
30 CRF																											•		•													
40															•		•																									
55														•	•	•	•			•	•		•			•	•	•	•			•	•		•					•	•
55 LOW-E															•	•	•				•		•										•		•							
59			•		•		•	•		•				•	•	•	•			•	•		•			•	•	•	•			•	•		•			•	•	•	•
59 LOW-E			•		•		•	•		•				•	•	•	•			•	•		•			•	•	•	•			•	•		•			•	•	•	•
61														•	•	•	•			•	•		•			•	•	•	•			•	•		•					•	•
61 LOW-E														•	•	•	•			•	•		•			•	•	•	•			•	•		•			•	•	•	•
62														•	•	•	•									•	•	•	•			•	•		•					•	•
65								•		•				•	•		•			•	•		•			•	•	•	•			•	•		•						•
110																	•																								
122			•	•				•		•				•	•	•	•			•	•		•			•	•	•	•			•	•		•					•	•
122 LOW-E			•	•				•		•					•	•	•				•		•				•	•	•				•		•					•	•
122V															•	•	•				•		•				•	•	•				•		•					•	•
131			•	•				•		•					•	•	•				•		•				•		•				•		•					•	
132															•	•	•				•		•				•		•				•		•					•	
140										•							•																								
147										•							•																								
158																	•																								
187																	•																								
200													•		•		•																								
220			•	•				•		•				•	•	•	•				•		•				•	•		•			•	•		•			•	•		•
225			•	•				•		•				•	•	•	•				•		•				•	•		•			•	•		•			•	•		•
400										•							•																								
608										•							•																								
630																	•																								
682															•		•																								
682 LOW-E															•		•																								
683															•		•																								
683 LOW-E															•		•																								
814 LOW-E																	•																								
866 LOW-E	•	•													•		•										•		•							•						
SL140					•	•					•	•						•	•					•	•					•	•						•	•			
SL140 LOW-E					•	•					•	•						•	•					•	•					•	•						•	•			
SL141					•	•					•	•						•	•					•	•																
SL143																		•	•					•	•																
SL145					•	•					•	•						•	•					•	•					•	•						•	•			
SL147											•	•						•	•					•	•																
SL1400					•	•					•	•						•	•					•	•					•	•						•	•			
6/8 ZEEL FRAME MODELS																																								
607 LOW-E										•							•																								
608 LOW-E										•							•																								
682 LOW-E															•		•																								
683 LOW-E															•		•																								
684 LOW-E			•	•			•	•		•					•	•	•																								
686 LOW-E			•	•			•	•		•					•	•	•																								
8/0 MODELS																																								
1																											•		•													
21																	•										•		•													
59										•							•										•		•													
59 LOW-E										•							•										•		•													
61																	•										•		•													
147										•							•																								
147 LOW-E										•							•																								
300										•							•																								
906																	•																								
SL147																		•																							
SL147 LOW-E																		•																							

* Dentil Shelf Available

Double door units available. Call for availability.

EXTERIOR DOOR ORDER FORM

Dealer Name	Location	Ordered by:	PO Number	Order Date

1 Size: **Door Width:** ☐ 2/0 ☐ 2/4 ☐ 2/6 ☐ 2/8 ☐ 2/10 ☐ 3/0 ☐ 5/0 ☐ 5/4 ☐ 6/0 ☐ Other _____

Height: ☐ 6/8 ☐ 7/0 ☐ 8/0 ☐ Other _____

Sidelite Width: ☐ 1/0 ☐ 1/2 ☐ Other _____

2 Configuration: (When looking at the unit from the exterior of the building)

☐ Single 


☐ 1 Sidelite 

☐ 1 Sidelite 

















☐ 2 Sidelites 

☐ Double 

☐ Patio 2 Door 

☐ Patio 3 Door 

3 Door Handing (EXT = Exterior • INT = Interior)

☐ LH Inswing 	☐ LH Strike Side Inswing 	☐ RH Strike Side Inswing 	☐ LH Inswing 	☐ LH Inswing 	☐ LH Inswing 	☐ LH Center Swing 
☐ RH Inswing 	☐ RH Hinge Side Inswing 	☐ LH Hinge Side Inswing 	☐ RH Inswing 	☐ RH Inswing 	☐ RH Inswing 	☐ RH Center Swing 
☐ LH Outswing 				☐ LH Outswing 		☐ LH End Swing 
☐ RH Outswing 				☐ RH Outswing 		☐ RH End Swing 

4 Sidelite Unit: Is a storm door extender required? ☐ Yes ☐ No

5 Double Unit: The inactive (stationary) door to be bored? ☐ Yes ☐ No

6 Door(s) and Sidelite(s):

- ☐ **FF** Fiberglass Fir Grained
- ☐ **FG** Fiberglass Oak Grained
- ☐ **FS** Fiberglass Smooth
- ☐ **FM** Fiberglass Mahogany
- ☐ **BCF** Builder's Classic Fiberglass
- ☐ **MJ** Majestic Steel (Steel Edge)
- ☐ **MJ** Majestic Steel (Wood Edge)
- ☐ **MP** Replacement Steel (Steel Edge)

Door Model # _____

Sidelite Model # _____

Paint/Stain Door(s) Sidelite(s)

Outside Color _____

Inside Color _____

7 Frame Options:

- ☐ Slab only, no frame
- ☐ 4-9/16"
- ☐ 5-1/4"
- ☐ 6-9/16"
- ☐ Other _____
- ☐ Prime Standard
- ☐ Rot Resistant
- ☐ White Capped
- ☐ Primed Composite
- ☐ Woodgrain Composite
- ☐ Aluminum Clad
  - ☐ White
  - ☐ Sandstone
  - ☐ Other _____

8 Sill Options:

Mill Finish Adjustable Standard

- ☐ Bronze Adjustable
- ☐ Mill Finish Fixed
- ☐ Other _____

9 Hinge Options:

Dull Nickel Standard

- ☐ Lite Brass
- ☐ Bright Brass
- ☐ Antique Brass
- ☐ Dark Bronze
- ☐ Antique Nickel
- ☐ Flat Black
- ☐ Bright Chrome
- ☐ Dull Chrome
- ☐ Spring
- ☐ Ball-Bearing
- ☐ NRP

10 Preps Options:

Deadbolt Bore:
- ☐ 2-1/8"
- ☐ Other _____

Peep Prep:
- ☐ 1/2" (20" from top of door)
- ☐ Other _____

Weatherstrip:
- ☐ Compression Standard
- ☐ Magnetic Optional

Cardboard Door Protector: ☐ 1 Side ☐ 2 Sides

11 Transoms:

Model # _____

☐ Other _____

12 Special Instructions: _____


OPENINGS

Exterior Fiberglass & Steel Rough Opening Widths – Measure stud-to-stud for inswing or outswing units

Door Size	Base Unit	One 6"	Two 6"	One 12"	Two 12"	One 14"	Two 14"	6/8	7/0	8/0
2/0 Single	26"	33-1/2"	41"	39-1/2"	53"	41-1/2"	57"	82-1/4"	86-1/4"	98-1/4"
2/4 Single	30"	37-1/2"	45"	43-1/2"	57"	45-1/2"	61"	82-1/4"	86-1/4"	98-1/4"
2/6 Single	32"	39-1/2"	47"	45-1/2"	59"	47-1/2"	63"	82-1/4"	86-1/4"	98-1/4"
2/8 Single	34"	41-1/2"	49"	47-1/2"	61"	49-1/2"	65"	82-1/4"	86-1/4"	98-1/4"
2/10 Single	36"	43-1/2"	51"	49-1/2"	63"	51-1/2"	67"	82-1/4"	86-1/4"	98-1/4"
3/0 Single	38"	45-1/2"	53"	51-1/2"	65"	53-1/2"	69"	82-1/4"	86-1/4"	98-1/4"
3/6 Single	44"	51-1/2"	59"	57-1/2"	71"	59-1/2"	75"	82-1/4"	86-1/4"	98-1/4"
5/0 Pair	62-1/2"	-	77-1/2"	-	89-1/2"	-	93-1/2"	82-1/4"	86-1/4"	98-1/4"
5/4 Pair	66-1/2"	-	81-1/2"	-	93-1/2"	-	97-1/2"	82-1/4"	86-1/4"	98-1/4"
6/0 Pair	74-1/2"	-	89-1/2"	-	101-1/2"	-	105-1/2"		86-1/4"	98-1/4"
Unit Dimensions - Measured from outside frame to outside of frame, not including brickmould.										
2/0 Single	25-1/2"	33"	40-1/2"	39"	52-1/2"	41"	56-1/2"	81-5/8"	85-5/8"	97-5/8"
2/4 Single	29-1/2"	37"	44-1/2"	43"	56-1/2"	45"	60-1/2"	81-5/8"	85-5/8"	97-5/8"
2/6 Single	31-1/2"	39"	46-1/2"	45"	58-1/2"	47"	62-1/2"	81-5/8"	85-5/8"	97-5/8"
2/8 Single	33-1/2"	41"	48-1/2"	47"	60-1/2"	49"	64-1/2"	81-5/8"	85-5/8"	97-5/8"
2/10 Single	35-1/2"	43"	50-1/2"	49"	62-1/2"	51"	66-1/2"	81-5/8"	85-5/8"	97-5/8"
3/0 Single	37-1/2"	45"	52-1/2"	51"	64-1/2"	53"	68-1/2"	81-5/8"	85-5/8"	97-5/8"
3/6 Single	43-1/2"	51"	58-1/2"	57"	70-1/2"	59"	74-1/2"	81-5/8"	85-5/8"	97-5/8"
5/0 Pair	62"	-	77"	-	89"	-	93"	81-5/8"	85-5/8"	97-5/8"
5/4 Pair	66"	-	81"	-	93"	-	97"	81-5/8"	85-5/8"	97-5/8"
6/0 Pair	74"	-	89"	-	101"	-	105"	81-5/8"	85-5/8"	97-5/8"


Outswing unit height deduct 5/8" from standard unit dimension height; ADA low profile unit deduct 1" from standard unit dimension height.
For outside brickmold to outside brickmold **INSWING** unit add to frame sizes: Width 2-1/2" and height 1-1/4"
For outside brickmold to outside brickmold **OUTSWING** unit add to frame sizes: Width 3" and height 1-1/4"
For **patio doors** units: Add 1-1/4" to the double door and rough opening dimension sizes.

HANDINGS




PATIO HANDINGS

2 Door



3 Door



Eliptical Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
6411E	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"
6413E	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 95-1/2"

Rectangle Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
3713R	37-1/2" x 13-1/2"	3/0	38" x 95-1/2"
3715R	37-1/2" x 15-1/2"	3/0	38" x 97-1/2"
6813R	68-1/2" x 13-1/2"	1/2 • 3/0 • 1/2	69" x 95-1/2"
6815R	68-1/2" x 15-1/2"	1/2 • 3/0 • 1/2	69" x 97-1/2"

GBG Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
3711RIM	37-1/2" x 11"	3/0	38" x 93"
6411RIM	64-1/2" x 11"	1/0 • 3/0 • 1/0	65" x 93"
6415RIM	64-1/2" x 15-1/2"	1/0 • 3/0 • 1/0	65" x 97-1/2"
6811RIM	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"
6815RIM	68-1/2" x 15-1/2"	1/2 • 3/0 • 1/2	69" x 97-1/2"

Decorative Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
521	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 14"

Fiberglass Door Limited Warranty

Limited Lifetime Door Component | 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its fiberglass entry door component products ("Products") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF INVOICE AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Limited Lifetime Warranty for the door component of the base prehung system*.
2. Two (2) years on our Msystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is non-transferable.
3. Limited Lifetime Warranty when upgrading to Composite or Rot Resistant Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit and door component, without extending the 10 year door lite component warranty. This warranty is non-transferable.
4. MMI DOOR warrants the stained or painted finish on the door component of its fiberglass prehung door units as follows:

- **Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)
- **For units purchased on or after September 1, 2025**: The finish is warranted for ten **(10) years** from the date of installation.
- **For units purchased prior to September 1, 2025**: The finish is warranted for five **(5) years** from the date of installation.

This warranty covers deficiencies in material and workmanship of the finish, including: flaking, cracking, checking, blistering, and peeling. The prefinished warranty applies only to units painted/stained by MMI Door.

* Base prehung system = door component prehung on a primed wood frame.

EXCLUSIONS FROM COVERAGE:

This warranty does not cover:

1. Labor, including removal, installation, pick up, delivery, shipping, or other charges incurred or claimed by the Customer.
2. Door units not installed according to published unit dimensions and installation instructions. (2.a.) Double doors with an astragal should not be installed in a direct weather exposure and must have a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements may be excluded from warranty coverage.
3. Damage to Door Units reported after installation by 3rd party installation company or homeowner.
4. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
5. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
6. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
7. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
8. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
9. Products not finished/painted, or in accordance with pre-finishing instructions.
10. Products finished/painted a dark color with prolonged exposure to direct sunlight.
11. Products finished with non-recommended paints or topcoats.
12. Use of chemical based cleaners on a prefinished unit.
13. Labor, shipping or other charges incurred or claimed by the Customer.
14. Applying storm doors will be exclude warranty coverage due to possible excessive heat buildup.

WARRANTY CLAIM PROCEDURES:

Warranty claims may be submitted through:

- Your Dealer (who will forward the claim to MMI), or
- Directly via MMI DOOR's Warranty Portal: mmidoor.com/resources/product-warranties/warranty-claims

Required Information

To process your claim, please provide:

- Completed MMI Warranty Claim Form
- Homeowner contact details (name, address, phone, email)
- Contractor contact information (if applicable)
- Invoice or order number
- Date of installation
- Detailed description of the issue
- Photographs of the unit and defect(s)

Privacy Notice: Personal information collected will be used solely for claim processing and handled in accordance with our privacy policies.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect. This warranty is not transferable.

This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

If deemed necessery by MMI DOOR, labor may be provided for assembly defects reported within 1 year of shipment.

NOTE: The terms above apply to standard MMI Fiberglass Door Systems. If you purchased a Builders Classic Fiberglass Door, please refer to the Builders Classic Fiberglass Warranty for your specific 2-year coverage details.

Builder's Classic Fiberglass Door Limited Warranty

2 Years - Builder's Classic Door Component | 2 Years - Base Prehung System (MSystem2)

WARRANTY COVERAGE:

MMI DOOR warrants that its Builder's Classic Fiberglass component products ("Products") are free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF INVOICE AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Two (2) years for the Builder's Classic door component of the base prehung system*.
2. Two (2) years on our MSystem2 base prehung door unit*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is non-transferable.

* Base prehung system = door component prehung on a primed wood frame.

EXCLUSIONS FROM COVERAGE:

This warranty does not cover:

1. Labor, including removal, installation, pick up, delivery, shipping, or other charges incurred or claimed by the Customer.
2. Door units not installed according to published rough opening and installation instructions.

   (2.a.) Double doors with an astragal should not be installed in a direct weather exposure and must have a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements may be excluded from warranty coverage.
3. Damage to Door Units reported after installation by 3rd party installation company or homeowner.
4. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
5. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
6. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
7. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
8. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
9. Improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door and frame. Variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
10. Labor, shipping or other charges incurred or claimed by the Customer.
11. Failure to provide an adequate overhang for exterior doors, damage caused by extreme temperature buildup where storm doors are present (2.a.).
12. Products not finished/painted in accordance with installation instructions.
13. Products finished/painted a dark color with prolonged exposure to direct sunlight.
14. Products finished with non-recommended paints or topcoats.

WARRANTY CLAIM PROCEDURES:

Warranty claims may be submitted through:

- Your Dealer (who will forward the claim to MMI), or
- Directly via MMI DOOR's Warranty Portal: mmidoor.com/resources/product-warranties/warranty-claims

Required Information

To process your claim, please provide:

- Completed MMI Warranty Claim Form
- Homeowner contact details (name, address, phone, email)
- Contractor contact information (if applicable)
- Invoice or order number
- Date of installation
- Detailed description of the issue
- Photographs of the unit and defect(s)

Privacy Notice: Personal information collected will be used solely for claim processing and handled in accordance with our privacy policies.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

If deemed necessary by MMI DOOR, labor may be provided for assembly defects reported within 1 year of shipment.

Steel Door
Limited Warranty

Majestic Steel Limited Warranty | 10 Years - Majestic Door Component | 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its Majestic Steel entry door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF INVOICE AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Ten (10) years for the Majestic door component of the base prehung system*.
2. Two (2) years on our MSystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is nontransferable.
3. Limited Lifetime Warranty when upgrading to Composite or Rot Resistant Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit, without extending door component or door lite component warranty. This warranty is nontransferable
4. MMI DOOR warrants the stained or painted finish on the door component of its steel prehung door units as follows:

- **Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)
- **For units purchased on or after September 1, 2025**: The finish is warranted for ten **(10) years** from the date of installation.
- **For units purchased prior to September 1, 2025**: The finish is warranted for five **(5) years** from the date of installation.

This warranty covers deficiencies in material and workmanship of the finish, including: flaking, cracking, checking, blistering, and peeling. The prefinished warranty applies only to units painted/stained by MMI Door.

* Base prehung system = door component prehung on a primed wood frame.

EXCLUSIONS FROM COVERAGE:

This warranty does not cover:

1. Labor, including removal, installation, pick up, delivery, shipping, or other charges incurred or claimed by the Customer.
2. Door units not installed according to published rough opening and installation instructions.

   (2.a.) Double doors with an astragal should not be installed in a direct weather exposure and must have a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will exclude any warranty coverage.
3. Damage to Door Units reported after installation by 3rd party installation company or homeowner.
4. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
5. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
6. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
7. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
8. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
9. Improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door and frame. Variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
10. Labor, shipping or other charges incurred or claimed by the Customer.
11. Failure to provide an adequate overhang for exterior doors, damage caused by extreme temperature buildup where storm doors are present (2.a.).
12. Products not finished/painted in accordance with installation instructions.
13. Products finished/painted a dark color with prolonged exposure to direct sunlight.
14. Products finished with non-recommended paints or topcoats.
15. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

Warranty claims may be submitted through:

- Your Dealer (who will forward the claim to MMI), or
- Directly via MMI DOOR's Warranty Portal: mmidoor.com/resources/product-warranties/warranty-claims

Required Information

To process your claim, please provide:

- Completed MMI Warranty Claim Form
- Homeowner contact details (name, address, phone, email)
- Contractor contact information (if applicable)
- Invoice or order number
- Date of installation
- Detailed description of the issue
- Photographs of the unit and defect(s)

Privacy Notice: Personal information collected will be used solely for claim processing and handled in accordance with our privacy policies.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect. This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

If deemed necessary by MMI DOOR, labor may be provided for assembly defects reported within 1 year of shipment.

Steel Replacement Door Limited Warranty

10 Years - Steel Door Component

WARRANTY COVERAGE:

MMI DOOR warrants that its Steel Replacement door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF INVOICE AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Ten (10) years for the Majestic door component of the base prehung system*.
2. Two (2) years on our MSystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is nontransferable.
3. MMI DOOR warrants painted finish on the door component of its steel prehung door units as follows:

- **Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)
- **For units purchased on or after September 1, 2025**: The finish is warranted for ten **(10) years** from the date of installation.
- **For units purchased prior to September 1, 2025**: The finish is warranted for five **(5) years** from the date of installation.

This warranty covers deficiencies in material and workmanship of the finish, including: flaking, cracking, checking, blistering, and peeling. The prefinished warranty applies only to units painted/stained by MMI Door.

* Base prehung system = door component prehung on a primed wood frame.

EXCLUSIONS FROM COVERAGE:

This warranty does not cover:

1. Labor, including removal, installation, pick up, delivery, shipping, or other charges incurred or claimed by the Customer.
2. Door units not installed according to published rough opening and installation instructions.

   (2.a.) Steel replacement doors should not be installed in a direct weather exposure and must have a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will void any warranty coverage.
3. Damage to Door Units reported after installation by 3rd party installation company or homeowner.
4. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
5. Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
6. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
7. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
8. Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
9. Improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door and frame. Variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
10. Labor, shipping or other charges incurred or claimed by the Customer.
11. Failure to provide an adequate overhang for exterior doors, damage caused by extreme temperature buildup where storm doors are present (2.a.).
12. Products not finished/painted in accordance with installation instructions.
13. Products finished/painted a dark color with prolonged exposure to direct sunlight.
14. Products finished with non-recommended paints or topcoats.
15. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

Warranty claims may be submitted through:

- Your Dealer (who will forward the claim to MMI), or
- Directly via MMI DOOR's Warranty Portal: mmidoor.com/resources/product-warranties/warranty-claims

Required Information

To process your claim, please provide:

- Completed MMI Warranty Claim Form
- Homeowner contact details (name, address, phone, email)
- Contractor contact information (if applicable)
- Invoice or order number
- Date of installation
- Detailed description of the issue
- Photographs of the unit and defect(s)

Privacy Notice: Personal information collected will be used solely for claim processing and handled in accordance with our privacy policies.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect. This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

If deemed necessary by MMI DOOR, labor may be provided for assembly defects reported within 1 year of shipment.

Glass-Lite Warranty

10 Year Exterior Door Glass-Lite Warranty

WARRANTY COVERAGE:

MMI DOOR warrants that its Glass component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF INVOICE AND EXTENDS FOR THE FOLLOWING PERIOD:

1. Ten (10) years for the glass component for seal failure.
2. Lifetime for Frame component against warping and cracking

EXCLUSION FROM COVERAGE:

This warranty does not cover:

1. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
2. Defects of damages arising out of improper handling or cleaning, defective orimproper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
3. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
4. Product used or installed in high-vibration environments.
5. Products not finished-painted in accordance with door edge label or pre-finishing instructions.
6. Product finished with non-recommended paints, stains or topcoats.
7. Labor, shipping or other charges incurred or claimed by the Customer.
8. For units painted a dark color exposed to prolong sunlight.
9. Condensation.
10. Product containing plastic components, installed in high heat conditions, such as behind a storm door, or painted a dark color.

WARRANTY CLAIM PROCEDURES:

Warranty claims may be submitted through:

- Your Dealer (who will forward the claim to MMI), or
- Directly via MMI Door's Warranty Portal: mmidoor.com/resources/product-warranties/warranty-claims

Required Information

To process your claim, please provide:

- Completed MMI Warranty Claim Form
- Homeowner contact details (name, address, phone, email)
- Contractor contact information (if applicable)
- Invoice or order number
- Date of installation
- Detailed description of the issue
- Photographs of the unit and defect(s)

Privacy Notice: Personal information collected will be used solely for claim processing and handled in accordance with our privacy policies.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of

the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect. This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

*After year 5, Homeowner may be responsible for a prorated portion of glass warranty cost.

If deemed necessary by MMI DOOR, labor may be provided for assembly defects reported within 1 year of shipment.

Prefinish Limited Warranty

10-Year Prefinish Limited Warranty

WARRANTY COVERAGE:

5-year if purchased on/before August 31, 2025

10-year if purchased on/after September 1, 2025

MMI DOOR will warranty our finish painted or stained doors for a period of ten (10) years from the original date of purchase by the dealer. This warranty covers paint failure in the form of peeling with no evidence of abuse. We cannot warranty paint or stain finish chipping or scratches caused by product abuse or improper installation. Paint and stain samples may vary from the actual finish. For further examples of our paint and stain options, please refer to our Paint and Stain Selection Chart for Fiberglass and Steel Entry Systems. Color fading caused by exposure to natural elements also is beyond ours and the paint or stain manufacturer's control.

APPLICATION:

This is the most important step in your new entry system selection process. Protecting it properly can lower maintenance, improve performance and extend the life of your new entry system. Every exterior door requires protection and there are many factors to consider such as exposure to natural elements, color choices, storm door use and the degree of homeowner maintenance required. All of these factors must be evaluated to determine your final choice.

OVERHANG:


In short, every exterior door—Entry, Patio or French Doors—should have an overhang to protect the unit from natural elements, lowering care and maintenance and extending the life of the unit. Overhangs should extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. In extreme exposures (facing south or west) or climates (desert or coastal) overhangs should be double that size. Inadequate overhang protection can lead to color fading, component damage and water related issues such as warping, wood failure or leakage. Adequate overhangs increase your choice of door types, design, colors and specifications. They also insure years of dependable performance.

COLORS:

The effect of natural elements, especially the sun, is generally under estimated. The face of an exterior door can exceed 120 degrees in many applications. Prolonged exposure at these temperatures can quickly deteriorate the finish and physically damage the door. Remember — light colors reflect heat, dark colors absorb heat. Consider sun exposure and overhang protection when selecting a color for your door.

For more information on MMI DOOR products and services, please visit:

mmidoor.com



Get the FREE **MMI DOOR** Mobile App Today!

Browse thousands of door options right at your fingertips!

- Locate a dealer
- Build your perfect door
- Save and share your designs



DOWNLOAD.
SNAP.
SHARE.

MMI DOOR LOCATIONS

MICHIGAN (HQ)
6361 Sterling Drive North
Sterling Heights, MI 48312
833.344.0031
Fax: 586.264.5430

OHIO
400 Circle Freeway Drive
Cincinnati, OH 45246
833.344.0031
Fax: 513.870.0242

PENNSYLVANIA
172 Plummer Road
Sidman, PA 15955
833.344.0031
Fax: 814.487.7850

STLFGENTBROCH

©2026 MMI DOOR. All Rights Reserved.
35-98998 0726

MMI DOOR is proud to be part of the JELD-WEN global family of product brands and companies.