MMI DOOR

Your Doorway to a Beautiful Home®

INTERIOR DOORS
BROCHURE










ABOUT MMI DOOR

YOUR DOORWAY TO A BEAUTIFUL HOME

For nearly 70 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. We adhere to rigorous quality control standards to ensure that we provide exceptional value, backed by one of the most extensive and varied inventories nationwide. MMI DOOR offers product choices that are second to none.



FEATURING ALL THE BRANDS YOU TRUST

For decades, MMI has been a solutions provider to the multifamily industry, your partner providing beauty, safety and security, through a comprehensive door and door hardware portfolio. You can be assured that the entry products you receive from MMI brands and partners will be the right fit, form and stylish function at the right price to make every project a success.

JELD-WEN · THE MILLENNIUM COLLECTION · plastpro THE DOOR OF BEAUTY & INNOVATION · ODL

ALLEGION · Simpson Door Company · FRAMEPORT AMERICA · TIMELY PREFINISHED STEEL DOOR FRAMES A DIVISION OF S.D.S. INDUSTRIES, INC.

Cavity Sliders™ · SCHLAGE · FALCON · IVES

DOORMERICA · STEELCRAFT · VON DUPRIN · LCN

dormakaba · PEMKO · ROCKWOOD · Yale



Karona™ K-4010, 2-Panel Vent/Vent

TABLE OF CONTENTS

ABOUT MMI	**2**
DOOR TYPES	**5**
CHOOSE YOUR DOOR	**6-7**
HOLLOW & SOLID CORE MOLDED DOORS	**8-11**
FRENCH DOORS	**12-13**
PRIMED SHAKER FLAT PANEL DOORS	**14**
KARONA™	**15-16**
PANEL & LOUVER DOORS	**17**
FLUSH & PREFINISHED DOORS	**18**
LITES & LOUVERS	**19**
BARN DOORS & HARDWARE KITS	**20-21**
THE MILLENNIUM COLLECTION®	**22-23**
SLIDING DOOR POCKETS, FRAMES & HARDWARE	**24-25**
FIRE-RATED DOORS	**26-27**
COMMERCIAL DOORS & HARDWARE	**28**
OPTIONS	**29**
SPECIFICATIONS	**30**
CARE, FINISHING & WARRANTIES	**31**

THOUSANDS OF DOOR OPTIONS RIGHT AT YOUR FINGERTIPS!

DOWNLOAD • SNAP • SHARE

GET THE **FREE** MOBILE APP TODAY!

Available for all Apple and Android devices.





DOOR TYPES



Flush Doors

Common, inexpensive and easy to paint or stain, flush doors are stocked in Primed Hardboard, Red Oak, Birch, and Imperial Oak. They are available in hollow or solid core, unfinished or prefinished, and have optional lites and louvers. Special order species are also available.



Molded Doors

Molded door skins are made by combining fine wood fibers and resins and then "stamped" into a variety of raised and flat panel designs. Their popularity is due to their value – you get a great-looking door for a great price. Molded doors are available in smooth or woodgrain, hollow or solid core and represent one of the best "bang for your buck value" in the industry.

Did I Choose the Right Door?

It really comes down to your taste and budget.

Fortunately, MMI DOOR inventories a huge selection for any budget that is available to you within 7-10 days!

For projects with additional time flexibility, we offer a wide range of special-order options.



MDF Doors
Medium Density Fiberboard

MDF doors are an affordable step up from solid molded doors. They offer a smoother, denser skin (MDF) that results in a high-quality finished product when painted. Most MDF doors are solid core. Design and sizing possibilities are endless in this category which adds to its popularity.



Panel Doors
Raised Panel, Flat Panel & French

Multiple designs, species and glass options define the top end of the interior door category. Though some wood species can be painted, the majority are stained to showcase their attractive wood grains.

Available in-stock species include Pine and Oak

CHOOSE YOUR DOOR

7 Easy Steps to Choose Your New Interior Door

MMI DOOR has developed a simple, easy-to-follow system outlined below to help you choose the door that's right for you.

1 Functionality

This is a critical planning stage; use it wisely. Every opening doesn't require the same door.

Examples:

A) French doors (single or double) can provide light to an adjoining room while maintaining privacy

B) Solid core doors look the same on the outside but contain sound-reducing material on the inside. Great for bathrooms, game rooms, music rooms, bedrooms, offices, etc.

C) Mirrored doors on a bedroom closet or bathroom door saves space, enlarges the room, and creates additional reflective light

D) Doors with frosted glass provide extra light without sacrificing privacy

E) Barn doors combine style and practicality while transforming your space to complement the modern home



3-Lite Frosted, Primed French Door

2 Choose a Door Design


Whether you're looking for a traditional style, classic colonial, or something unique, the options are endless. This is your home - make it your own!



3 Are You Painting or Staining?

This will narrow your choices:

Consumer Tips: Painting offers a fast, cost-effective, and easily changeable option. On the other hand, staining provides a contrasting approach that produces dramatic results.



Pine | Knotty Alder | Red Oak | Cherry | Maple | Birch | Mahogany | MDF | Primed

4 Choose Your Door Jamb

Consumer Tips:

A. If painting – choose primed.

B. If you want to stain your door, choose a species with a grain that matches or closely resembles your door. We offer a range of jamb species to enhance the look of your door. Let's add the wow factor! Don't hesitate to finish the door and trim in different styles. You can find examples throughout this brochure.

5 Choose Your Hinges

Don't forget that hinges can also add a touch of style! Coordinate the hinge finish with the rest of your home's hardware, like locks, light fixtures, and decorative accents. Consider switching to Ball Bearing Hinges for extra strength. They're designed for the most seamless and quiet door movement.

Only compatible with solid core doors.

Round Ball Bearing Hinges



US-3/4 Lite Brass | **US-5** Antique Brass | **US-3** Bright Brass | **US-26** Bright Chrome | **US-26D** Dull Chrome | **US-15** Satin Nickel | **US-15A** Antique Nickel | Dark Bronze | **US-19** Flat Black | **US-P** White Primed

Square Ball Bearing Hinges



US-3 Bright Brass | Dark Bronze | Flat Black

Self-Closing Hinges



US-15 Satin Nickel



6-Panel, Pine Panel Door

6 Sizing

Double-check the dimensions of each opening, both the width and height. This applies to the door and the space between the door frame (don't forget about the frame depth).

7 Place Your Order!

Please note: availability varies by location.

HOLLOW & SOLID CORE MOLDED DOORS

Molded Doors

If you're looking for a wide range of choices, go for interior molded wood fiber doors. They come in various styles, panel designs, and sizes.

Single and double doors are available as prehung units ready to install. They are available in a diverse selection of sizes, jamb species, and decorative hinge finishes.

AVAILABLE 6/8, 7/0, & 8/0 MOLDED DOOR SIZES																
DOOR MODEL	**1'0"**	**1'2"**	**1'3"**	**1'4"**	**1'6"**	**1'8"**	**1'10"**	**2'0"**	**2'2"**	**2'4"**	**2'6"**	**2'8"**	**2'10"**	**3'0"**	**STICKING PROFILE**	**BI-FOLDS**
BIRKDALE																
6'8" Hollow Core				•	•	•		•		•	•	•	•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•		•	Craftsman	
8'0" Solid Core					•			•		•	•	•		•	Craftsman	
CAIMAN																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core				•	•	•		•	•	•	•	•	•	•	Cove & Bead	
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
8'0" Solid Core					•			•		•	•	•		•	Cove & Bead	
CAMDEN																
6'8" Hollow Core				•	•	•	•	•		•	•	•	•	•	Cove & Bead	•
6'8" Solid Core								•		•	•	•		•	Cove & Bead	
CARRARA																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core				•	•	•		•	•	•	•	•	•	•	Cove & Bead	•
7'0" Solid Core					•			•		•	•	•	•	•	Cove & Bead	
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
8'0" Solid Core					•			•		•	•	•		•	Cove & Bead	
COLONIST																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core					•	•		•	•	•	•	•	•	•	Cove & Bead	•
CONMORE																
6'8" Hollow Core					•			•		•	•	•	•	•	Stepped	•
6'8" Solid Core					•			•		•	•	•	•	•	Stepped	
CRAFTSMAN																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•	•	•	Craftsman	
MADISON																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•	•	•	Craftsman	
8'0" Solid Core					•			•		•	•	•		•	Craftsman	
MONROE																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•	•	•	Craftsman	
8'0" Solid Core					•			•		•	•	•		•	Craftsman	
ROCKPORT																
6'8" Hollow Core				•	•	•		•		•	•	•	•	•	Cove & Bead	•
6'8" Solid Core					•			•			•	•	•	•	Cove & Bead	
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
SANTA FE																
6'8" Hollow Core				•	•	•		•		•	•	•	•	•	Ovolo	•
6'8" Solid Core					•			•		•	•	•	•	•	Ovolo	
SMOOTH COLONIST																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core					•			•		•	•	•	•	•	Cove & Bead	•
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
8'0" Solid Core					•			•		•	•	•		•	Cove & Bead	

• Stocked

HOLLOW & SOLID CORE MOLDED DOORS

6/8 Doors

Hollow Core



Smooth Surface
BIRKDALE™
Craftsman Sticking
3-Panel Flat



Smooth Surface
CAIMAN®
Cove & Bead Sticking
2-Panel Arch Top




Grained Surface
CAMDEN®
Cove & Bead Sticking
2-Panel Arch Top



Smooth Surface
CARRARA®
Cove & Bead Sticking
2-Panel



Grained Surface
COLONIST®
Cove & Bead Sticking
6-Panel



Smooth Surface
CONMORE®
Stepped Sticking
5-Panel Flat



Smooth Surface
CRAFTSMAN III™
Craftsman Sticking
3-Panel Flat



Smooth Surface
MADISON®
Craftsman Sticking
1-Panel Flat



Smooth Surface
MONROE®
Craftsman Sticking
2-Panel Flat



Smooth Surface
ROCKPORT™
Cove & Bead Sticking
5-Panel



Smooth Surface
SANTA FE™
Ovolo Sticking
2-Panel Arch Top
Planked




Smooth Surface
COLONIST®
Cove & Bead Sticking
6-Panel




Birkdale, Molded Door

STICKING PROFILES


Sticking profile denoted in door description




Craftsman Sticking



Stepped Sticking



Ovolo Sticking




Cove & Bead Sticking

HOLLOW & SOLID CORE MOLDED DOORS

6/8 Doors

Solid Core



Smooth Surface
BIRKDALE™
Craftsman
Sticking
3-Panel Flat



Smooth Surface
CAIMAN®
Cove & Bead
Sticking
2-Panel
Arch Top




Grained Surface
CAMDEN®
Cove & Bead
Sticking
2-Panel
Eyebrow



Smooth Surface
CARRARA®
Cove & Bead
Sticking
2-Panel



Grained Surface
COLONIST®
Cove & Bead
Sticking
6-Panel



Smooth Surface
CONMORE®
Stepped
Sticking
5-Panel Flat



Smooth Surface
CRAFTSMAN III™
Craftsman
Sticking
3-Panel Flat



Rockport, Molded Door



Smooth Surface
MADISON®
Craftsman
Sticking
1-Panel Flat



Smooth Surface
MONROE®
Craftsman
Sticking
2-Panel Flat

ProCore
THE QUIET DOOR™

Consider upgrading to our *solid core doors* that provide more than just warmth and style. **ProCore™** doors reduce noise transmission by 50%, compared to hollow core doors.



Smooth Surface
ROCKPORT™
Cove & Bead
Sticking
5-Panel



Smooth Surface
SANTA FE™
Ovolo
Sticking
2-Panel
Arch Top
Planked



Smooth Surface
COLONIST®
Cove & Bead
Sticking
6-Panel

HOLLOW & SOLID CORE MOLDED DOORS

7/0 Doors
Solid Core



Smooth Surface
CARRARA®
Cove & Bead Sticking
2-Panel

8/0 Doors
Solid Core



Smooth Surface
MADISON®
Craftsman Sticking
1-Panel Flat



Smooth Surface
MONROE®
Craftsman Sticking
2-Panel Flat



Smooth Surface
BIRKDALE™
Craftsman Sticking
3-Panel Flat



Smooth Surface
CARRARA®
Cove & Bead Sticking
2-Panel



Smooth Surface
COLONIST®
Cove & Bead Sticking
6-Panel

8/0 Doors
Hollow Core



Smooth Surface
CAIMAN®
Cove & Bead Sticking
2-Panel Arch Top



Smooth Surface
CARRARA®
Cove & Bead Sticking
2-Panel




Smooth Surface
ROCKPORT™
Cove & Bead Sticking
6-Panel




Smooth Surface
COLONIST®
Cove & Bead Sticking
6-Panel

STICKING PROFILES


Sticking profile denoted in door description




Cove & Bead Sticking



Craftsman Sticking



Ovolo Sticking



Stepped Sticking



Monroe, Molded Door

ProCore THE QUIET DOOR™

FRENCH DOORS

Enhance the beauty of any interior with our elegantly crafted line of French doors. They add elegance and privacy while maintaining brightness from one room to the next. French doors have tempered glass for extra strength and safety. Most feature a unique glass wrap that makes staining and finishing a snap.



15-Lite True Divided, Pine French Door

STICKING PROFILES



Ovolo Sticking



Shaker Sticking

Sticking profile denoted in door description

AVAILABLE 6/8, 7/0, & 8/0 FRENCH DOOR SIZES								
DOOR MODEL	**1'6"**	**2'0"**	**2'4"**	**2'6"**	**2'8"**	**2'10"**	**3'0"**	**STICKING PROFILE**
5-LITE CLEAR								
6'8" Primed	•							Ovolo
6'8" Pine	•							Ovolo
6'8" Oak	*							Ovolo
1-LITE CLEAR								
6'8" Primed	•	•	•	•	•		•	Ovolo
8'0" Primed		•	•	•	•		•	Ovolo
6'8" Pine		•	•	•	•		•	Ovolo
6'8" Oak		*		*	*		*	Ovolo
1-LITE FROSTED								
6'8" Primed		•	•	•	•		•	Ovolo
6'8" Primed		•	•	•	•		•	Shaker
8'0" Primed		•	•	•	•		•	Shaker
1-LITE MIRROR								
6'8" Primed		•	•	•	•		•	Ovolo
6'8" Pine		•	•	•	•		•	Ovolo
10-LITE CLEAR								
6'8" Primed		•	•	•			•	Ovolo
6'8" Pine		•	•	•	•		•	Ovolo
6'8" Pine V-Groove		*						Ovolo
6'8" Oak		*						Ovolo
15-LITE CLEAR								
6'8" Primed			•	•	•	•	•	Ovolo
7'0" Primed							•	Ovolo
6'8" Pine			•	•	•		•	Ovolo
6'8" Pine V-Groove			*	*	*		*	Ovolo
6'8" Oak			*	*	*		*	Ovolo
9-LITE CLEAR								
6'8" Primed		•		•			•	Ovolo
1-LITE PANTRY								
6'8" Primed		•	•	•	•			Ovolo
6'8" Pine		•	•	•	•			Ovolo
6'8" Primed Modern		•	•	•	•			Ovolo
1-LITE LAUNDRY								
6'8" Primed				•	•		•	Ovolo
1-LITE WHITE LAMINATED								
6'8" Primed		•	•	•	•		•	Ovolo
1-LITE RAIN								
6'8" Primed		•	•	•	•		•	Ovolo
1-LITE HAMILTON								
6'8" Primed		•	•	•	•		•	Ovolo
3-LITE FROSTED								
6'8" Primed		•	•	•	•		•	Shaker
8'0" Primed		•	•	•	•		•	Shaker
5-LITE FROSTED								
6'8" Primed		•	•	•	•		•	Shaker
8'0" Primed		•	•	•	•		•	Shaker
12-LITE CLEAR								
8'0" Primed		•	•	•	•		•	Ovolo
8'0" Pine		•		•	•		•	Ovolo
18-LITE CLEAR								
8'0" Primed				•	•		•	Ovolo

• Stocked

****Available as Special Order***

6/8 Doors

Primed



5-LITE CLEAR
True Divided Ovolo Tempered Glass



1-LITE CLEAR
Ovolo Tempered Glass



1-LITE FROSTED
Obscure Ovolo Tempered Glass



1-LITE MIRROR
Ovolo Tempered Glass



10-LITE CLEAR
True Divided Ovolo Tempered Glass



15-LITE CLEAR
True Divided Ovolo Tempered Glass



9-LITE CLEAR
True Divided Ovolo Tempered Glass



1-LITE PANTRY
Obscure Ovolo Tempered Glass



1-LITE PANTRY MODERN
Obscure Ovolo Tempered Glass



1-LITE LAUNDRY
Obscure Ovolo Tempered Glass

Primed



1-LITE LAMINATED
Obscure Ovolo Tempered Glass



1-LITE RAIN
Obscure Ovolo Tempered Glass



1-LITE HAMILTON
Obscure Ovolo Tempered Glass



1-LITE FROSTED
Shaker Tempered Glass



3-LITE FROSTED
Shaker Tempered Glass



5-LITE FROSTED
Shaker Tempered Glass

Oak



5-LITE CLEAR
True Divided Ovolo Tempered Glass



1-LITE CLEAR
Ovolo Tempered Glass



10-LITE CLEAR
True Divded Ovolo Tempered Glass



15-LITE CLEAR
True Divded Ovolo Tempered Glass

6/8 Doors

Pine



5-LITE CLEAR
True Divided Ovolo Tempered Glass



1-LITE CLEAR
Ovolo Tempered Glass



1-LITE MIRROR
Ovolo Tempered Glass



10-LITE CLEAR
True Divded Ovolo Tempered Glass



15-LITE CLEAR
True Divded Ovolo Tempered Glass



15-LITE CLEAR
V-Groove Ovolo Tempered Glass



1-LITE PANTRY
Obscure Ovolo Tempered Glass

8/0 Doors



12-LITE CLEAR
True Divided Ovolo Tempered Glass

7/0 Doors

Primed



15-LITE CLEAR
True Divided Ovolo Tempered Glass

8/0 Doors

Primed



1-LITE CLEAR
Ovolo Tem-pered Glass



12-LITE CLEAR
True Divided Ovolo Tempered Glass



18 LITE CLEAR
True Divided Ovolo Tempered Glass



1-LITE FROSTED
Shaker Tempered Glass



3-LITE FROSTED
Shaker Tempered Glass



5-LITE FROSTED
Shaker Tempered Glass

SPECIAL ORDER

PRIMED SHAKER FLAT PANEL DOORS

Our primed shaker flat panel doors are manufactured to eliminate warp, panel shifting, and rattling so your shaker door performs properly for years to come.



2-Panel, Shaker Door

6/8 Doors


Primed




1-PANEL | 2-PANEL | CRAFTSMAN | 3-PANEL EQUAL | 5-PANEL EQUAL

8/0 Doors


Primed



1-PANEL | 2-PANEL | CRAFTSMAN | 3-PANEL EQUAL | 5-PANEL EQUAL



Shaker Sticking



Superior priming – four coats with sanding between coats

AVAILABLE 6/8 & 8/0 PRIMED SHAKER FLAT PANEL DOORS

DOOR MODEL	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	STICKING PROFILE	BI-FOLDS
1-PANEL										
6'8" Primed	•	•	•	•	•	•	•	•	Shaker	•
8'0" Primed*	•		•	•	•	•		•	Shaker	
2-PANEL										
6'8" Primed	•	•	•	•	•	•	•	•	Shaker	•
8'0" Primed	•		•	•	•	•		•	Shaker	
CRAFTSMAN										
6'8" Primed	•	•	•	•	•	•	•	•	Shaker	•
8'0" Primed	•		•	•	•	•		•	Shaker	
3-PANEL EQUAL										
6'8" Primed	•	•	•	•	•	•	•	•	Shaker	•
8'0" Primed	•		•	•	•	•		•	Shaker	
5-PANEL EQUAL										
6'8" Primed	•	•	•	•	•	•	•	•	Shaker	•
8'0" Primed	•		•	•	•	•		•	Shaker	

• Stocked

**Note: In stock in MI. Special order in OH and PA.*

KARONA™ RESIDENTIAL

Expertly crafted for high-end homes and commercial spaces, Karona™ interior doors are distinctive and beautiful, capturing the substantial feel and warm appearance of real wood. Choose from dozens of timeless door designs or create your own custom solution. Karona™ doors present a wealth of options for creating an elevated look and getting the finest of details right – including more than 20 wood species, decorative glass choices, and more.

TRADITION MEETS TECHNOLOGY

Karona™ doors blend precise production technology with skillful team craftsmanship to produce a stunning appearance and lasting performance.

STABILITY IS BUILT IN


The Karona™ Solid Core material resists expansion, contraction, and cracking, and its premium wood veneers meet or exceed industry standards.

COMPREHENSIVE CUSTOM CAPABILITIES

Karona™ can turn your concepts into a design, develop construction and aesthetic details, and present you with drawings for approval. From wood species, sticking, and custom stains to glass and more, choose the best options for your projects.

Limited Lifetime for Interior Use, Karona offers 20-minute, 45-minute, 60-minute, and 90-minute fire rated options. Please call your local representative for more information

GLASS



RAIN | FLEMISH | REEDED | VELOUR

SPECIES



ALDER | WHITE OAK | MAPLE | WALNUT

STICKING



SQUARE | OVOLO | OGEE | MISSION

STAINS



KHAKI | BROWN SUGAR | SUNTAN | CHOCOLATE



Note: Karona Residential products are special order

KARONA™ MODERN VENTILATED PANEL (MVP)

Rather than a vented door with narrow or plantation style louvered slats, Modern Ventilated Panel doors feature CNC-routed slots that go through the door and sit flush with the flat panel surface. The angled slots provide necessary air flow without compromising visual privacy. And the routed design makes the doors easier to paint and to clean.



SHAKER STYLE FLAT PANEL DESIGN



K-6000
1-Panel Full Vent
Primed



K-4010
2-Panel Vent/Vent
Primed

AVAILABLE 6/8 PRIMED SHAKER FLAT PANEL DOORS		
DOOR SIZE	K-6000	K-4010
	1-3/8", Shaker Sticking	
2/0	•	•
2/4	•	•
2/6	•	•
2/8	•	•
3/0	•	•

• Stocked



Panel Doors

Solid wood panel doors are a classic choice that always stays in style. They are versatile enough to complement any decor, and the natural beauty of wood brings a cozy and inviting atmosphere to every room.



6-Panel, Oak Panel Door

6/8 Doors

Pine



4-PANEL



6-PANEL

Oak



6-PANEL

AVAILABLE 6/8 PANEL DOORS																
DOOR MODEL	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	STICKING PROFILE	BI-FOLDS
4-PANEL																
6'8" Pine					•			•		•	•	•		•	Ovolo	•
6-PANEL																
6'8" Pine	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ovolo	•
6'8" Oak	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ovolo	•



Full Louver, Primed Louver Door

Louver Doors

6/8 Doors

Primed



FULL LOUVER

Pine



FULL LOUVER



HALF LOUVER

Note: Louver direction is down

AVAILABLE 6/8 LOUVER DOORS													
DOOR MODEL	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	BI-FOLDS
FULL LOUVER														
6'8" Primed				•			•		•	•	•	•	•	•
6'8" Pine	•	•	•	•	•	•	•	•	•	•	•	•	•	•
HALF LOUVER														
6'8" Pine				•			•		•	•	•		•	•

• Stocked

FLUSH & PREFINISHED DOORS

Crafted using select raw materials that undergo precise machining and assembly, these doors are visually appealing and highly dependable. They are designed to withstand the test of time and will continue to serve you for many years.



Birch, Solid Core Flush Door



PRIMED HARDBOARD | BIRCH | RED OAK | IMPERIAL OAK

AVAILABLE 6/8 & 7/0 FLUSH DOORS																
DOOR MODEL	**1'0"**	**1'2"**	**1'3"**	**1'4"**	**1'6"**	**1'8"**	**1'10"**	**2'0"**	**2'2"**	**2'4"**	**2'6"**	**2'8"**	**2'10"**	**3'0"**	**3'6"**	**BI-FOLDS**
PRIMED HARDBOARD																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
8'0" Hollow Core												•		•		
6'8" Solid Core					•			•		•	•	•	•	•		
7'0" Solid Core											•	•	•	•		
BIRCH																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
7'0" Hollow Core											•	•		•		
6'8" Solid Core					•			•	•	•	•	•	•	•	•	
7'0" Solid Core											•	•	•	•		
RED OAK																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•		•
6'8" Solid Core					•			•		•	•	•	•	•		
7'0" Solid Core											•	•	•	•		
IMPERIAL OAK																
6'8" Hollow Core					•			•	•	•	•	•	•	•		•
6'8" Solid Core														•		

Please call for thickness stock/special order options.

*call your local representative or visit **mmidoor.com** for available door thickness options

LITES & LOUVERS

Revolutionize your flush door with the below lites and louvers to add functional appeal.



20" x 24"



24" x 36"



20" x 64"



10" x 10"



10" x 10"



4" x 24"



6" x 36"



20" x 12"
20" x 24"



20" x 12", Flush Louver Door

BARN DOORS

Combining both style and practicality, barn doors are a fresh and unique take on a traditional and timeless look.

- Ideal for openings 28"-42" wide
- Unique barn door style hardware enables the door to slide parallel to the wall
- Primed for field finishing
- Barn door hardware kits are also available to be sold separately




Frosted 3-Lite, Primed Barn Door



Primed
FROSTED 3-LITE



Primed
FROSTED 4-LITE



Primed
15-LITE



Primed
CARRARA




Primed
K BAR PLANKED



Primed
Z BAR PLANKED

K and Z Bar Planked:



Frosted 3 and 4-LITE:



Stile and Rail Construction
Smooth Surface
Pre-Routed Door Bottom

Carrara:



Solid Core
Smooth Surface
Cove & Bead Sticking

1-3/8" 7/0 BARN DOORS									
DOOR MODEL	1'6"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"	STICKING PROFILE
3-LITE FROSTED									
7'0" Primed							•	•	Shaker
4-LITE FROSTED									
7'0" Primed							•	•	Shaker
15-LITE CLEAR									
7'0" Primed							•		Ovolo
CARRARA									
7'0" Primed	•	•	•	•	•	•	•		Cove & Bead
K BAR PLANKED									
7'0" Primed							•	•	Shaker
Z BAR PLANKED									
7'0" Primed							•	•	Shaker

• Stocked



Ovolo Sticking



Shaker Sticking

Note: MMI stocked doors all weigh under the limit of 250lbs for hardware support

BARN DOOR HARDWARE KITS




K Bar Planked, Primed Barn Door

A traditional system is redefined with contemporary styles and finishes to complement the home, office space, or any opening space imaginable. Includes instructions that make it easy for "Do It Yourself" customers.

- Hardware kits support 1-3/8" and 1-3/4" thick doors weighing up to 250 lbs
- Kits available in 78-3/4" includes: door straps, wall spacer, safety anti-jump block, floor guide, and all hardware
- 78-3/4" track is ideal for openings/doors up to 36" wide
- Available in three factory finishes ready to install: Matte Black, Brushed Steel, and Oil Rubbed Bronze
- Unique barn door-style hardware enables the door to slide parallel to the wall, with one inch offset
- Use for closets, room dividers, or passage door applications
- Available accessories: track joiner for bi-parting door application, door handle, and recessed door pull
- Special hardware is available. Ask your sales representative for more details

FINISHES:







BARN DOOR KIT OPTIONS:



Matte Black shown

Top of Door Mount Kit



Oil Rubbed Bronze shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel

Bent Strap Kit



Stainless Steel shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel - BD450

Door Handle



Stainless Steel shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel - BD460

Recessed Door Pull

BARN DOOR KITS			
KITS	**MATTE BLACK**	**STAINLESS STEEL**	**OIL RUBBED BRONZE**
Top of Door Mount Kit - Track & Hardware 78-3/4" Track BD101K	•		
Bent Strap Mount Kit - Track & Hardware 78-3/4" Track BD102K	•	•	•

Note: all doors larger than 36" will receive (2) 78-1/2" tracks with a joiner

THE MILLENNIUM COLLECTION®

The Millennium Collection consists of four distinct door products that each fit a specific demand in the world of design and construction. Encore, Ovation, Infinity, and Bravo Doors are manufactured of renewable composite wood fiber materials for stability and reliability. Our state-of-the-art process and environmentally friendly construction techniques mean endless flexibility for your architectural design. Below are some samples of our standard designs:




1-Panel Encore® Door

THE MILLENNIUM® COLLECTION

Encore® ROUTER CARVED DOORS

- Dramatic raised panels or grooved options
- Traditional molding profiles
- Made in the USA by proud American craftsmen
- 152 Designs Available




Ovation® LAYERED PANEL DOORS

- Uniquely layered construction
- Environmentally friendly substrate that will not split or warp
- Made in the USA by proud American craftsmen
- 142 Standard Designs Available



Infinity® INLAID MOLDING DOORS


- Features dramatic raised panels
- Detailed inlaid molding profiles: Raised, Flush, and Plant-On
- Made in the USA by proud American craftsmen
- 138 Standard Designs Available



Note: Millennium products are special order

Bravo® TRADITIONAL STILE & RAIL DOORS

- Crisp detailed miters and profiles
- Architecturally correct panel configuration
- Made in the USA by proud American craftsmen
- 51 Traditional Designs Available





4-Panel Bravo® Door



5-Panel Encore® Door



3-Panel Ovation® Door

Note: Millennium products are special order

SLIDING DOOR POCKETS & HARDWARE

Sliding Door Pockets

Boxed Unit Frame - Unassembled

- Available in 3/0 x 6/8 (door sizes up to) DRPKTKD3068 Universal Frame and Hardware
- 3/0 x 8/0 (door sizes up to) DRPKTKD3080 Universal Frame and Hardware
- Mullion Kit (Join 2 kits together for double door opening)



Features

- Carton packaged - easy storage and handling
- Steel stiffener reinforcement frame
- Door thickness of 1-3/8" or 1-3/4" and weight up to 125 lbs.
- Four wheel roller on v-groove jump proof track
- Easy adjustment after installation
- Cut marks for easy sizing to standard door widths

ROUGH OPENING FOR K.D. BOXED FRAME		
DOOR SIZE	**6/8 HEIGHT**	**8/0 HEIGHT**
2/0	49-1/4"x 84-1/2"	49-1/4"x 100-1/2"
2/4	57-1/4"x 84-1/2"	57-1/4"x 100-1/2"
2/6	61-1/4"x 84-1/2"	61-1/4"x 100-1/2"
2/8	65-1/4"x 84-1/2"	65-1/4"x 100-1/2"
3/0	73-1/4"x 84-1/2"	73-1/4"x 100-1/2"

Bypass Track & Hardware

#240



- 4/0 Aluminum #240 Track and Hardware
- 5/0 Aluminum #240 Track and Hardware
- 6/0 Aluminum #240 Track and Hardware

#440F



- 4/0 Aluminum with Facia #440F Track and Hardware
- 5/0 Aluminum with Facia #440F Track and Hardware
- 6/0 Aluminum with Facia #440F Track and Hardware



The Premium Pocket Door Solution

The CS Cavity Slider™ is a practical solution for those areas where there is not enough space for a swinging door. Unlike other pocket systems, the CS Cavity Slider™ is structurally robust due to its construction from aluminum extrusions. The CS Cavity Slider™ is suitable for residential and commercial projects as it meets Type 1 construction code without any combustible materials.

CS Cavity Sliders Frames - 2x4 stud (1-3/8" and 1-3/4" doors)			
2'0"x 6'8"	PKTFRAL49162068	2'6"x 8'0"	PKTFRAL49162680
2'6"x 6'8"	PKTFRAL49162668	2'8"x 8'0"	PKTFRAL49162880
2'8"x 6'8"	PKTFRAL49162868	3'0"x 8'0"	PKTFRAL49163080
3'0"x 6'8"	PKTFRAL49163068	4'0"x 8'0"	PKTFRAL49164080

Stop Carriage Packs includes carriages, mounting plates, T-Guide,fixing screws & adjusting wrench	
PKT1CRGPCK200LB	2-wheel carriages suitable for standard sliding door up to 200lb
PKT1CRGPCK500LB	4-wheel carriages with cast stainless steel body for heavy sliding doors up to 500lb

CS Sofstop® Single & Double Soft Close	
PKT1SGLSS176LB	Single action with one stop up to 200lb (for door widths 2'2"and above)
PKT1DBLSS176LB	Double action with one stop up to 200lb (for door widths 2'2"and above)



7102 Ovation, Pocket Door





INTERIOR FIRE-RATED DOORS



Smooth Colonist, Fire-Rated Door

20-MIN Standard 6/8 Fire Door Units

FIRE RATING 20 MIN

The unit Includes:

- 4-9/16" primed 20-minute frame with applied brickmould & weatherstripping
- Composite adjustable sill
- 20-Minute NAMI Fire Label
- Standard 4" hinges, 2 spring/1 standard

Although these door units are not designed to be exposed to the weather (see our Fiberglass Exterior Door Offering); you can perfectly match your interior molded doors with a fire code-compliant "garage-to-home entry door!"

Molded Fire Door Units



Smooth Surface
BIRKDALE
Craftsman Sticking
3-Panel Flat



Smooth Surface
CAIMAN
Cove & Bead Sticking
2-Panel Arch Top



Smooth Surface
CARRARA
Cove & Bead Sticking
2-Panel



Smooth Surface
CRAFTSMAN
Craftsman Sticking
3-Panel Flat



Smooth Surface
CONMORE
Stepped Sticking
5-Panel Flat



Smooth Surface
ROCKPORT
Cove & Bead Sticking
5-Panel



Smooth Surface
SANTA FE
Ovolo Sticking
2-Panel Arch Top
Planked



Smooth Surface
SMOOTH COLONIST
Cove & Bead Sticking
6-Panel
(Only Available in 3/0 x 6/8)

20-MIN Millennium Fire Door Units

FIRE RATING 20 MIN



1-PANEL



2-PANEL



3-PANEL CRAFTSMAN



3-PANEL EQUAL



5-PANEL EQUAL

- Fire-rated doors are 1-3/4" thick
- Millennium fire-rated doors are also available in 45 and 90 MIN configurations
- Additional special order options available

Note:
Check local statutes for compliance.
Please call your local representative for available sizes.
Codes vary by community. Homeowner must confirm specification requirements.
All 90-MIN doors come with steel frames. Call for options!



3-Panel Equal, 20 MIN Fire Door

SPECIAL ORDER

20-MIN Fiberglass Smooth Fire Doors on 20-min Wood Frames

FIRE RATING 20 MIN



FS 20 FIBERGLASS SMOOTH
2-Panel



FS 21 FIBERGLASS SMOOTH
6-Panel



FS 22 FIBERGLASS SMOOTH
2-Panel




FS 200 FIBERGLASS SMOOTH
2-Panel Planked



FS 10 SHK FIBERGLASS SMOOTH
1-Panel Shaker




FS 20 SHK FIBERGLASS SMOOTH
2-Panel Shaker



FS 30 SHK FIBERGLASS SMOOTH
3-Panel Shaker

90-MIN Fire Doors on Steel Frames

FIRE RATING 90 MIN



MAJESTIC STEEL
MJ-1-90M



MAJESTIC STEEL
MJ-20-90M



MAJESTIC STEEL
MJ-21-90M



MAJESTIC STEEL
MJ-22-90M



MAJESTIC STEEL
MJ-300-90M



10 CRF 90M MAJESTIC STEEL
1-Panel



20 CRF 90M MAJESTIC STEEL
2-Panel



30 CRF 90M MAJESTIC STEEL
3-Panel

Note:
Please call your local representative for available options and sizes.
Codes vary by community. Homeowner must confirm specification requirements.
All 90-MIN doors come with steel frames.



30 CRF 90M, Majestic Steel

COMMERCIAL DOORS & HARDWARE

20-MIN, 45-MIN & 90-MIN Commercial & Residential Flush doors

Unfinished & Prefinished Doors

FIRE RATING 20 MIN | FIRE RATING 45 MIN | FIRE RATING 90 MIN



Unfinished

Rotary Natural Birch



Unfinished

Economy Birch



Unfinished

Plain Sliced Red Oak



Unfinished

Quarter Sliced African Mahogany

Unfinished

Plain Sliced White Maple



Prefinished

Plain Sliced Red Oak

Prefinished

Plain Sliced White Maple



Prefinished

Colledgeguard

Prefinished

Primed Hardboard

Note:
Available in 20-MIn, 45-MIN and 90-Min configurations.
Please call your local representative for available fire rating configuration and sizes.
Codes vary by community. Homeowner must confirm specification requirements.
All 90-MIN doors come with steel frames. Call for options!





Commercial Hardware (Interior & Exterior Application)





MMI DOOR stocks a full line of commercial doors, frames and hardware. We offer a variety of commercial hardware such as self-closing hinges, automatic door closers, panic devices, and more to suit most applications.



OPTIONS

SINGLE DOOR PREHUNG JAMB OPTION:		PRIMED		PINE VENEER WOOD BACK		OAK VENEER WOOD BACK		PREFINISHED EMBOSSED	
		Single	Double	Single	Double	Single	Double	Single	Double
4-9/16" Primed	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Primed	7/0 Unit	•	•						
4-9/16" Primed	8/0 Unit	•	•						
4-13/16" Primed	6/8 Unit	•	•	•	•	•	•	•	•
4-13/16" Primed	7/0 Unit	•	•						
4-13/16" Primed	8/0 Unit	•	•						
5-1/4" Primed	6/8 Unit	•	•	•	•	•	•	•	•
6-7/8" Primed	7/0 Unit	•	•						
6-7/8" Primed	7/0 Unit	•	•						
6-7/8" Primed	7/0 Unit	•	•						
6-7/8" Primed	8/0 Unit	•	•						
6-7/8" Primed	8/0 Unit	•	•						
6-7/8" Primed	8/0 Unit	•	•						
6-9/16" Primed	6/8 Unit	•	•	•	•	•	•	•	•
6-9/16" Primed	7/0 Unit	•	•						
6-9/16" Primed	8/0 Unit	•	•						
7-1/4" Primed	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Pine Veneer Wood Back	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Solid Pine	7/0 Unit	•	•						
4-9/16" Solid Pine	8/0 Unit	•	•						
5-1/4" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
5-1/4" Solid Pine	7/0 Unit	•	•						
6-9/16" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Pine	7/0 Unit	•	•						
7-1/4" Solid Pine	8/0 Unit	•	•						
9-1/4" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Pine	7/0 Unit	•	•						
9-1/4" Solid Pine	8/0 Unit	•	•						
11-1/4" Solid Pine	6/8 Unit	•	•	•	•	•	•	•	•
11-1/4" Solid Pine	7/0 Unit	•	•						
11-1/4" Solid Pine	8/0 Unit	•	•						
4-9/16" Solid Poplar	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Solid Poplar	7/0 Unit	•	•						
4-9/16" Solid Poplar	8/0 Unit	•	•						
4-13/16" Solid Poplar	6/8 Unit	•	•	•	•	•	•	•	•
4-13/16" Solid Poplar	7/0 Unit	•	•						
4-13/16" Solid Poplar	8/0 Unit	•	•						
6-9/16" Solid Poplar	6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Poplar	6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Poplar	7/0 Unit	•	•						
9-1/4" Solid Poplar	8/0 Unit	•	•						
4-9/16" Oak Veneer Wood Back	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
4-9/16" Solid Oak	7/0 Unit	•	•						
4-9/16" Solid Oak	8/0 Unit	•	•						
4-13/16" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
4-13/16" Solid Oak	7/0 Unit	•	•						
5-1/4" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
5-1/4" Solid Oak	7/0 Unit	•	•						
6-9/16" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Oak	7/0 Unit	•	•						
9-1/4" Solid Oak	6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Oak	7/0 Unit	•	•						
4-9/16" PF Embossed Imperial Oak	6/8 Unit	•	•	•	•	•	•	•	•
4-1/4 - 4-3/4" Primed Split Jamb	6/8 Unit	•	•	•	•	•	•	•	•
4-1/4 - 4-3/4" Solid Pine Split Jamb	6/8 Unit	•	•	•	•	•	•	•	•
4-1/4 - 4-3/4" PF Emb. Imperial Oak Split Jamb	6/8 Unit	•	•	•	•	•	•	•	•


	11/16" x 2-1/4" 327 Primed Casing
 *	11/16" x 2-1/4" 366 Primed Casing
	11/16" x 2-1/4" 356 Primed Casing
 *	11/16" x 2-1/4" 376 Primed Casing
	11/16" x 2-1/2" 452 Primed Casing
 *	11/16" x 3-1/4" 445 Primed Casing
 *	11/16" x 3-1/4" 444 Primed Casing
 *	11/16" x 2-5/8" CM1 Primed Casing
 *	11/16" x 2-3/4" CM 299 Primed Casing
 *	11/16" x 3-1/2" MDF CRF Casing
	1-1/16"x3-1/2" 97 Primed Casing

CASED OPENINGS	
MITERED CASING SETS	
	11/16" x 2-1/4" 356 Imperial Oak Casing
	9/16" x 2-1/4" 356 Red Oak Casing
	11/16" x 2-1/4" 356 Primed MDF Casing
	11/16" x 2-1/4" 327 Pine Casing
	11/16" x 2-1/4" 356 Pine Casing
 *	11/16" x 2-1/4" 376 Pine Casing
 *	11/16" x 2-1/2" 361 Pine Casing
 *	11/16" x 3-1/4" 445 Pine Casing

** Varies by location. Additional lead time may apply.*

• = Stocked

SPECIFICATIONS



Cores, Handings & Rough Openings

Flush Door Cores:


A. Hollow Core:
- Combination Wood/MDF Frame
- Corrugated honeycomb cell core
- 1-5/32" MDF stiles - optional wood stiles
- Optional wood top and bottom rails in customer-specified widths
- 1/8" premium hardwood veneers or pre-primed hardboard
- 1-3/8" or 1-3/4" Doors
- 2-3" x 16" lock blocks

B. Solid Core:
- Wood or MDF Frame
- 1-5/32" MDF top & bottom rails
- Optional wood top and bottom rails in customer-specified widths
- 1/8" premium hardwood veneers, pre-primed or unprimed hardboard
- 1-3/8" or 1-3/4" Doors
- 1-5/32" MDF stiles


Molded Door Cores:

C. Hollow Core:
- MDF Frame
- 1-5/32" MDF top & bottom rails
- Blocking behind panels for support
- Two particleboard lock blocks
- Optional wood top and bottom rails in customer-specified widths
- 1-3/8" or 1-3/4" Doors
- 1-5/32" MDF stiles
- 1/8" HDF facings


D. Solid Core:
- Wood Frame
- MDF top and bottom rails optional
- 1/8" HDF facings
- 1-1/4" wood top and bottom rails in customer-specified widths
- 1-3/8" or 1-3/4" Door
- 1-1/4" wood stiles
- 20 minute fire rating




The Finish:
Each door is individually finished with a UV sealer system. Applied before the finishing coat, sealing the wood, removing all traces of cracks and crevices in the joints and tones down brush stokes, knots and woodgrain.




Tenon & Mortise Joint:
High-quality construction with an adhesive binding technique that gives the joints exceptional strength and a lasting hold.



Panels:
Medium Density Fiber panels are incorporated in each panel for a stable door, resistant to expansion which helps to protect from cracks and leaks.



Interior Handings



Door Openings

	SINGLE DOOR WIDTH						DOUBLE DOOR WIDTH*						HEIGHT	
NOMINAL DOOR SIZE	**1/6**	**2/0**	**2/4**	**2/6**	**2/8**	**3/0**	**3/0**	**4/0**	**4/8**	**5/0**	**5/4**	**6/0**	**6/8**	**8/0**
Rough Opening Required	20"	26"	30"	32"	34"	38"	38"	50"	58"	62"	66"	74"	82-1/4"	98-1/4"
Unit Dimension	19-1/2"	25-1/2"	29-1/2"	31-1/2"	33-1/2"	37-1/2"	37-1/2"	49-1/2"	57-1/2"	61-1/2"	65-1/2"	73-1/2"	81-1/2"	97-1/2"

*Double door unit dimensions shown are for units with ball catch only.
For double door units with an astragal, add 1/2" to the width.

Proper care and maintenance of your newly installed interior doors is crucial. Despite their simplicity, neglecting these guidelines often leads to avoidable damage.

- Doors stored for more than a few days should have the top and bottom rails sealed. Do not drag doors or walk on them.
- Single door slabs (not prehung doors) should be laid flat on a dry, clean surface.
- Do not subject them to extreme or rapid changes in humidity or heat.



Madison, Molded Door

Finishing

Proper care and finishing are critical to maximize your interior doors' benefits. If done right, a correctly applied finish will help you achieve a longer-lasting, higher-quality product that exceeds your aesthetic and operational expectations. Below are a few key points everyone should know when it comes to the care and finishing of interior doors.

- All doors have six sides – front, back, two edges, plus the most ignored and most vulnerable, the top and bottom. Failure to finish all six surfaces uniformly is the number one cause of door failures.
- No finishing process that eliminates the transmission of water vapor or moisture into and out of wood doors exists today. The key to proper finishing is slowing down the transmission process so the door performs tolerably.
- Sanding is a critical component of any finishing process. All doors may have visible and invisible blemishes from handling or other naturally occurring characteristics. Sanding techniques vary by door type and must be followed to achieve a quality finish.
- Natural wood doors (pine, poplar, oak, etc.) contain color, tone, and graining variations that occur in the natural process. Applying a pre-stain wood conditioner promotes a uniform appearance and minimizes sharp color contrasts. Carefully follow the manufacturer's instructions for wood conditioner application.
- Oil-based products are recommended for interior wood-veneered doors. Water-based products can raise the grain and cause multiple moisture related problems. Latex or oil-based paint is suitable for interior molded doors.

For more detailed information, please refer to the manufacturer's care, finishing, and maintenance directions located on our website – **www.mmidoor.com**

Note: The color and texture of the doors shown in the catalog are not a 100% actual representation of the doors.

Warranty

At MMI DOOR, interior doors are produced to exacting standards, regardless of the manufacturer. Based on decades of superior performance, we warrant our interior doors from defects in material or artistry for a period of 5 years when they are:

- Properly installed
- Properly finished (paint or stain)
- Properly cared for and maintained on all 6 sides

MMI DOOR
Your Doorway to a Beautiful Home®

5 Year Limited Warranty

Note: Please contact our representative for more details on warranties or visit www.mmidoor.com

For more information on MMI DOOR products and services, please visit:

mmidoor.com



MMI DOOR LOCATIONS

MICHIGAN (HQ)
6361 Sterling Drive North
Sterling Heights, MI 48312
833.344.0031
Fax: 586.264.5430

OHIO
400 Circle Freeway Drive
Cincinnati, OH 45246
833.344.0031
Fax: 513.870.0242

PENNSYLVANIA
172 Plummer Road
Sidman, PA 15955
833.344.0031
Fax: 814.487.7850

MMIIDBROCH

©2026 MMI DOOR. All Rights Reserved.

35-99063 0726

MMI DOOR is proud to be part of the JELD-WEN global family of product brands and companies.