Orion® V2 Series

Virtual LCD Fireplaces

MODERN FLAMES®
ELECTRIC FIREPLACES





Table of Contents

Flames of the Future 4-5
Superior Visuals 6
Premium Audio & Smart Heating 7
Signature Upgrades 8
Why Orion V2 9
Orion V2 Traditional 10-12
Orion V2 Multi 13-15
Orion V2 Slim 16-18
Modern Flames + App 19
Model Overview 20



In 2022, Modern Flames shook the fireplace industry by introducing the Orion® Virtual LCD Electric Fireplace. Now, back with the same innovative mindset, Orion V2 is disrupting the electric fireplace industry with realism, technology, and design. As the pioneer of LCD flame technology, we have reimagined that same technology with the future in mind.

Orion V2 transforms the fireplace from a simple appliance into a fully immersive experience - combining advanced virtual LCD flame technology, premium audio, and intelligent design to create a true focal point in any space.

More than a screen or flame effect, Orion V2 delivers a fully immersive experience. Designed to captivate from any angle, with multi-dimensional flames, lifelike log reflections, immersive crackling audio, layered lighting, and smart features that work together to create a centerpiece you'll be proud to showcase.

Designed and engineered by Modern Flames in Phoenix, Arizona.



Flames of the Future

Refined Flame Styles and Expanded Flame Library

Orion® V2's advanced flame styles produce deep, multi-dimensional flames with 24 flame options instantly available. Each flame is engineered for lifelike movement, rich color, and a truly immersive experience, setting a new benchmark for virtual electric fireplace realism.

Over-the-Air Flame Updates

Orion V2 evolves long after installation. New flame styles are delivered through the Modern Flames + app, making it a continually improving digital platform rather than a static appliance. You get fresh designs and future-ready functionality long after your initial purchase.

Orion® V2 Flames

Unlike other electric fireplaces with static flames, Orion V2 comes with 24 flame options out of the box and continues to evolve. Our fireplaces include three flagship multi-dimensional flame styles, enhancing our signature flame design with layered flames that create dramatic depth and elevate the realism of the Orion Series.

Orion V2 Linear New Flagship Flames (Multi & Slim)



Style 1 Style 2 Style 3

Orion V2 Traditional New Flagship Flames



Style 1 Style 2 Style 3

Custom Styles

A fourth, custom style showcases an assortment of other flame styles and digital experience. It can be replaced with new flame styles, colors, or themes via the app in our ever-expanding flame library. New flame styles and themes are delivered through the Modern Flames + app, ensuring your fireplace only gets better with time. The Jellyfish Theme shown is just one example of the unexpected and unique ways you can transform the Orion V2 virtual electric fireplace.

LED Flames Legacy Flames Themes



Style 4 Included Flames and Themes

Superior Visuals
Next-Generation LCD Technology





Upgraded LCD Displays for Superior Brightness and Deeper Blacks

Orion® V2 features a next-generation LCD display delivering sharper contrasts, deeper blacks, and richer colors. Flames are multidimensional, vibrant, and more lifelike than ever. The refined LCD panels provide a sharper image, vibrant flame colors and improved viewing from any angle.

Adaptive Brightness for Perfect Ambiance (Day or Night)

Orion V2 automatically adjusts flame brightness to match your room's lighting, ensuring the perfect look at any time of day. Whether your space is filled with natural daylight or darkened for evening relaxation, the flames always appear balanced, vivid, and natural.

Premium Audio & Smart Heating

Engineered to match the realism of the flames, Orion® V2 delivers the most advanced and immersive sound experience available in an electric fireplace.

Custom Modern Flames Speakers

Built-in speakers custom engineered for the Orion V2 transform your fireplace into a fully immersive audio experience.

Bluetooth Audio Streaming

Transform your fireplace into an immersive audio experience. Stream music, podcasts, or ambient soundscapes directly through the custom premium speakers via Bluetooth connectivity. It's not just warmth and ambiance; it's your new entertainment centerpiece.

Three Ambient Crackling Sound Options

Choose the perfect mood with three ultra-realistic crackling soundscapes - Classic Crackling, Starry Night, and Stormy Night. Each is professionally engineered to recreate the warmth and comfort of a natural wood fire, without the mess, smoke, or maintenance.

Smart Heating Performance

Advanced PTC ceramic heating delivers fast, consistent warmth and quiet operation. Energy use is optimized to maintain steady heat for a more efficient, comfortable experience.



Signature Upgrades





Highly Realistic Lit Log Set

Crafted from real split wood, the Orion® V2 log set offers stunning authenticity. Lit logs are available on the Traditional and Multi units creating a truly realistic hearth experience. Brighter downlights highlight the logs on all units, adding character and depth.

Active Ember Bed

The active glowing ember bed adds movement, texture, and vivid color beneath the logs, It creates layered visual depth, bringing the entire fireplace to life.

Premium Remote Control

Orion V2 includes a thoughtfully designed remote for instant control of flame, lighting, heat, and audio. Whether you prefer tactile control or app-based smart management, the Orion V2 fits your lifestyle effortlessly.

Why Orion® V2?

The most advanced electric fireplace platform on the market.

A New Standard in Flame Technology
Orion V2 uses advanced virtual LCD technology to create deeper, more realistic flames that traditional electric fireplaces cannot match.

More Than a Fireplace — An Immersive Experience
Multidimensional flames combined with immersive audio, hyper-realistic logs, and layered lighting create an electric fireplace experience never seen before.

A Fireplace That Evolves Over Time
New flames styles, visual experiences, and features are delivered through the Modern Flames + app, keeping your fireplace current, refined, and uniquely yours.

Unmatched Installation Flexibility
Designed for new builds, remodels, and upgrading existing fireplaces. Built-in clean face, self-trimming, wall-mounted, or retrofit into existing fireplaces — no other electric fireplace offers this level of flexibility.

Performance to Match the Design
Advanced PTC ceramic heating delivers fast, consistent warmth with quiet operation. Power use is optimized to maintain steady heat for efficient, uninterrupted comfort.

5-Year Warranty + Dedicated Support.
Industry-leading coverage for long-term confidence.



Orion® V2 Traditional

APPROVED
INDOOR/OUTDOOR USE

Easily installs as a built-in clean face, self-trimming, or retrofit replacement for existing fireplaces.



Model Name	Model Number
Orion V2 26″ Traditional	OR26-TRAD-V2
Orion V2 30″ Traditional	OR30-TRAD-V2
Orion V2 36″ Traditional	OR36-TRAD-V2
Orion V2 42″ Traditional	OR42-TRAD-V2
Orion V2 54″ Traditional	OR54-TRAD-V2

Installation Options



Built-In Clean Face



Self-Trimming




Retrofit


Designed to Fit Most Existing Fireplaces

Optional Orion® Traditional Surround Trim Kits


OR26-TRAD-V2 - Surround



OR30-TRAD-V2 - Surround



OR36-TRAD-V2 - Surround





Existing Fireplace Before





Existing Fireplace After


26" Surround Trim Sizes	Model #
SM 5" (Covers 32-3/4"W x 23-1/4"H - 32-3/4"W x 27"H)	OTK-OR26-SM
LG 7" (Covers 36-3/4"W x 25-1/4"H - 36-3/4"W x 31"H)	OTK-OR26-LG

30" Surround Trim Sizes	Model #
SM 5" (Covers 38"W x 23-1/4"H - 38"W x 27"H)	OTK-OR30-SM
LG 8" (Covers 44"W x 26-1/4"H - 44"W x 33"H)	OTK-OR30-LG


36" Surround Trim Sizes	Model #
SM 4" (Covers 40-1/2"W x 27-3/8"H - 40 1/2"W x 30"H)	OTK-OR36-SM
LG 6" (Covers 44-1/2"W x 29 -3/8"H - 44-1/2"W x 34"H)	OTK-OR36-LG









Orion® V2 Traditional Appliance and Framing Dimensions



Rough Opening



Finished Opening



SIZES	26″ & 30″	36″, 42″ & 54″
HEATING CAPACITY	5,000 (up to 400 sq ft)	5,000-8,500 (400-700 sq ft)
VOLTAGE OPTIONS	120V	120V / 240V (dual)
POWER OPTIONS	120V plug included, hardwire ready	120V plug included, hardwire ready

APPLIANCE DIMENSIONS									ROUGH OPENING FRAMING DIMENSIONS FOR BUILT-IN CLEAN FACE				FINISHED OPENING DIMENSIONS FOR SELF-TRIMMING		
MODEL NUMBER	A	B	C	D	E	F	G	H	MODEL NUMBER	A	B	C	A	B	C
OR26-TRAD-V2	25″ (636mm)	19-5/8″ (500mm)	9-7/8″ (250mm)	22-3/4″ (578mm)	18-1/2″ (470mm)	9-3/8″ (238mm)	22-7/16″ (570mm)	17-1/16″ (433mm)	OR26-TRAD-V2	23″ (584mm)	18-3/4" (477mm)	10-1/2″ min. (267mm min.)	23″ (584mm)	18-3/4" (477mm)	10 min. (254mm)
OR30-TRAD-V2	30-1/2″ (776mm)	19-5/8″ (500mm)	9-7/8″ (250mm)	28″ (711mm)	18-1/2″ (470mm)	9-3/8″ (238mm)	27-5/8″ (702mm)	17-1/16″ (433mm)	OR30-TRAD-V2	28-1/4″ (718mm)	18-3/4″ (477mm)	10-1/2″ min. (267mm min.)	28-1/4″ (718mm)	18-3/4″ (477mm)	10 min. (254mm)
OR36-TRAD-V2	35″ (890mm)	24-13/16″ (630mm)	9-7/8″ (250mm)	32-3/8″ (823mm)	23-5/8″ (600mm)	9-3/8″ (238mm)	32-1/8" (816mm)	22-3/16″ (563mm)	OR36-TRAD-V2	32-5/8″ (829mm)	23-7/8″ (607mm)	10-1/2″ min. (267mm min.)	32-5/8″ (829mm)	23-7/8″ (607mm)	10 min. (254mm)
OR42-TRAD-V2	41″ (1042mm)	27-13/16″ (706mm)	9-7/8″ (250mm)	38-3/8″ (975mm)	26-5/8″ (676mm)	9-3/8″ (238mm)	38-1/8″ (968mm)	25-3/16″ (640mm)	OR42-TRAD-V2	38-3/4″ (985mm)	26-3/4″ (680mm)	10-1/2″ min. (267mm min.)	38-3/4″ (985mm)	26-3/4″ (680mm)	10 min. (254mm)
OR54-TRAD-V2	53-3/8″ (1355mm)	33-13/16″ (858mm)	9-7/8″ (250mm)	50-11/16″ (1288mm)	32-5/8″ (829mm)	9-3/8" (238mm)	50-3/8″ (1280mm)	31-3/16″ (792mm)	OR54-TRAD-V2	50-15/16″ (1294mm)	32-3/4″ (832mm)	10-1/2″ min. (267mm min.)	50-15/16″ (1294mm)	32-3/4″ (832mm)	10 min. (254mm)

Orion® V2 Multi

APPROVED
INDOOR/OUTDOOR USE

Designed for maximum flexibility with multiple built-in configurations or wall-mounted options.



Model Name	Model Number
Orion V2 52″ Multi	OR52-MULTI-V2
Orion V2 60″ Multi	OR60-MULTI-V2
Orion V2 76″ Multi	OR76-MULTI-V2
Orion V2 100″ Multi	OR100-MULTI-V2
Orion V2 120″ Multi	OR120-MULTI-V2

Installation Options



Built-In Clean Face



Wall Mounted

Orion® Multi Install Options



Three Sided/Bay Built-In



Wall Mount with
Studio Suites Mantel




Single Sided Built-In




Corner Built-In (L/R)


Orion® V2 Multi
Appliance and Framing Dimensions



Rough Opening
Three Sided/Bay



Rough Opening
Fully Recessed



HEATING CAPACITY	5,000–10,000 (400–800 sq ft)
VOLTAGE OPTIONS	120V / 240V (dual)
POWER OPTIONS	hardwire ready

APPLIANCE DIMENSIONS									ROUGH OPENING FRAMING DIMENSIONS FOR BUILT-IN CLEAN FACE				
MODEL NUMBER	A	B	C	D	E	F	G	H	MODEL NUMBER	A	A (3-Sided/Bay)	B	C (Fully Recessed)
OR52-MULTI-V2	51-1/2″ (1308mm)	24-5/16″ (618mm)	9-9/16″ (240mm)	50-5/8″ (1286mm)	23-7/8″ (606mm)	8-15/16″ (224mm)	50-1/8″ (1274mm)	18-7/16″ (468mm)	OR52-MULTI-V2	51″ (1295mm)	50-5/8″ (1286mm)	24-3/4″ (629mm)	9″ min. (229mm min.)
OR60-MULTI-V2	60″ (1524mm)	24-5/16″ (618mm)	9-9/16″ (240mm)	59-1/8″ (1502mm)	23-7/8″ (606mm)	8-15/16″ (224mm)	58-11/16″ (1491mm)	18-7/16″ (468mm)	OR60-MULTI-2	59-1/2″ (1511mm)	59-1/8″ (1502mm)	24-3/4″ (629mm)	9″ min. (229mm min.)
OR76-MULTI-V2	75-3/4″ (1925mm)	24-5/16″ (618mm)	9-9/16″ (240mm)	74-15/16″ (1904mm)	23-7/8″ (606mm)	8-15/16″ (224mm)	74-7/16″ (1891mm)	18-7/16″ (468mm)	OR76-MULTI-V2	75-1/4″ (1911mm)	74-15/16″ (1904mm)	24-3/4″ (629mm)	9″ min. (229mm min.)
OR100-MULTI-V2	100″ (2542mm)	24-5/16″ (618mm)	9-9/16″ (240mm)	99-1/4″ (2521mm)	23-7/8″ (606mm)	8-15/16″ (224mm)	98-3/4″ (2508mm)	18-7/16″ (468mm)	OR100-MULTI-V2	99-1/2″ (2527mm)	99-1/4″ (2521mm)	24-3/4″ (629mm)	9″ min. (229mm min.)
OR120-MULTI-V2	124-3/8″ (3159mm)	24-5/16″ (618mm)	9-9/16″ (240mm)	123-1/2″ (3137mm)	23-7/8″ (606mm)	8-15/16″ (224mm)	123″ (3125mm)	18-7/16″ (468mm)	OR120-MULTI-V2	124″ (3150mm)	123-1/2″ (3137mm)	24-3/4″ (629mm)	9″ min. (229mm min.)

Orion® V2 Slim

APPROVED INDOOR/OUTDOOR USE

Ideal for modern spaces with built-in clean face, self-trimming, or wall-mounted installation options




Model Name

Orion V2 52″ Slim
Orion V2 60″ Slim
Orion V2 76″ Slim
Orion V2 100″ Slim

Model Number

OR52-SLIM-V2
OR60-SLIM-V2
OR76-SLIM-V2
OR100-SLIM-V2

Installation Options



Built-In Clean Face



Self-Trimming




Wall Mounted

Orion® V2 Slim


Now Available as a Built-in or a Self-Trimming

The Orion V2 Slim is now able to be installed as a built-in. Simply replace the trim kit with the included drywall stops for a clean face finish in any 6″ wall.


Built-In Clean Face-In Installation




Self-Trimming/Slide In Installation



Orion® V2 Slim
Appliance and Framing Dimensions





HEATING CAPACITY	5,000 (up to 400 sq ft)
VOLTAGE OPTIONS	120V
POWER OPTIONS	120V plug included, hardwire ready

APPLIANCE DIMENSIONS									ROUGH OPENING FRAMING DIMENSIONS FOR BUILT-IN CLEAN FACE				FINISHED OPENING DIMENSIONS FOR SELF-TRIMMING		
MODEL NUMBER	A	B	C	D	E	F	G	H	MODEL NUMBER	A	B	C	A	B	C
OR52-SLIM-V2	52-3/8" (1330mm)	19-5/8″ (499mm)	6-5/16″ (160mm)	50-1/4″ (1276mm)	18-3/4″ (476mm)	5-3/4″ (146mm)	47-7/8″ (1216mm)	14-3/8″ (364mm)	OR52-SLIM-V2	50-3/4″ (1289mm)	19-1/8″ (486mm)	6-1/2″ (165mm)	50-3/4″ (1289mm)	19-1/8″ (486mm)	6″ min. (152mm min.)
OR60-SLIM-V2	60″ (1524mm)	19-5/8″ (499mm)	6-5/16″ (160mm)	58″ (1473mm)	18-3/4″ (476mm)	5-3/4″ (146mm)	55-1/2″ (1410mm)	14-3/8″ (364mm)	OR60-SLIM-V2	58-1/2″ (1486mm)	19-1/8″ (486mm)	6-1/2″ (165mm)	58-1/2″ (1486mm)	19-1/8″ (486mm)	6″ min. (152mm min.)
OR76-SLIM-V2	76-5/8″ (1947mm)	19-5/8″ (499mm)	6-5/16″ (160mm)	74-5/8″ (1895mm)	18-3/4″ (476mm)	5-3/4″ (146mm)	72-3/16″ (1833mm)	14-3/8″ (364mm)	OR76-SLIM-V2	75-1/8″ (1908mm)	19-1/8″ (486mm)	6-1/2″ (165mm)	75-1/8″ (1908mm)	19-1/8″ (486mm)	6″ min. (152mm min.)
OR100-SLIM-V2	101″ (2564mm)	19-5/8″ (499mm)	6-5/16″ (160mm)	98-7/8″ (2511mm)	18-3/4″ (476mm)	5-3/4″ (146mm)	96-7/16″ (2450mm)	14-3/8″ (364mm)	OR100-SLIM-V2	99-1/2″ (2527mm)	19-1/8″ (486mm)	6-1/2″ (165mm)	99-1/2″ (2527mm)	19-1/8″ (486mm)	6″ min. (152mm min.)

Modern Flames® + App

New App Experience with Advanced Customization



The First Fireplace That Evolves with You

Introducing a new level of personalization for Orion® V2 virtual electric LCD fireplaces. With our new mobile app, you can download and install additional flame styles and video experiences directly to your fireplace.

Choose from a growing library of premium flame designs and immersive visuals, and store up to six at a time. Whether you want a classic fire, modern aesthetic, or completely unexpected visual experience, your fireplace can now adapt to your mood, your space, and your style.

This is more than a fireplace. It's a statement piece continuously refreshed, endlessly customizable.

Modern Flames + App

Download on the App Store | GET IT ON Google Play

Three Models.
One Platform. Endless Possibilities.

The Orion® V2 Series delivers flexible installation options with high-performance features across the entire line, allowing you to choose the right model for your specific application without compromising flame quality or design.



Orion® V2 Traditional
Sizes: 26″ • 30″ • 36″ • 42″ • 54″

Orion V2 Traditional

Slides into an existing fireplace opening or installs as a built-in clean face using the included kit for a minimal, streamlined finish.

Orion V2 Multi

Built-in clean-face, single-sided design configurable as a single sided, left corner, right corner, or bay for versatile placement.

Features a deeper firebox than the Orion Slim to accommodate a full-sized lit log set.



Orion® V2 Multi
Sizes: 52″ • 60″ • 76″ • 100″ • 120″



Orion® V2 Slim
Sizes: 52″ • 60″ • 76″ • 100″

Orion V2 Slim

Engineered for 2x6 walls, slides in after finished wall materials with a self-trimming finish and includes a built-in clean-face kit for a flush finish to the wall.

No matter the model, every Orion V2 delivers the same industry-leading flame realism, performance, and technology.

modernflames.com | customerservice@modernflames.com | sales@modernflames.com | (602) 268-9353

MODERNFLAMES.COM



MODERN FLAMES®
ELECTRIC FIREPLACES

2025
LINEAR CATALOG
Premium Electric Fireplaces



ABOUT US

Modern Flames was established in 2009 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames has reinvented the electric fireplace look with its NEW Hybrid-FX™ flame technology. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance, ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

Stay current with our products and accessories on our modernflames.com web site



COVER PHOTO
Landscape Pro™ Slim 56"

CONTENTS

4-7 Landscape Pro™ Multi Series
The Most Versatile Electric Fireplace
Now Indoor/Outdoor Approved

8-11 Mantel Series for Landscape Pro™ Multi
Artfully crafted and American Made Mantels

12-15 Landscape Pro™ Slim Series
Built-In Clean Face with Unique Frameless Design
Now Indoor/Outdoor Approved

16-19 Spectrum Slimline Series
Recessed Flush Mount or Wall Mount

web site



Landscape Pro™ Multi 56"

LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- **MULTI SIZES: 44” | 56” | 68” | 80” | 96” | 120”**
- **MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE - PARTIAL 2x4 RECESS - WALL MOUNT**
- **MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)**
- **MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR**
- **MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES**

Up to 10 different install configurations included standard in the box!*

**Wall mount kits sold separately.*

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.



Landscape Pro™ Multi 44"



Landscape Pro™ Multi 44"

New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!

APPROVED
INDOOR/OUTDOOR USE

STANDARD FEATURES

LIGHTING

- Higher Intensity Ember Bed Activity
- Improved Flames
- Higher Intensity Flame LEDs

MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- New Log Design – Highly Detailed Realism

HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- Wi-Fi Connect to Fireplace (Alexa/Google home compatible)
- Basic Features Manual Controls
- Flame Speed (4 speed settings)
- Full Feature Remote Control
  - RGB Color Wheel
  - Brightness Slide Bar

OPTIONAL UPGRADES

- Standard Single-Sided Trim included
- 5 Piece Trim Kit (sold separate)

UPGRADED MEDIA

- ½" Reflective Fireglass – 10 lb. jars
  - 7 Color Options
- Wall Mount Cabinets

OPTIONAL CONTROL

- Wireless Thermostat & Full Wall Control

LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



MEDIA - NEW PREMIUM LOG DESIGN STANDARD



HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater - Indoor & Outdoor Approved



FLAMES & LIGHTING	1500 WATT HEATER	3000 WATT HEATER
15 WATTS	120V 5,000 BTU	240V 10,000 BTU
NO HEAT	UP TO 400 SQ FT	UP TO 800 SQ FT

MODERN FLAMES

Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.

APPROVED
INDOOR/OUTDOOR USE

STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



MODERN FLAMES


FULL FEATURED
Wi-Fi APP



UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL

Sold separately.



PT# MF-PRO-V2-WTC


MULTI INSTALLATIONS – MULTIPLE DIFFERENT CONFIGURATIONS

MULTI INSTALL DEPTHS:


- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT*

MULTI CONFIGURATIONS:


- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER
- WALL MOUNT*
- BUILT-IN RECESSED (2X4)
- FLOATING WALL CABINET
- 3-SIDED (BAY)
- FLOOR CABINET



FRONT VIEW



SIDE VIEW




WALL MOUNT*


*Mantel & Accessories Sold Separately

MODEL & CONFIGURATION		VIEWING AREA			FIREBOX DIMENSIONS					
MODEL #	CONFIGURATION	A FRONT GLASS WIDTH	B SIDE GLASS WIDTH	C GLASS HEIGHT	D OVERALL WIDTH	E OVERALL HEIGHT	F OVERALL DEPTH	G BOTTOM TO VIEWING	H TOP TO VIEWING	I BACK TO VIEWING
LPM-4416V2	SINGLE SIDED	43.75" (1111.25mm)	-	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	43.75" (1111.25mm)	5" (127mm)	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	43.75" (1111.25mm)	5" (127mm)	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-5616V2	SINGLE SIDED	55.75" (1416.05mm)	-	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	55.75" (1416.05mm)	5" (127mm)	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	55.75" (1416.05mm)	5" (127mm)	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-6816V2	SINGLE SIDED	67.75" (1720.85mm)	-	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	67.75" (1720.85mm)	5" (127mm)	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	67.75" (1720.85mm)	5" (127mm)	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-8016V2	SINGLE SIDED	79.75" (2025.65mm)	-	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	79.75" (2025.65mm)	5" (127mm)	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	79.75" (2025.65mm)	5" (127mm)	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-9616V2	SINGLE SIDED	96.75" (2457.45mm)	-	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	96.75" (2457.45mm)	5" (127mm)	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	96.75" (2457.45mm)	5" (127mm)	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-12016V2	SINGLE SIDED	119.75" (3041.65mm)	-	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	119.75" (3041.65mm)	5" (127mm)	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	119.75" (3041.65mm)	5" (127mm)	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)


Note Dimensions include screw heads on the exterior of the fireplace.




3 SIDED (BAY)



CORNER
RIGHT/LEFT



SINGLE SIDED



BUILT-IN RECESSED
(2X4)

US Patent 11473745


Hybrid-FX™
FLAME TECHNOLOGY
Landscape Pro 56"
Install: Partially Recessed with mantels

LANDSCAPE PRO™ MULTI STUDIO SUITES

Modern Flames Landscape Pro™ Multi Studio Suites are artfully crafted and American Made. These mantels are specifically designed for our Landscape Pro™ Multi for a wall mount application. Constructed with high detail woods the Studio Suites are available in a Driftwood Gray, Weathered Walnut, Coastal Sand or white paint grade ready for the DIY'er to finish it off themselves. For the wall mount applications simply attach the Landscape Pro™ Multi to the wall and then attach the Suites mounting brackets for the top and bottom pieces. The additional fireplace that is exposed from the wall will be finished off with the top and bottom and side wood furniture pieces. These Studio Suites are the perfect way to finish off this fully featured electric fireplace. **Matels are sold separately from fireplace.*



Landscape Pro™ Multi 56"


STUDIO SUITES – LANDSCAPE PRO™ MULTI

Dimension Specs

WALL MOUNT MANTEL DIMENSIONAL SPECS (Assembled)

Part #	Width	Heigth	Depth
WMC-44LPM-(#Color)	58.5	28	14
WMC-56LPM-(#Color)	70.5	28	14
WMC-68LPM-(#Color)	82.5	28	14
WMC-80LPM-(#Color)	94.5	28	14

COLORS: COASTAL SAND (CS), WEATHERED WALNUT (WW), DRIFTWOOD GRAY (DG), READY TO PAINT (RTF)



*Mantel & Accessories
Sold Separately



COASTAL
SAND



DRIFTWOOD
GRAY



WEATHERED
WALNUT


Hybrid-FX™
FLAME TECHNOLOGY
Landscape Pro 56"
Install: Partially Recessed
with mantels



modernflames.com

LANDSCAPE PRO™ SLIM SERIES

Built-in Clean Face Electric Fireplace

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 2" x 6" wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro Slim features a 5000 BTU heater, remote and wireless control and comes in 5 linear sizes, 44" | 56" | 68" | 80" | 96".



Landscape Pro Slim 56"

APPROVED
INDOOR/OUTDOOR USE

STANDARD FEATURES

- Outdoor Rated/Approved
- Hybrid=FX™ Flame Technology
- NEW Log Set – Highly Detailed Realism
- IMPROVED Flame, Ember Bed & Down lighting Controlled, Independently or Together
- Flame Speed Controls (4 speeds)
- 2 Different Ember Bed Stone Styles
- Full Flame Viewing Area
- Fully Finished Clean Face Installation
- Finish Trim Kit Included
- 5,000 BTU Variable Heater
- Semi-Reflective Screens Available
- Variable Flame Speed
- Remote Control
- Hidden Manual Controls
- Wi-Fi Controls with Modern Flames App (Alexa/Google)

LANDSCAPE PRO™ SLIM SERIES

Driftwood Logs & Acrylic Ember Bed Included Standard



Fireplace Available in 5 Standard Linear Widths: 44" 56" 68" 80" 96"



Flames & Ember Bed Colors - Several Color Combinations Available & Controlled Independently



Comes Standard with 2 Types of
Acrylic Media: Smoke & Clear


MEDIA - NEW PREMIUM LOG DESIGN



MODEL	VIEWING AREA		FIREBOX DIMENSIONS			FRAMING DIMENSIONS
	A	B	C	D	E	W x H x D
LPS-4414V2	13.375" (355.6mm)	43.25" (1098.55")	6" (152.4mm)	23.75" (603.25mm)	44.0625" (1119.19mm)	44 1/4" W x 24 1/8" H x 6" D (1130mm W x 613mm H x 152mm D)
LPS-5614V2	13.375" (355.6mm)	55.25" (1403.35mm)	6" (152.4mm)	23.75" (603.25mm)	56.0625" (1423.99mm)	56 1/4" W x 24 1/8" H x 6" D (1435mm W x 613mm H x 152mm D)
LPS-6814V2	13.375" (355.6mm)	67.25" (1708.15mm)	6" (152.4mm)	23.75" (603.25mm)	68.0625" (1728.79mm)	68 1/4" W x 24 1/8" H x 6" D (1740mm W x 613mm H x 152mm D)
LPS-8014V2	13.375" (355.6mm)	79.25" (2012.95mm)	6" (152.4mm)	23.75" (603.25mm)	80.0625" (2033.59mm)	80 1/4" W x 24 1/8" H x 6" D (2045mm W x 613mm H x 152mm D)
LPS-9614V2	13.375" (355.6mm)	95.25" (2419.35mm)	6" (152.4mm)	23.75" (603.25mm)	96.0625" (2439.99mm)	96 1/4" W x 24 1/8" H x 6" D (2451mm W x 613mm H x 152mm D)

Note Dimensions include screw heads on the exterior of the fireplace. Interior viewing dimensions include the trim kit.

US Patent 11473745



LANDSCAPE PRO SLIM - OPTIONAL INVISIBLE NON GLARE MESH SCREEN

Optional invisible non glare mesh screen, in place of glass front.



Close up



APPROVED
INDOOR/OUTDOOR USE

STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL




MODERN FLAMES
FULL FEATURED
Wi-Fi APP



UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL
Sold separately.



PT# MF-PRO-V2-WTC



SPS-60B

SPECTRUM SLIMLINE SERIES

Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 10 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.


SPS-74B


STANDARD FEATURES

- Hybrid-FX™ Flame Technology
- Log Set – Highly Detailed Realism
- 10 Color Flame Combinations with Ember Bed Lighting, plus color auto cycling.
- Glacier Glass Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Can be Installed Beneath a TV
- Variable Heat with Thermostat
- Variable Flame Controls
- 120 Volt Plug
- Do it Yourself Installation Instructions

SPECTRUM SLIMLINE SERIES

Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.



10 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below


Blue Flames & Blue Ember Bed


Blue Flames & Orange Ember Bed


Orange Flames & Orange Ember Bed


Gold Flames & Gold Ember Bed


Green Flames & Green Ember Bed


Magenta Flames & Magenta Ember Bed


Pink Flames & Blue Ember Bed


Red Flames & Red Ember Bed


Purple Flames & Blue Ember Bed


Orange Flames & Blue Ember Bed


Gold Flames & Green Ember Bed



Purple Flames & Purple Ember Bed


SPECTRUM SLIMLINE SERIES

Dimension Specs

SPECTRUM SLIMLINE DIMENSIONAL SPECS

Model Number	A	B	C	D	E	F	G	H	FINISHED OPENING DIMENSIONS W x H x D
SPS-50B	**49-3/4"** (1264mm)	**17"** (430mm)	**4-3/4"** (121mm)	**48-5/8"** (1235mm)	**16-1/8"** (410mm)	**4"** (102mm)	**46"** (1168mm)	**12"** (305mm)	**48-7/8"** (1242mm) x **16-1/4"** (413mm) x **4"** (102mm) minimum
SPS-60B	**59-3/4"** (1518mm)	**17"** (430mm)	**4-3/4"** (121mm)	**58-5/8"** (1489mm)	**16-1/8"** (410mm)	**4"** (102mm)	**55-13/16"** (1418mm)	**12"** (305mm)	**58-7/8"** (1496mm) x **16-1/4"** (413mm) x **4"** (102mm) minimum
SPS-74B	**73-3/4"** (1873mm)	**17"** (430mm)	**4-3/4"** (121mm)	**72-5/8"** (1845mm)	**16-1/8"** (410mm)	**4"** (102mm)	**69-3/4"** (1772mm)	**12"** (305mm)	**72-7/8"** (1851mm) x **16-1/4"** (413mm) x **4"** (102mm) minimum
SPS-100B	**99-3/4"** (2534mm)	**17"** (430mm)	**4-3/4"** (121mm)	**98-5/8"** (2505mm)	**16-1/8"** (410mm)	**4"** (102mm)	**95-7/8"** (2435mm)	**12"** (305mm)	**98-7/8"** (2512mm) x **16-1/4"** (413mm) x **4"** (102mm) minimum





REMOTE CONTROL

Separate controls for on/off variable heat and variable flame, with independent flame & ember bed variable colors.



MODERN FLAMES WEBSITE

RPG BRANDS

RPG BRANDS FAMILY OF COMPANIES

MODERN FLAMES ELECTRIC FIREPLACES

WILDFIRE OUTDOOR LIVING

GRAND CANYON GAS LOGS

ModernFlames.com

3515 E. Atlanta Ave. Phoenix, AZ 85040

(602) 268-9353 • (877) 246-9353

customerservice@ModernFlames.com

Copyright© 2025 RPG Brands (Modern Flames). All rights reserved.
Products and specifications subject to change without notice.
US Patent 11473745

Inc. 5000

022024

MODERN FLAMES

MODERNFLAMES.COM

VIEW MODELS ON OUR WEB SITE

REDSTONE BUILT-IN

REDSTONE INSERT

RPG BRANDS

RPG BRANDS FAMILY OF COMPANIES

MODERN FLAMES · GRAND CANYON GAS LOGS · WILDFIRE

customerservice@modernflames.com

modernflames.com

032022_V1

Traditional Collection

REDSTONE SERIES

Built-In and Insert Conventional Electric Fireplaces



Redstone 54"

MODERN FLAMES

REDSTONE - BUILT-IN

Built-in Flush Mount Conventional Electric Fireplace

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new Redstone electric fireplace. The Redstone feature our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 10" to 12" of depth in a wall for the built-in/slide-in flush mount look. The Redstone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media & the Redstone is available in sizes 26", 30", 36", 42" & 54".

STANDARD FEATURES

- Hybrid-FX™ Flame Technology
- Premium Glowing Log Set
- 10 Unique Flame Colors with Down Lighting and Ember Bed Lighting
- Acrylic Crystal Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Can be Installed Beneath a TV
- Variable Heat with Thermostat
- Variable Flame Controls
- 120 Volt Plug
- Do it Yourself Installation Instructions
- Finish Trim Kit Included




REMOTE CONTROL INCLUDED
Separate controls for on/off variable heat and variable flame with independent flame and ember bed variable colors.



REDSTONE - INSERT


Optional Insert Surrounds Specs

RS-2621 - Small Surround




	Model	A	B	Width	Part Number
SMALL SURROUND	RS-2621	32-3/4"	23-1/4"	5"	TK-RS26-3324 - Surround
	RS-2621	32-3/4"	27-5/8"	5"	with Bottom Riser
LARGE SURROUND	RS-2621	36-3/4"	25-1/4"	7"	TK-RS26-3726 - Surround
	RS-2621	36-3/4"	31-5/8"	7"	with Bottom Riser

RS-3021 - Small Surround




	Model	A	B	Width	Part Number
SMALL SURROUND	RS-3021	38"	23-1/4"	5"	TK-RS30-3824 - Surround
	RS-3021	38"	27-5/8"	5"	with Bottom Riser
LARGE SURROUND	RS-3021	44"	26-1/4"	8"	TK-RS30-4427 - Surround
	RS-3021	44"	33-5/8"	8"	with Bottom Riser

RS-3626 - Small Surround



	Model	A	B	Width	Part Number
SMALL SURROUND	RS-3626	40-1/2"	27-3/8"	4"	TK-RS36-4128 - Surround
	RS-3626	40-1/2"	30-3/4"	4"	with Bottom Riser
LARGE SURROUND	RS-3626	44-1/2"	29-3/8"	6"	TK-RS36-4530 - Surround
	RS-3626	44-1/2"	34-3/4"	6"	with Bottom Riser




REDSTONE - INSERT


Dimension Insert Surrounds Spec

RS Model # of Fireplace	Trim Width	A	B	C	D
RS-2621	5/8" (16mm)	24" (610mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)
RS-3021	5/8" (16mm)	29-1/4" (743mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)
RS-3626	5/8" (16mm)	33-3/4" (857mm)	24" (610mm)	9-7/8" (250mm)	20-1/2" (521mm)

RS Model # of Fireplace	E	F	G	H	Existing Fireplace Minimum Opening (W x H x D)
RS-2621	22-3/4" (578mm)	22-3/4" (578mm	9-1/4" (234mm)	18-1/2" (470mm)	23" (584mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3021	28" (710mm)	28" (710mm)	9-1/4" (234mm)	18-1/2" (470mm)	28-1/4" (718mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3626	32-3/8" (824mm)	32-3/8" (824mm)	9-1/4" (234mm)	23-5/8" (600mm)	32-5/8" (829mm) x 23-7/8" (607mm) x 10" (254mm)

*5/8" & 1-5/8" trim included in box for built-in installations






REDSTONE - BUILT-IN


Built-In Dimension Specs


RS Model # of Fireplace	Trim Width	A	B	C	D	E
RS-2621	5/8" (16mm)	24" (610mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)	22-3/4" (578mm)
RS-3021	5/8" (16mm)	29-1/4" (743mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)	28" (710mm)
RS-3626	5/8" (16mm)	33-3/4" (857mm)	24" (610mm)	9-7/8" (250mm)	20-1/2" (521mm)	32-3/8" (824mm)
RS-4229	5/8" (16mm)	39-3/4" (1009mm)	27" (686mm)	9-7/8" (250mm)	23-1/2" (597mm)	38-1/2" (977mm)
RS-5435	5/8" (16mm)	52" (1322mm)	33" (838mm)	12" (305mm)	29-1/2" (749mm)	50-3/4" (1290mm)

RS Model # of Fireplace	F	G	H	Overlap Trim 1-5/8" (41mm)	Finished Opening (W x H x D)
RS-2621	22-3/4" (578mm)	9-1/4" (234mm)	18-1/2" (470mm)	26" (661mm) x 20-7/8" (530mm)	23" (584mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3021	28" (710mm)	9-1/4" (234mm)	18-1/2" (470mm)	31-1/4" (794mm) x 20-7/8" (530mm)	28-1/4" (718mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3626	32-3/8" (824mm)	9-1/4" (234mm)	23-5/8" (600mm)	35-3/4" (908mm) x 26" (661mm)	32-5/8" (829mm) x 23-7/8" (607mm) x 10" (254mm)
RS-4229	38-1/2" (977mm)	9-1/4" (234mm)	26-5/8" (676mm)	41-3/4" (1059mm) x 29" (736mm)	38-3/4" (985mm) x 26-3/4" (680mm) x 10" (254mm)
RS-5435	50-11/16" (1288mm)	11-3/8" (289mm)	32-5/8" (829mm)	54" (1372mm) x 35" (888mm)	50-15/16" (1294mm) x 32-3/4" (832mm) x 12" (305mm)

*5/8" & 1-5/8" trim included in box for built-in installations







REDSTONE - BUILT-IN/INSERT

Independent Flame & Ember Bed Color Combinations

The **6** button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, Button #**1** turns the fireplace on or off. Button #**2** controls ember bed lights. Button #**3** controls the flame colors. Button #**4** turns the heater on or off. Button #**5** controls timer setting to turn off fireplace at selected time, and button #**6** adjusts the desired heater temperature.

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



Touch Button Control Panel

Flame & Ember Bed Colors Controlled Independently



Blue Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs on



Orange Flames - Logs off



Red Flames - Logs on



Red Flames - Logs off

REDSTONE - INSERT

Insert Electric Fireplace



Update your old fireplace with this premium electric fireplace insert. With efficient heat and beautiful, life-like flames, designed as an alternative to a wood-burning fireplace and provides a beautiful and affordable substitute. The insert can provide supplemental zone heating up to 500 square feet and can be used with or without heat for year-round enjoyment. These inserts don't require building a fire, and are even easier to start and maintain. Insert surround kits are available in 4", 5", 6" & 8" pieces to customize your existing fireplace with a Redstone model with a classic clean-look, Insert surround sets are for 26", 30" & 36" models only. Designed to fit into most existing wood burning fireplaces.

STANDARD FEATURES

- Hybrid-FX™ Flame Technology
- Premium Glowing Log Set
- 10 Unique Flame Colors with Down Lighting and Ember Bed Lighting
- Acrylic Crystal Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Can be Installed Beneath a TV
- Variable Heat with Thermostat
- Variable Flame Controls
- 120 Volt Plug
- Do it Yourself Installation Instructions
- Finish Trim Kit Included





Redstone 30" Insert with 8" Surround Kit