

REEB®
an SBP brand

INTERIOR DOORS

REEB® IN-STOCK STILE & RAIL DOOR CATALOG



Elevate Your Home

with Interior Stile & Rail Doors

Bring warmth and timeless beauty to your home with real wood stile and rail doors. With a variety of wood species and designs in stock, Reeb® makes it easy to find the perfect match for your style. Explore our selection and discover how the right door can make your house feel like home.

Table of Contents

Wood Species & Stainability 4

Light, Style & Privacy 6

Wood Doors Construction 8

Ponderosa Pine 10
- 1-3/16" Double Hip Raised Panel 10
- 9/16" Single Hip Raised Panel 12
- 1/4" Flat Panel 15
- French 16
  - › Clear Glass 16
- French 1" Bar 17
  - › Clear Glass 17
- French - 1-5/16" Bar 18
  - › Clear Glass 18
  - › Clear Beveled Glass 19
- French V-Groove Glass 20
- Transoms 20

Plantation Pine 22
- 11/16" Double Hip Raised Panel 22
- 11/16" V-Groove Raised Panel 24
- 3/8" Flat Panel 26
- French - 1-1/4" Bar 28
  - › Clear Glass 28
  - › Frit Glass 29

Pine Louvers 30
- Ponderosa Pine Louvers 31
- Plantation Pine Louvers 31

Knotty Pine 32
- 11/16" Double Hip Raised Panel 32
- 11/16" V-Groove Double Hip Raised Panel 34
  - › V-Groove Panel 35

Douglas Fir 36
- 3/8" Flat Panel 36
  - › Ovolo Sticking 36
  - › Magnetic Chalkboard 37
  - › Shaker Sticking 38
- 3/4" Double Hip Raised Panel 40
- French 42
  - › Clear Glass 42
  - › White Laminate Glass 43
- French 1-1/4" Bar 44
  - › Clear Glass 44
  - › Satin Etch Glass 46
- Decorative Glass 48
- 20 Minute Fire Rated Doors 50
  - › 3/4" Fire Rated Flat Panel 50
  - › 1-7/16" Fire Rated Raised Panel 51

Maple 52
- 3/8" Flat Panel 53

Knotty Alder 54
- 1-3/16" Flat Raised Panel 55
- 1-3/16" V-Groove Plank Raised Panel 55

Red Oak 56
- 3/4" Double Hip Raised Panel 57
- French 1-1/4" Bar 58
  - › Clear Glass 59

Barn Doors 60
- Ponderosa Pine, True Raised Panel 60
  - › Z Layout 60
  - › K Layout 60
- Knotty Alder, True Raised Panel 61
  - › Z Layout 61
  - › K Layout 61

Barn Door Hardware 62

Barnfold® Hardware 63

Flat Frames 64

Rabbeted Frames 65
- › Single Rabbeted 65
- › Double Rabbeted 65

Split Frames 66

Stops 66

Sills 67

Hinges 68
- › Baldwin® 69
- › Reeb® Specialty Products 69
- › Emtek® 69

Locks 70
- › Standard Residential Series 70
- › Builders Series 71

Index 72

Image Index 76

Custom Doors 77

Resources 78

Handling 79

Wood Species & Stainability



Staining a door brings a layer of beauty and sophistication to an area. Each species of wood has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well and which are better painted, Reeb® has created icons which identify the stainability of a species.

Easy *Stainability*

Moderate *Stainability*

Difficult *Stainability*

Reeb® stocks a variety of wood species to match any home's design.



Ponderosa Pine $

With its warm honey tones, Ponderosa Pine exudes classic Americana charm. Its inviting look creates a sense of comfort and relaxation—perfect for a cozy home.

Page 10 - 21, 31 (Louvers)
Page 60 (Barn Doors)



Plantation Pine $

Featuring a distinctive grain and a pale cream color, Plantation Pine is a durable choice. Harder than other pines and with fewer knots, it offers a clean, polished look.

Page 22 - 29, 31 (Louvers)



Knotty Pine $

With a rustic, laid-back feel, Knotty Pine doors add warmth and character with their tight knots and light color—ideal for country or casual-style homes.

Page 32 - 35



Douglas Fir $$

With its tight, vertical grain and warm hues, Douglas Fir has a timeless appeal. This wood species complements both traditional and modern interiors.

Page 36 - 51



Maple $$

Versatile and elegant, Maple works beautifully in both colonial and contemporary spaces. Typically light in color, some Hard Maple features eye-catching grain patterns for added visual interest.

Page 52 - 53



Knotty Alder $$

With a smooth, even grain, Knotty Alder brings a natural warmth to any space. Its light brown tones, with hints of red or peach, make it an excellent choice for a variety of stains and finishes.

Page 54 - 55, **Page 61** (Barn Doors)



Red Oak $$$

With its bold, prominent grain and coarse texture, Red Oak stands out. This classic hardwood takes stain beautifully, offering endless possibilities for rich, customized finishes.

Page 56 - 59



Light, Style & Privacy

Glass doors bring light, style, and personality to your home. Whether you want to brighten a space, add privacy, or make a design statement, there's a glass option to match your vision. A privacy indicator is included with each glass type, making it easy to choose the right balance of light and seclusion.



Satin Etch Glass

Frosted texture on one side that resists dirt and fingerprints.



Clear Glass

Maximize natural light with clear glass – tempered for durability.



Frit Glass

Semi-opaque glass with a slight bluish-gray tint.



Clear Beveled Glass

Beveled edge of clear glass creates a subtle detail.



White Laminate Glass

A vinyl interlayer between two smooth glass panes.



Clear Art on Satin Etch

The soft beauty of Satin Etch with an image that offers a glimpse into the next room.



Magnetic Chalkboard


Perfect for jotting down notes, grocery lists, or weekly menus.

CLEAR OBSCURE

Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Wood Doors Construction

For homeowners looking for a classic, high-quality door, stile and rail construction offers unmatched detail and craftsmanship. These doors feature crisp lines and well-defined panels, bringing depth and elegance to any space.



Stile: *The vertical component of the door, built with a solid engineered core for added durability and stability.*

Panel/Glass: *Choose between wood panels for a solid door or glass panels for a classic French door look.*

Veneer: *A high-quality veneer is applied over the core, creating a smooth surface for staining or painting.*

Dowel Pins: *Traditional dowel pins securely join the stiles and rails, reinforcing the door's strength.*

Rail: *The horizontal component of the door, crafted with a solid engineered core for lasting performance.*



Solid Engineered Core: *Built for strength and stability, stiles and rails feature a solid engineered core, with some doors using wood block or wood stave for added durability.*



Sharp Detail

The precision joinery creates crisp shadow lines and well-defined panel details for a refined look.



Proportion & Balance

Each door is crafted with architecturally correct stiles, rails, and panels for a perfectly balanced design.



Panel Design

Choose from flat panels for a sleek look or raised panels with single or double hip detailing for added depth.



Glass Designs


Select a full glass panel for an open feel or divided lites with bars for a classic, timeless look.

Ponderosa Pine

1-3/16” Double Hip Raised Panel







Panel Profile,
Ovolo Sticking

Moderate *Stainability*



1-3/16” DOUBLE HIP RAISED PANEL



WHILE SUPPLIES LAST

P82 1-3/8”
1-3/16” Raised Panel,
Ovolo Sticking

1/2 x 6/8	1/10 x 6/8	2/8 x 6/8
1/4 x 6/8	2/0 x 6/8	2/10 x 6/8
1/6 x 6/8	2/4 x 6/8	3/0 x 6/8
1/8 x 6/8	2/6 x 6/8	



P82A 1-3/8”
1-3/16” Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/8 x 6/8	2/8 x 6/8
1/2 x 6/8	1/10 x 6/8	2/10 x 6/8
1/3 x 6/8	2/0 x 6/8	3/0 x 6/8
1/4 x 6/8	2/4 x 6/8	
1/6 x 6/8	2/6 x 6/8	




Ponderosa Pine

9/16” Single Hip Raised Panel







Panel Profile,
Ovolo Sticking

Moderate *Stainability*



9/16” SINGLE HIP RAISED PANEL



P44 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/0 x 6/0
1/2 x 6/0
1/3 x 6/0
1/4 x 6/0
1/6 x 6/0
1/8 x 6/0
2/0 x 6/0
2/2 x 6/0
2/4 x 6/0
2/6 x 6/0
2/8 x 6/0
3/0 x 6/0
1/0 x 6/6
1/2 x 6/6
1/3 x 6/6
1/4 x 6/6
1/6 x 6/6
1/8 x 6/6
2/0 x 6/6
2/2 x 6/6
2/4 x 6/6
2/6 x 6/6
2/8 x 6/6
3/0 x 6/6
1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/0 x 7/0
1/2 x 7/0
1/3 x 7/0
1/4 x 7/0
1/6 x 7/0
1/8 x 7/0
2/0 x 7/0
2/2 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
2/10 x 7/0
3/0 x 7/0



P44 1-3/8” Bifold
9/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



WHILE SUPPLIES LAST

P45 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P85 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/3 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P108 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/0 x 6/0
1/2 x 6/0
1/3 x 6/0
1/4 x 6/0
1/6 x 6/0
1/8 x 6/0
2/0 x 6/0
2/2 x 6/0
2/4 x 6/0
2/6 x 6/0
2/8 x 6/0
3/0 x 6/0
1/0 x 6/6
1/2 x 6/6
1/3 x 6/6
1/4 x 6/6
1/6 x 6/6
1/8 x 6/6
2/0 x 6/6
2/2 x 6/6
2/4 x 6/6
2/6 x 6/6
2/8 x 6/6
3/0 x 6/6
1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/0 x 7/0
1/2 x 7/0
1/3 x 7/0
1/4 x 7/0
1/6 x 7/0
1/8 x 7/0
2/0 x 7/0
2/2 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
2/10 x 7/0
3/0 x 7/0



P108 1-3/8” Bifold
9/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



P67 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/4 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1088 1-3/8”
9/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Ponderosa Pine


Moderate *Stainability*

9/16” Single Hip Raised Panel


The doors on this page offer a **Reverse Layout**.

Compared to Standard Layout doors (see page 13), Reverse Layout doors switch the lock rail and bottom rail, for a different look.

P44 - Standard Layout



P1053 - Reverse Layout



9/16” SINGLE HIP RAISED PANEL



P1053 1-3/8”
9/16” Raised Panel,
Ovolo Sticking
Reverse Layout

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



P1053 1-3/8” Bifold
9/16” Raised Panel,
Ovolo Sticking
Reverse Layout

2/0 x 6/8	4/0 x 6/8	
2/4 x 6/8	4/8 x 6/8	
2/6 x 6/8	5/0 x 6/8	
2/8 x 6/8	5/4 x 6/8	
3/0 x 6/8	6/0 x 6/8	



P1051 1-3/8”
9/16” Raised Panel,
Ovolo Sticking
Reverse Layout

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



P1051 1-3/8” Bifold
9/16” Raised Panel,
Ovolo Sticking
Reverse Layout

2/0 x 6/8	4/0 x 6/8	
2/4 x 6/8	4/8 x 6/8	
2/6 x 6/8	5/0 x 6/8	
2/8 x 6/8	5/4 x 6/8	
3/0 x 6/8	6/0 x 6/8	

Bifolds are carton packed with track and hardware.


Ponderosa Pine

1/4” Flat Panel





Moderate *Stainability*



Panel Profile, Picture Frame Layout



1/4” FLAT PANEL



P4127 1-3/8”
1/4” Flat Panel,
Picture Frame Layout

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8


Ponderosa Pine

French

Moderate *Stainability*

CLEAR GLASS





Panel Profile
Ovolo Sticking

P1501 1-3/8”
Clear Glass,
Ovolo Sticking

2/0 x 6/8	2/10 x 6/8	2/4 x 7/0
2/2 x 6/8	3/0 x 6/8	2/6 x 7/0
2/4 x 6/8	———	2/8 x 7/0
2/6 x 6/8	2/0 x 7/0	3/0 x 7/0
2/8 x 6/8	2/2 x 7/0	



Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Ponderosa Pine


French 1” TDL Bar

CLEAR GLASS



P1510FC 1-3/8”
1” TDL Bar, Clear Glass,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8



1” TDL Bar Profile,
Ovolo Sticking



P1515FC 1-3/8”
1” TDL Bar, Clear Glass,
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Moderate *Stainability*

CLEAR OBSCURE SMP SIMPSON


Ponderosa Pine

French 1-5/16” Bar



1-5/16” Bar Close Up





1-5/16” Bar Profile,
Ovolo Sticking

CLEAR GLASS



P1509 1-3/8”
1-5/16” Bar, Clear Glass,
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1505 1-3/8”
1-5/16” Bar, Clear Glass,
Ovolo Sticking

1/0 x 6/8	1/6 x 6/8
1/2 x 6/8	2/6 x 6/8
1/3 x 6/8	2/8 x 6/8
1/4 x 6/8	3/0 x 6/8



P1510 1-3/8”
1-5/16” Bar, Clear Glass,
Ovolo Sticking

1/8 x 6/8	2/6 x 6/8
1/10 x 6/8	2/8 x 6/8
2/0 x 6/8	3/0 x 6/8
2/2 x 6/8	
2/4 x 6/8	2/0 x 7/0

CLEAR GLASS



P1512 1-3/8”
1-5/16” Bar, Clear Glass, Ovolo Sticking

2/0 x 8/0



P1515 1-3/8”
1-5/16” Bar, Clear Glass, Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
3/0 x 7/0



P1518 1-3/8”
1-5/16” Bar, Clear Glass, Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



P1705 1-3/8” Bifold
1-5/16” Bar, Clear Glass, Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8

CLEAR BEVELED GLASS



P1515B 1-3/8”
1-5/16” Bar, Clear Beveled Glass, Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Clear Beveled Glass Close Up

CLEAR OBSCURE

Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Ponderosa Pine

Moderate *Stainability*


French V-Groove Glass

V-GROOVE GLASS




P3915 1-3/8”
5/32” V-Groove Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



V-Groove Glass Profile,
Ovolo Sticking



5/32” V-Groove Glass Close Up

Transoms

All transoms are 12” in height and have 4-1/2” stiles. Interior transom sashes are not wide enough to use with a T-astragal, unless the passive door is reduced 1/2” in width.

INTERIOR TRANSOM



T001
Clear Glass
2/6, 2/8 & 3/0 for use with Single Door
4/0 for use of 2/0 Double Door

2/6 x 1/0 4/0 x 1/0
2/8 x 1/0 5/0 x 1/0
3/0 x 1/0 6/0 x 1/0



T004
Divided Lites, Clear Glass,
For use with 2/0 Double Door

4/0 x 1/0



T003
Divided Lites, Clear Glass
For use with Single Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0



T005
Divided Lites, Clear Glass
5/0 for use with 2/6 Double Door
6/0 for use with 3/0 Double Door

5/0 x 1/0
6/0 x 1/0



CLEAR OBSCURE


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Plantation Pine

11/16” Double Hip Raised Panel







Panel Profile,
Ovolo Sticking



Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

11/16" DOUBLE HIP RAISED PANEL



IP82R 1-3/8"
11/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP82AR 1-3/8"
11/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP44 1-3/8"
11/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/8 x 6/8	2/4 x 8/0
1/3 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
2/0 x 6/8	——	2/10 x 8/0
2/4 x 6/8	1/6 x 8/0	3/0 x 8/0
2/6 x 6/8	2/0 x 8/0	

Bifolds are carton packed with track and hardware.



Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Plantation Pine

Difficult *Stainability*

11/16” Double Hip Raised Panel

11/16” DOUBLE HIP RAISED PANEL



IP44 1-3/8” Bifold
11/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8 4/0 x 6/8
2/6 x 6/8 5/0 x 6/8
3/0 x 6/8 6/0 x 6/8



IP66 1-3/8”
11/16” Raised Panel,
Ovolo Sticking

1/0 x 6/8 2/0 x 6/8 1/6 x 8/0
1/2 x 6/8 2/2 x 6/8 2/0 x 8/0
1/3 x 6/8 2/4 x 6/8 2/4 x 8/0
1/4 x 6/8 2/6 x 6/8 2/6 x 8/0
1/6 x 6/8 2/8 x 6/8 2/8 x 8/0
1/8 x 6/8 2/10 x 6/8 2/10 x 8/0
1/10 x 6/8 3/0 x 6/8 3/0 x 8/0



IP66 1-3/8” Bifold
11/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8 4/0 x 6/8
2/6 x 6/8 5/0 x 6/8
3/0 x 6/8 6/0 x 6/8

Bifolds are carton packed with track and hardware.



IP55R 1-3/8”
11/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8 2/6 x 6/8
2/0 x 6/8 2/8 x 6/8
2/4 x 6/8 3/0 x 6/8



IP56R 1-3/8”
11/16” Raised Panel,
Ovolo Sticking

1/6 x 8/0 2/6 x 8/0
2/0 x 8/0 2/8 x 8/0
2/4 x 8/0 3/0 x 8/0

11/16” V-GROOVE RAISED PANEL



IP22V 1-3/8”
11/16” V-Groove Raised Panel,
Ovolo Sticking

1/0 x 6/8 2/6 x 6/8 1/6 x 8/0 2/10 x 8/0
1/3 x 6/8 2/8 x 6/8 2/0 x 8/0 3/0 x 8/0
1/6 x 6/8 2/10 x 6/8 2/4 x 8/0
2/0 x 6/8 3/0 x 6/8 2/6 x 8/0
2/4 x 6/8 2/8 x 8/0

Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




Plantation Pine

3/8” Flat Panel







Panel Profile,
Shaker Sticking



Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

3/8” FLAT PANEL



IP720 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



IP782 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/0 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



IP730 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



IP760 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



IP755 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



IP756 1-3/8”
3/8” Flat Panel,
Shaker Sticking


1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

Plantation Pine


French 1-1/4” Bar



1-1/4” Bar Close Up



Panel Profile,
Ovolo Sticking



1-1/4” Bar Profile,
Ovolo Sticking



Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

CLEAR GLASS



IP620 1-3/8”
Clear Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0



IP625 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



IP626 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0



IP627 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



IP628 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

FRIT GLASS



IP620F 1-3/8”
Frit Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 8/0
2/0 x 8/0



IP625F 1-3/8”
1-1/4” Bar, Frit Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



IP627F 1-3/8”
1-1/4” Bar, Frit Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

CLEAR OBSCURE


Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Pine Louvers


1-1/4” Louver Slats

Louver doors allow for air flow while providing privacy.


When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.




When the Blind Side is on the Hinge Side, the Louvers run down, meaning **you cannot see** into the next room.



When the Blind Side is on the Stop Side, the Louvers run up, meaning **you can see** into the next room.



Panel Profile,
Louvered Sticking



Panel Profile,
Square Sticking



PONDEROSA PINE

Moderate *Stainability*



P730 1-3/8”
1-1/4” Louver Slats,
Louvered Sticking

2/0 x 6/0	1/0 x 6/8	2/4 x 6/8	2/6 x 7/0
2/6 x 6/0	1/2 x 6/8	2/6 x 6/8	2/8 x 70
	1/3 x 6/8	2/8 x 6/8	3/0 x 7/0
1/6 x 6/6	1/4 x 6/8	2/10 x 6/8	
2/0 x 6/6	1/6 x 6/8	3/0 x 6/8	
2/4 x 6/6	1/8 x 6/8		
2/6 x 6/6	1/10 x 6/8	1/6 x 7/0	
2/8 x 6/6	2/0 x 6/8	2/0 x 7/0	
3/0 x 6/6	2/2 x 6/8	2/4 x 7/0	



P730 1-3/8” Bifold
1-1/4” Louver Slats,
Louvered Sticking

2/0 x 6/8	4/0 x 6/8
2/4 x 6/8	4/8 x 6/8
2/6 x 6/8	5/0 x 6/8
2/8 x 6/8	5/4 x 6/8
3/0 x 6/8	6/0 x 6/8



P732 1-3/8”
1-1/4” Louver Slats,
9/16” Single Hip Raised Panel,
Louvered Sticking

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



P732 1-3/8” Bifold
1-1/4” Louver Slats,
9/16” Single Hip Raised Panel,
Louvered Sticking

2/0 x 6/8	4/0 x 6/8
2/4 x 6/8	4/8 x 6/8
2/6 x 6/8	5/0 x 6/8
2/8 x 6/8	5/4 x 6/8
3/0 x 6/8	6/0 x 6/8

PLANTATION PINE

Recessed rails are rails that are not as thick as the stiles.

Difficult *Stainability*



PN730 1-1/8” Bifold
1-1/4” Louver Slats,
Recessed Rail,
Louvered Sticking

2/0 x 6/8	4/0 x 6/8
2/6 x 6/8	5/0 x 6/8
3/0 x 6/8	6/0 x 6/8



PN108 1-1/8” Bifold
1/2” Single Hip Raised Panel,
Recessed Rail,
Square Sticking

2/0 x 6/8	4/0 x 6/8
2/6 x 6/8	5/0 x 6/8
3/0 x 6/8	6/0 x 6/8

Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.


Knotty Pine

11/16” Double Hip Raised Panel

Moderate *Stainability*







Panel Profile,
Ovolo Sticking



Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.



RAISED PANEL



KP22 1-3/8”
11/16” Double Hip Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



KP66 1-3/8”
11/16” Double Hip Raised Panel,
Ovolo Sticking


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

Knotty Pine

11/16” V-Groove Double Hip Raised Panel







Panel Profile,
Reticulated Sticking
and Joint



Moderate *Stainability*


Reeb® Specialty Products (RSP) is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

V-GROOVE PANEL



KP22V 1-3/8”
11/16” V-Groove,
Double Hip Raised Panel,
Reticulated Sticking and Joint

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



V-Groove Close Up

Douglas Fir

3/8” Flat Panel






Easy Stainability

3/8” FLAT PANEL





Panel Profile,
Ovolo Sticking



F20 1-3/8”
3/8” Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0
1/3 x 6/8	2/8 x 6/8	3/0 x 7/0
1/4 x 6/8	3/0 x 6/8	
1/6 x 6/8		
1/8 x 6/8	2/0 x 7/0	
2/0 x 6/8	2/4 x 7/0	



F20 1-3/4”
3/8” Flat Panel,
Ovolo Sticking

1/4 x 6/8	2/8 x 6/8	2/0 x 7/0
1/6 x 6/8	2/10 x 6/8	2/2 x 7/0
1/8 x 6/8	3/0 x 6/8	2/4 x 7/0
1/10 x 6/8		2/6 x 7/0
2/0 x 6/8	1/4 x 7/0	2/8 x 7/0
2/2 x 6/8	1/6 x 7/0	2/10 x 7/0
2/4 x 6/8	1/8 x 7/0	3/0 x 7/0
2/6 x 6/8	1/10 x 7/0	

3/8” FLAT PANEL



F82 1-3/8”
3/8” Flat Panel,
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 7/0
2/0 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
3/0 x 7/0



F82 1-3/4”
3/8” Flat Panel,
Ovolo Sticking

2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
2/0 x 7/0
2/2 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
2/10 x 7/0
3/0 x 7/0



F30 1-3/8”
3/8” Flat Panel,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




MAGNETIC CHALKBOARD



F1120 1-3/8”
3/8” Magnetic Chalkboard,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Magnetic Chalkboard Panel Profile,
Ovolo Sticking


Douglas Fir

3/8” Flat Panel









Panel Profile,
Shaker Sticking

SHAKER STICKING



F720 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F782 1-3/8”
3/8” Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

SHAKER STICKING



F730 1-3/8”
3/8” Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F760 1-3/8”
3/8” Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F762 1-3/8”
3/8” Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F755 1-3/8”
3/8” Flat Panel,
Shaker Sticking


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Douglas Fir

3/4” Double Hip Raised Panel







Panel Profile,
Ovolo Sticking

Easy *Stainability*



3/4” DOUBLE HIP RAISED PANEL



F82R 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F465 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F44 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

1/4 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



F46 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
3/0 x 6/8



F55 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
1/6 x 7/0
2/0 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
2/10 x 7/0
3/0 x 7/0



F66 1-3/8”
3/4” Double Hip Raised Panel, Ovolo Sticking

1/0 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F63 1-3/8” Bifold
3/4” Double Hip Raised Panel, Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8


Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Douglas Fir

French

CLEAR GLASS





Panel Profile,
Ovolo Sticking

F1501 1-3/8”
Clear Glass,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8






Douglas Fir

French

WHITE LAMINATE GLASS





Panel Profile,
Shaker Sticking

F1501WL 1-3/8”
White
Laminate Glass,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1501WL 1-3/4”
White
Laminate Glass,
Shaker Sticking

3/0 x 6/8





CLEAR OBSCURE


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.


Douglas Fir

French 1-1/4” Bar



1-1/4” Bar Close Up





1-1/4” Bar Profile,
Ovolo Sticking

CLEAR GLASS



F1505 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1309 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1310 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/0 x 6/8



CLEAR GLASS

For more panel details on F318 & F418, see **Page 40.**



F1580 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1315 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F318 1-3/8”
1-1/4” Bar, 3/4” Raised Panel,
Clear Glass, Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F418 1-3/8”
1-1/4” Bar, 3/4” Raised Panel,
Clear Glass, Ovolo Sticking

2/8 x 6/8
3/0 x 6/8

CLEAR OBSCURE

Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.


Douglas Fir

French 1-1/4” Bar



1-1/4” Bar Close Up





1-1/4” Bar Profile,
Ovolo Sticking

SATIN ETCH GLASS



F1505E 1-3/8”
1-1/4” Bar, Satin Etch Glass,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1510E 1-3/8”
1-1/4” Bar, Satin Etch Glass,
Ovolo Sticking

2/0 x 6/8



CLEAR OBSCURE

Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.


Douglas Fir

Decorative Glass

DECORATIVE GLASS




Clear Art on Satin Etch Close Up



Panel Profile,
Ovolo Sticking







F1590 1-3/8”
Clear Art on Satin Etch Glass, Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Design Detail, Textured Glass on Reverse Side





F1592 1-3/8”
Clear Art on Satin Etch Glass, Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Design Detail, Textured Glass on Reverse Side




CLEAR OBSCURE


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Douglas Fir

20 Minute Fire Rated Doors







Panel Profile,
Ovolo Sticking

3/4" FIRE RATED FLAT PANEL



F9220 1-3/4"
20 Minute Fire Rated,
3/4" Fire Rated Flat Panel,
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F9282 1-3/4"
20 Minute Fire Rated,
3/4" Fire Rated Flat Panel,
Ovolo Sticking


2/8 x 6/8
3/0 x 6/8

Douglas Fir

20 Minute Fire Rated Doors







Panel Profile,
Ovolo Sticking

1-7/16" FIRE RATED DOUBLE HIP RAISED PANEL



F9244 1-3/4"
20 Minute Fire Rated,
1-7/16" Fire Rated Raised Panel,
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F9255 1-3/4"
20 Minute Fire Rated,
1-7/16" Fire Rated Raised Panel,
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F9266 1-3/4"
20 Minute Fire Rated,
1-7/16" Fire Rated Raised Panel,
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Maple

3/8” Flat Panel








Panel Profile,
Shaker Sticking

Easy *Stainability*



3/8” FLAT PANEL



MP1022 1-3/8”
3/8” Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



MP1033 1-3/8”
3/8” Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Knotty Alder

1-3/16” Flat Raised Panel







Panel Profile,
Tapered Sticking





FLAT RAISED PANEL



KA82SRR 1-3/8”
1-3/16” Flat Raised Panel,
Tapered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



KA82ASRR 1-3/8”
1-3/16” Flat Raised Panel,
Tapered Sticking


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0

V-GROOVE PLANK RAISED PANEL



KA82ASRP 1-3/8”
1-3/16” V-Groove Plank
Raised Panel, Tapered Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Panel Profile,
Tapered Sticking
(Shown from above)


Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Red Oak

3/4” Double Hip Raised Panel







Panel Profile,
Ovolo Sticking



Easy *Stainability*

3/4” DOUBLE HIP RAISED PANEL



O44 1-3/8”
3/4” Double Hip Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O66 1-3/8”
3/4” Double Hip Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O66 1-3/8” Bifold
3/4” Double Hip Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8


Bifolds are carton packed with track and hardware.
Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Red Oak

French 1-1/4” Bar



1-1/4” Bar Close Up



1-1/4” Bar Profile,
Ovolo Sticking



CLEAR GLASS



O1315 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O1310 1-3/8”
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/0 x 6/8

CLEAR OBSCURE

Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Barn Doors

Ponderosa Pine - True Raised Panel



Z LAYOUT



P180
11/16" Plank Panel, Z Layout, Tapered Sticking


2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

K LAYOUT




P181
11/16" Plank Panel, K Layout, Tapered Sticking

2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



11/16" Plank Panel Profile
Tapered Sticking
(Shown from above)

LAYOUT OPTIONS



Barn Doors

Knotty Alder - True Raised Panel



Z LAYOUT



KA180
3/4" Plank Panel, Z Layout, Tapered Sticking


2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

K LAYOUT




KA181
3/4" Plank Panel, K Layout, Tapered Sticking

2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



3/4" Plank Panel Profile
Tapered Sticking
(Shown from above)

LAYOUT OPTIONS



Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.

Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits makes the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

AVAILABLE FINISHES



BLACK



SILVER



STAINLESS STEEL



ARCHITECTURAL BRONZE



7" Pull Handle



Privacy Latch




6" Flush Pull



Roller Hanger



7" Pull Handle



Privacy Latch



6" Flush Pull



Roller Hanger

Barnfold® Hardware



Due to the wall space required for the long track, sometimes there is no room to install a conventional barn door. Barnfold® Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.

AVAILABLE FINISHES

BLACK




Barnfold J-Strap Hanger



4” Pull Handle



Hinge



Frames



Flat Frames

Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

Frames



Single Rabbeted

Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.




PRIMED



CLEAR PINE



CLEAR FIR



PRIMED SOLID POPLAR

Images in this catalog may represent stained or clear-coated product.
All product will ship unfinished. Please see page 79 for finishing instructions.


Frames



Split Frames

Split frames are two pieces of wood together which work well for odd wall sizes. Due to their construction, a split frame is able to work for a range of wall sizes. For example, Reeb® stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows the unit to be shipped with the casing pre-attached and ready for a complete install. This option may not be available in all markets, so please confirm availability prior to ordering.



PRIMED SOLID POPLAR



SOLID OAK

Stop

Known as a "stop", these small pieces of wood attach to a flat frame to give the door a place to stop. Optional draft seal weatherstrip stops are available for use to prevent drafts.




PRIMED WM-888
3/8" x 1-1/8"




PRIMED WM-936
7/16" x 1-3/8"



PRIMED WM-936 W/ DRAFT SEAL
Draft seal also avaiable in black



PRIMED WM-948
3/8" x 1-1/8"



PRIMED WM-888H
1/2" x 1-1/8"



PRIMED WM-876
7/16" x 1-3/8"



PRIMED WM-876 W/ DRAFT SEAL
Draft seal also avaiable in black

Sills



OAK SADDLE SILL

Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.



OAK SADDLE SILL WITH WEATHERSTRIP

For flat frames with draft seal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three-sided units do not need a sweep, but four-sided units will use a sweep for the best seal.



Hinges

Ball Bearing Hinges

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges, so having the ball bearings reduces friction. This results in better performance and a longer-lasting hinge.



Ball Bearing Square



Ball Bearing Radius

Non Ball Bearing Hinges

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

Hinge Sizes

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. On an 1-3/4" door in an interior application, Reeb® will automatically utilize a 4" hinge.



3.5" x 3.5"



4" x 4"

Available Finishes

USP
PRIMED WHITE

US1D
FLAT BLACK

US3
BRIGHT BRASS

BALDWIN®
US3LF*
BRIGHT BRASS

US4
SATIN BRASS

US4B
BRIGHT SATIN BRASS

US5
ANTIQUE BRASS

US7
FRENCH ANTIQUE

US10B
OIL RUBBED BRONZE

US14
POLISHED NICKEL

US15
SATIN NICKEL

BALDWIN®
US15LF*
SATIN NICKEL

US15A
ANTIQUE NICKEL

US26
BRIGHT CHROME

US26D
SATIN CHROME

US32D
STAINLESS STEEL

BALDWIN®
VB
VENETIAN BRONZE

LF* - Lifetime Warranty

BALDWIN

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3LF*		X		X		X		X
US10B		X		X		X		
US15LF*		X		X		X		
VB		X				X		

LF* - Lifetime Warranty

REEB SPECIALTY PRODUCTS

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				X				X
US1D		X	X	X		X	X	X
US3	X	X	X	X	X	X	X	X
US4	X	X		X	X	X		X
US4B	X		X	X	X		X	X
US5	X	X	X	X	X	X	X	X
US10B	X	X	X	X	X	X	X	X
US15	X	X	X	X	X	X	X	X
US15A				X				X
US26	X	X	X	X		X	X	X
US26D	X	X	X	X	X	X	X	X
US32D				X			X	X

EMTEK®

AVAILABLE FINISHES	3.5" X 3.5" SQUARE SOLID BRASS		3.5" X 3.5" SQUARE STEEL		3.5" X 3.5" RADIUS SOLID BRASS		3.5" X 3.5" RADIUS STEEL		4" X 4" SQUARE SOLID BRASS		4" X 4" SQUARE STEEL		4.5" X 4.5" SQUARE STEEL	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US1D		X	X	X			X		X	X	X	X	X	
US3		X	X	X		X	X		X	X	X	X	X	
US4		X	X						X	X				
US7		X	X	X		X	X		X	X	X	X		
US10B		X	X	X		X	X		X	X	X	X	X	
US14		X	X	X			X		X	X	X	X	X	
US15		X	X	X		X	X		X	X	X	X	X	
US26		X	X	X					X	X	X	X		

Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs. For available functions, reference the Reeb® In-Stock Price Catalog.

Standard Residential Series

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.



Jazz
US15



Accent
US26




Georgian
US5



Flair
US5



Andover
US26



Latitude
US1D



Plymouth
US26D

	Jazz	Flair	Latitude	Accent	Andover	Plymouth	Georgian
US1D			X	X		X	X
US3		X		X	X	X	X
US5		X		X	X		X
US15	X	X	X	X	X	X	X
US15A				X			X
US26				X	X	X	
US26D					X	X	X
716		X		X		X	X

Standard Residential Series Warranty

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.





Builders Series

The **Builders Series** provides an economical lock that delivers on style.



Dover
Shown in US32D

US32D



Torino
US15



LaSalle
US3



Byron
US3



Marin
US32D



Corona
US15

	Dover	LaSalle	Marin	Torino	Byron	Corona
US3		X			X	X
US15		X		X		X
US32D	X		X		X	

Builder's Series Warranty

The **Builder's Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.






Available Finishes



US1D
FLAT BLACK



US3
BRIGHT BRASS




US5
ANTIQUE BRASS




US15
SATIN NICKEL



US15A
ANTIQUE NICKEL




US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



716
AGED BRONZE

Index

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
KA180	61	6/8	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	MILL CHOICE
KA180	61	7/0	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	MILL CHOICE
KA180	61	8/0	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	MILL CHOICE
KA181	61	6/8	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	MILL CHOICE
KA181	61	7/0	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	MILL CHOICE
KA181	61	8/0	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	MILL CHOICE
P180	60	6/8	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	MILL CHOICE
P180	60	7/0	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	MILL CHOICE
P180	60	8/0	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	MILL CHOICE
P181	60	6/8	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	MILL CHOICE
P181	60	7/0	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	MILL CHOICE
P181	60	8/0	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	MILL CHOICE
F20	36	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20	36	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F20 1-3/4"	36	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20 1-3/4"	36	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F30	37	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/8"	SIMPSON
F44	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F46	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	7/0	FIR	4-1/2"	6-7/16"	4-1/2"	11-3/16"	3/4"	SIMPSON
F63 BIFOLD	41	6/8	FIR	2-1/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
F66	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
F82R	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F82	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82	37	7/0	FIR	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	7/0	FIR	4-1/2"	6-9/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F318	45	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F418	45	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F465	41	6/8	FIR	4-1/2"	9-1/2"	7-1/2"	9-3/16"	3/4"	SIMPSON
F720	38	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F730	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F755	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F760	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F762	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F782	38	6/8	FIR	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	SIMPSON
F1120	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F1309	44	6/8	FIR	5-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1310	44	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1315	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON

Mill Choice - Select doors are currently mill choice and vendor can vary. Please contact your reeb sales representative for additional information, or visit reeb.Com/find-a-dealer to find your local dealer.

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
F1501	42	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1501WL	43	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1505	44	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1505E	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1510E	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1580	45	6/8	FIR	4-1/2"	7-1/32"	N/A	9-3/16"	N/A	SIMPSON
F1590	48	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1592	48	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F9220	50	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	3/4"	SIMPSON
F9282	50	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F9244	51	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
F9255	51	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	1-7/16"	SIMPSON
F9266	51	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
IP22V	24	6/8	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
IP22V	24	8/0	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
IP44	23	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP44	23	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP44 BIFOLD	24	6/8	PLANTATION PINE	2-1/8"	4-1/2"	7-1/2"	8-1/8"	11/16"	RSP
IP55R	24	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9-1/8"	11/16"	RSP
IP56R	24	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9-1/8"	11/16"	RSP
IP66	24	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP66	24	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP66 BIFOLD	24	6/8	PLANTATION PINE	2-1/8"	4-1/2"	N/A	8-1/8"	11/16"	RSP
IP82R	23	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	11/16"	RSP
IP82R	23	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	11/16"	RSP
IP82AR	23	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	11/16"	RSP
IP82AR	23	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	11/16"	RSP
IP620	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP620	29	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP620F	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP620F	29	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP625	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP625F	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP626	29	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP627	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP627F	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP628	29	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP720	27	6/8	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP720	27	8/0	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP730	27	6/8	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP730	27	8/0	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP

Mill Choice - Select doors are currently mill choice and vendor can vary. Please contact your reeb sales representative for additional information, or visit reeb.Com/find-a-dealer to find your local dealer.

Index

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
IP760	27	6/8	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP760	27	8/0	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP755	27	6/8	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP756	27	8/0	PLANTATION PINE	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
IP782	27	6/8	PLANTATION PINE	4-3/8"	4-5/16"	7-1/2"	9-3/16"	3/8"	RSP
IP782	27	8/0	PLANTATION PINE	4-3/8"	4-5/16"	7-1/2"	9-3/16"	3/8"	RSP
KA82ASRR	55	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	MILL CHOICE
KA82ASRR	55	8/0	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	MILL CHOICE
KA82SRR	55	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	MILL CHOICE
KA82ASRP	55	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	MILL CHOICE
KP22	33	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
KP22	33	8/0	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
KP22V	35	6/8	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
KP22V	35	8/0	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
KP66	33	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
MP1022	53	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
MP1033	53	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
O44	57	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
O66	57	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
O66 BIFOLD	57	6/8	OAK	1-19/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
O1310	59	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
O1315	59	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P44	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P44	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P44	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P44	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P44 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	MILL CHOICE
P45	13	6/8	PONDEROSA PINE	4-17/32'	6-1/16"	7-1/2"	9"	9/16"	MILL CHOICE
P64	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	MILL CHOICE
P67	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P82A	11	6/8	PONDEROSA PINE	4-17/32'	8-3/64"	7-1/2"	9"	1-3/16"	MILL CHOICE
P82	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	MILL CHOICE
P85	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	MILL CHOICE
P108	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P108	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P108	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P108	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	MILL CHOICE
P108 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	MILL CHOICE
P730	31	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	N/A	MILL CHOICE
P730 BIFOLD	31	6/8	PONDEROSA PINE	2-5/32"	4-1/16""	5-3/16"	6"	N/A	MILL CHOICE
P732	31	6/6	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	9/16"	MILL CHOICE

Mill Choice - Select doors are currently mill choice and vendor can vary. Please contact your reeb sales representative for additional information, or visit reeb.Com/find-a-dealer to find your local dealer.

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
P732	31	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	9/16"	MILL CHOICE
P732 BIFOLD	31	6/8	PONDEROSA PINE	2-5/32"	4-1/16""	5-3/16"	6"	9/16"	MILL CHOICE
P1051	14	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	9"	7-1/2"	9/16"	MILL CHOICE
P1051	14	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	9"	7-1/2"	9/16"	MILL CHOICE
P1051 BIFOLD	14	6/8	PONDEROSA PINE	2-3/16"	4-9/16"	9"	6-1/2"	9/16"	MILL CHOICE
P1053	14	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	9"	7-1/2"	9/16"	MILL CHOICE
P1053	14	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	9"	7-1/2"	9/16"	MILL CHOICE
P1053 BIFOLD	14	6/8	PONDEROSA PINE	2-3/16"	4-9/16"	9"	6-1/2"	9/16"	MILL CHOICE
P1088	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	MILL CHOICE
P1501	16	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1501	16	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1505	18	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1509	18	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1510	18	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1510	18	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1510FC	17	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	MILL CHOICE
P1512	19	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1515	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1515	19	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1515B	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1515FC	17	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P1518	19	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P1705 BIFOLD	19	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	N/A	8"	N/A	MILL CHOICE
P3915	20	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	MILL CHOICE
P4127	15	6/8	PONDEROSA PINE	5-17/32"	4-9/16"	N/A	9"	1/4"	MILL CHOICE
PN108 BIFOLD	31	6/8	PLANTATION PINE	1-1/4"	3-3/16"	3-5/16"	3"	1/2"	RSP
PN730 BIFOLD	31	6/8	PLANTATION PINE	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
T001 TRANSOM	20	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	MILL CHOICE
T003 TRANSOM	20	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	MILL CHOICE
T004 TRANSOM	20	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	MILL CHOICE
T005 TRANSOM	20	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	MILL CHOICE

Mill Choice - Select doors are currently mill choice and vendor can vary. Please contact your reeb sales representative for additional information, or visit reeb.Com/find-a-dealer to find your local dealer.

Image Index

Images in this catalog may represent stained or clear-coated product.

PAGE	DOOR STYLE
COVER	P82
6	F1505E
11	P82A
21	P1515
23	IP82R
25	IP66
33	KP22
35	KP22V

PAGE	DOOR STYLE
39	F782
42	F1501
43	F1501WL
45	F1315
47	F1505E
49	F1592
53	MP1033
55	KA82SRR

PAGE	DOOR STYLE
57	O66
59	O1315
62	MP1022
63	F720
67	O66
76	KA82ASRP
77	CUSTOM BARN DOOR



Custom Doors



Wood doors have very little limitations when it comes to design options. This catalog is a great resource for our in-stock items, however sometimes a more unique look is desired. Whether it is a modified stock item or a completely custom design, Reeb's Custom Design Team can help to create your ideal entryway!

If you do not see what you are looking for in this catalog, it is likely we can still create it as a special order product. Contact your Reeb® representative for custom door designs!

Any wood. Any glass. Any size.
Any style. Imagine the possibilities.

Reeb® Learning Center


A Learning Center for Everything Door Related

Product Education
Sharpen your sales skills with focused insights on Reeb's full product lineup.

Guided Learning
Build a strong foundation or explore advanced topics with step-by-step learning.

Short, Engaging Videos
Clear, visual guidance for features, and best practices.

Manufacturer Videos
Gain insights directly from the source with featured videos from trusted manufacturers.



Start learning today at

learn.reeb.com

Free Access

Mobile Friendly

24/7 Availability





Primed Stile & Rail Doors

Wood doors are beautiful, but Reeb® also stocks Primed Stile & Rail Doors, if you prefer a smooth surface for painting. Scan here to view your options.

www.reeb.com/catalogs

Warranty

Scan here to view online warranties for Interior Stile and Rail Doors, along with our other in-stock Reeb products.

www.reeb.com/warranties

Handling

HANDLING

1. Protect door from abuse and mishandling. Take special care with glass.
2. Avoid dragging doors across one another and keep doors clean.
3. Store flat on a level surface in a dry, well ventilated building.
4. Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
5. Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.
6. If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Primers are not sealants.

GENERAL NOTES

1. Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
3. After sanding, clean the door thoroughly with a cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
4. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing. There can be significant humidity variance in homes from winter to summer and interior millwork will move. Finishing all sides properly protects your doors.
5. It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible. If the glass has plastic film protection, removal of the plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

INTERIOR FINISHING

STAIN

All stained products should use a stain controller prior to staining. Some species stain better than others. Please see individual species for stainmeter.

A good preparation is critical for good results. Sand the door and keep it very clean. Use a tack cloth to remove all particulate matter. Apply stain conditioner following manufacturers' instructions. Stain product and let dry. Finish with 2 or more coats of finish. Interior clear finishes can be varnish, tung/teak oils, lacquers, etc.

VARNISHES

Oil and water based. Oil finishes dry slower and give the finish coat a slight glow in color. Water based varnishes are fast drying and have little or no color and depth.

OILS

Tung and teak oils are wipe-on finishes. These dry slow and require many coats (4 or more). They typically give an amber color to the finish.

LACQUERS

Lacquers are fast drying finishes that are durable and give a nice depth and soft color.

PAINT

Follow all manufacturer finishing instructions for the best result. Unprimed doors should be primed with a good quality primer followed by two or more top coats of good quality solvent-base or latex enamel paint. It is recommended that sanding be done between coats of primer and paint.

MAINTENANCE

Best results will include light sanding and thorough cleaning between coats of paint. Do not skip light sanding after applying the coat of primer. Take care not to sand any glass. Let paint dry between coats. Always use top quality brushes, rollers and paint.

CHALKBOARD PANEL DOOR

BREAKING IN A NEW CHALKBOARD DOOR

1. Wash the chalkboard surface daily with cool water for one week.
2. Wash only a small section at a time, immediately rubbing dry with a lint-free cloth.
3. Repeat until the entire surface of the chalkboard has been washed.
4. After washing, hold a stick of chalk flat on the board and cover the entire surface.
5. Erase evenly. The chalkboard is now ready to use.

MAINTENANCE TIPS

1. Clean erasers frequently.
2. Use white chalk rather than yellow or colored chalk, as the pigments can make them more difficult to erase.
3. Wash the chalkboard weekly if necessary.
4. Look for high grade chalk (95% chalk with a 5% binder), as inferior chalk may permanently mark the chalkboard.

Bethlehem, PA
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

Barclay, MD
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

Mocksville, NC
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

Providence, RI
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

Syracuse, NY
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax

REEB®
an SBP brand

PART# REEBINT25
VERSION 1.0.0

For more information, visit **reeb.com**.

COPYRIGHT © 2025 REEB® MILLWORK ALL RIGHTS RESERVED.