


# INTERIOR DOORS

## REEB® IN-STOCK PRIMED STILE & RAIL DOOR CATALOG



# Elevate Your Home

## with Interior Primed Stile & Rail Doors

Primed stile and rail doors are an ideal choice for homeowners seeking to add a clean look to their Modern, Traditional or Craftsman style homes. They feature architecturally correct layouts, crisp shadow lines and highly defined panels, providing a superior level of detail. These doors are an excellent choice for discerning homeowners seeking increased strength, better durability and greater life expectancy at a similar price point to their molded door counterparts.

# Table of Contents


Primed Doors Construction 4

Primed Doors 6

**9/16" Single Hip Raised Panel 6**

› Ovolo Sticking 6

**3/8" MDF Flat Panel 10**

› Ovolo Sticking 10

› Shaker Sticking 12

**5/8" MDF Flat Panel 16**

› Ovolo Sticking 16

› Shaker Sticking 18

**French 1-1/4" Bar 20**

› Clear Glass 20

› Frit Glass 24

**French, Ovolo Sticking 26**

› Decorative Glass 26

› Clear Glass 28

› White Laminate Glass 29

› Frit Glass 30

**French, Shaker Sticking 31**

› Clear Glass 31

› Frit Glass 32

**Louvers**

› 1-1/4" Louver Slats 34

› 2-1/2" Louver Slats 36

› Contemporary Louver 38

**Contemporary Flush MDF 40**

**Transoms 44**

Fire-Rated Doors 46

**1-1/4" Raised Panel 46**

› Ovolo Sticking 46

**13/16" Flat Panel 48**

› Ovolo Sticking 48

› Shaker Sticking 50

Primed Barn Doors 52

**9/16" Plank Panel 52**

› Z Layout 52

› K Layout 53

Barn Door Hardware 54

Barnfold® Hardware 55

Flat Frames 56

Rabbeted Frames 57

› Single Rabbeted 57

› Double Rabbeted 57

Split Frames 58

Stops 58

Sills 59

Hinges 60

› Baldwin® 61

› Reeb® Specialty Products 61

› Emtek® 61

Locks 62

› Standard Residential Series 62

› Builder's Series 63

Catches 64

Image Index 65

Index 66

Resources 70

Handling 71


# Primed Doors Construction

Primed stile and rail doors are wood components joined together with dowel pins. The stiles and rails have an engineered wood core covered with an MDF veneer creating an excellent surface for painting. Constructing a door with different components brings definition that cannot be replicated by a molded door.

***Rail:*** *The horizontal component of the door, crafted with a solid engineered core for lasting performance.*

***Veneer:*** *An MDF veneer is permanently bonded to the engineered wood core, eliminating dents, dings, and gouges which makes a superior paint surface.*

***Stile:*** *The stiles have a solid wood engineered core for added strength, stability, and reduced sound transmission.*



***Solid Engineered Core***
*Built for strength and stability, stiles and rails feature a solid engineered core, with some doors using wood block or wood stave for added durability.*

***Panel/Glass:*** *Flat and Raised Panels are made with MDF for a smooth paint finish, stability, and comply with no added formaldehyde regulation.*




***Dowel Pins:*** *Traditional dowel pins securely join the stiles and rails, reinforcing the door's strength.*



**Sharp Detail**

Primed stile and rail doors join components together to to create sharp shadow lines on all sticking.



**Architecturally Correct**

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.



**Panel Design**

Choose from flat panels for a sleek look or raised panels with single hip detailing for added depth.



**Glass Designs**

Select a full glass panel for an open feel or divided lites with bars for a classic, timeless look.


# Primed

## 9/16” Single Hip Raised Panel









Panel Profile,
Ovolo Sticking

OVOLO STICKING



**PR82R 1-3/8”**
9/16” Raised Panel,
Ovolo Sticking

| | | | | |
|---|---|---|---|---|
| 1/0 x 6/8 | 2/0 x 6/8 | | 2/6 x 7/0 | 2/4 x 8/0 |
| 1/2 x 6/8 | 2/2 x 6/8 | 1/6 x 7/0 | 2/8 x 7/0 | 2/6 x 8/0 |
| 1/3 x 6/8 | 2/4 x 6/8 | 1/8 x 7/0 | 2/10 x 7/0 | 2/8 x 8/0 |
| 1/4 x 6/8 | 2/6 x 6/8 | 1/10 x 7/0 | 3/0 x 7/0 | 2/10 x 8/0 |
| 1/6 x 6/8 | 2/8 x 6/8 | 2/0 x 7/0 | | 3/0 x 8/0 |
| 1/8 x 6/8 | 2/10 x 6/8 | 2/2 x 7/0 | 1/6 x 8/0 | |
| 1/10 x 6/8 | 3/0 x 6/8 | 2/4 x 7/0 | 2/0 x 8/0 | |



**PR82R 1-3/8” Bifold**
9/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.


## OVOLO STICKING

SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



**PR82R 1-3/4"**
9/16" Raised Panel,
Ovolo Sticking


| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/6 x 6/8 | 1/8 x 7/0 | 1/6 x 8/0 |
| 1/2 x 6/8 | 2/8 x 6/8 | 1/10 x 7/0 | 2/0 x 8/0 |
| 1/3 x 6/8 | 2/10 x 6/8 | 2/0 x 7/0 | 2/4 x 8/0 |
| 1/4 x 6/8 | 3/0 x 6/8 | 2/2 x 7/0 | 2/6 x 8/0 |
| 1/6 x 6/8 | | 2/4 x 7/0 | 2/8 x 8/0 |
| 1/8 x 6/8 | 1/0 x 7/0 | 2/6 x 7/0 | 2/10 x 8/0 |
| 1/10 x 6/8 | 1/2 x 7/0 | 2/8 x 7/0 | 3/0 x 8/0 |
| 2/0 x 6/8 | 1/3 x 7/0 | 2/10 x 7/0 | |
| 2/2 x 6/8 | 1/4 x 7/0 | 3/0 x 7/0 | |
| 2/4 x 6/8 | 1/6 x 7/0 | | |



**PR82A 1-3/8"**
9/16" Raised Panel,
Ovolo Sticking

| | | |
|---|---|---|
| 1/0 x 6/8 | 2/6 x 6/8 | 3/0 x 7/0 |
| 1/2 x 6/8 | 2/8 x 6/8 | |
| 1/3 x 6/8 | 2/10 x 6/8 | 1/6 x 8/0 |
| 1/4 x 6/8 | 3/0 x 6/8 | 2/0 x 8/0 |
| 1/6 x 6/8 | | 2/4 x 8/0 |
| 1/8 x 6/8 | 1/6 x 7/0 | 2/6 x 8/0 |
| 1/10 x 6/8 | 2/0 x 7/0 | 2/8 x 8/0 |
| 2/0 x 6/8 | 2/4 x 7/0 | 2/10 x 8/0 |
| 2/2 x 6/8 | 2/6 x 7/0 | 3/0 x 8/0 |
| 2/4 x 6/8 | 2/8 x 7/0 | |

SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



**PR82A 1-3/4"**
9/16" Raised Panel,
Ovolo Sticking

| | | |
|---|---|---|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 1/8 x 6/8 | 1/8 x 7/0 | 2/0 x 8/0 |
| 1/10 x 6/8 | 1/10 x 7/0 | 2/4 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/6 x 8/0 |
| 2/2 x 6/8 | 2/2 x 7/0 | 2/8 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/10 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 3/0 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | |
| 2/10 x 6/8 | 2/10 x 7/0 | |
| 3/0 x 6/8 | 3/0 x 7/0 | |



Bifolds are carton packed with track and hardware.

# Primed

## 9/16” Single Hip Raised Panel

Bifolds are carton packed with track and hardware.

OVOLO STICKING




**PR44 1-3/8”**
9/16” Raised Panel,
Ovolo Sticking

1/0 x 6/8 1/8 x 6/8 2/6 x 6/8
1/2 x 6/8 1/10 x 6/8 2/8 x 6/8
1/3 x 6/8 2/0 x 6/8 2/10 x 6/8
1/4 x 6/8 2/2 x 6/8 3/0 x 6/8
1/6 x 6/8 2/4 x 6/8



**PR44 1-3/8” Bifold**
9/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8




**PR44 1-3/4”**
9/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8 2/4 x 6/8
1/8 x 6/8 2/6 x 6/8
1/10 x 6/8 2/8 x 6/8
2/0 x 6/8 2/10 x 6/8
2/2 x 6/8 3/0 x 6/8



**PR55R 1-3/8”**
9/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8 2/4 x 6/8 2/10 x 6/8
1/8 x 6/8 2/6 x 6/8 3/0 x 6/8
2/0 x 6/8 2/8 x 6/8





**PR66 1-3/8”**
9/16” Raised Panel,
Ovolo Sticking

1/0 x 6/8 1/6 x 6/8 2/2 x 6/8 2/10 x 6/8
1/2 x 6/8 1/8 x 6/8 2/4 x 6/8 3/0 x 6/8
1/3 x 6/8 1/10 x 6/8 2/6 x 6/8
1/4 x 6/8 2/0 x 6/8 2/8 x 6/8



**PR66 1-3/8” Bifold**
9/16” Raised Panel,
Ovolo Sticking

2/0 x 6/8 5/0 x 6/8
2/6 x 6/8 6/0 x 6/8
3/0 x 6/8
4/0 x 6/8




**PR66 1-3/4”**
9/16” Raised Panel,
Ovolo Sticking

1/6 x 6/8 2/2 x 6/8 2/10 x 6/8
1/8 x 6/8 2/4 x 6/8 3/0 x 6/8
1/10 x 6/8 2/6 x 6/8
2/0 x 6/8 2/8 x 6/8



**PR56R 1-3/8”**
9/16” Raised Panel,
Ovolo Sticking

1/6 x 8/0 2/8 x 8/0
2/0 x 8/0 3/0 x 8/0
2/4 x 8/0
2/6 x 8/0



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




# Primed

## 3/8” MDF Flat Panel









Panel Profile,
Ovolo Sticking

OVOLO STICKING



1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

1/6 x 8/0
1/8 x 8/0
1/10 x 8/0
2/0 x 8/0
2/2 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

**PR8020 1-3/8”**
3/8” MDF Flat Panel,
Ovolo Sticking



1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

1/6 x 8/0
1/8 x 8/0
1/10 x 8/0
2/0 x 8/0
2/2 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

**PR8082 1-3/8”**
3/8” MDF Flat Panel,
Ovolo Sticking



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## OVOLO STICKING



**PR8044 1-3/8”** *
3/8” MDF Flat Panel,
Ovolo Sticking

2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8040 1-3/8”**
3/8” MDF Flat Panel,
Ovolo Sticking

| | | |
|---|---|---|
| 1/6 x 6/8 | 3/0 x 6/8 | 2/6 x 7/0 |
| 2/0 x 6/8 | ——— | 2/8 x 7/0 |
| 2/4 x 6/8 | 1/6 x 7/0 | 3/0 x 7/0 |
| 2/6 x 6/8 | 2/0 x 7/0 | |
| 2/8 x 6/8 | 2/4 x 7/0 | |



**PR8055 1-3/8”**
3/8” MDF Flat Panel,
Ovolo Sticking

| | |
|---|---|
| 1/6 x 6/8 | 2/4 x 6/8 |
| 1/8 x 6/8 | 2/6 x 6/8 |
| 1/10 x 6/8 | 2/8 x 6/8 |
| 2/0 x 6/8 | 2/10 x 6/8 |
| 2/2 x 6/8 | 3/0 x 6/8 |



**PR8055 1-3/8” (8/0)**
3/8” MDF Flat Panel,
Ovolo Sticking

| | |
|---|---|
| 1/6 x 8/0 | 2/10 x 8/0 |
| 2/0 x 8/0 | 3/0 x 8/0 |
| 2/4 x 8/0 | |
| 2/6 x 8/0 | |
| 2/8 x 8/0 | |



Bifolds are carton packed with track and hardware.


*The PR8044 in sizes 1/0 - 1/10 is a narrow layout with only 2 panels. Please use the PR8782 for these sizes.

# Primed

### 3/8” MDF Flat Panel







Panel Profile,
Shaker Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## SHAKER STICKING




**PR8720 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/4 x 6/8 | 2/6 x 7/0 | 2/2 x 8/0 |
| 1/2 x 6/8 | 2/6 x 6/8 | 2/8 x 7/0 | 2/4 x 8/0 |
| 1/3 x 6/8 | 2/8 x 6/8 | 2/10 x 7/0 | 2/6 x 8/0 |
| 1/4 x 6/8 | 2/10 x 6/8 | 3/0 x 7/0 | 2/8 x 8/0 |
| 1/6 x 6/8 | 3/0 x 6/8 | ——— | 2/10 x 8/0 |
| 1/8 x 6/8 | ——— | 1/6 x 8/0 | 3/0 x 8/0 |
| 1/10 x 6/8 | 1/6 x 7/0 | 1/8 x 8/0 | |
| 2/0 x 6/8 | 2/0 x 7/0 | 1/10 x 8/0 | |
| 2/2 x 6/8 | 2/4 x 7/0 | 2/0 x 8/0 | |




**PR8720 1-3/8” Bifold**
3/8” MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8




**PR8782 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/4 x 6/8 | 2/6 x 7/0 | 2/2 x 8/0 |
| 1/2 x 6/8 | 2/6 x 6/8 | 2/8 x 7/0 | 2/4 x 8/0 |
| 1/3 x 6/8 | 2/8 x 6/8 | 2/10 x 7/0 | 2/6 x 8/0 |
| 1/4 x 6/8 | 2/10 x 6/8 | 3/0 x 7/0 | 2/8 x 8/0 |
| 1/6 x 6/8 | 3/0 x 6/8 | ——— | 2/10 x 8/0 |
| 1/8 x 6/8 | ——— | 1/6 x 8/0 | 3/0 x 8/0 |
| 1/10 x 6/8 | 1/6 x 70 | 1/8 x 8/0 | |
| 2/0 x 6/8 | 2/0 x 7/0 | 1/10 x 8/0 | |
| 2/2 x 6/8 | 2/4 x 7/0 | 2/0 x 8/0 | |



**PR8782 1-3/8” Bifold**
3/8” MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



# Primed

## 3/8” MDF Flat Panel

SHAKER STICKING





**PR8730 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/2 x 6/8 | 1/8 x 7/0 | 3/0 x 7/0 |
| 1/2 x 6/8 | 2/4 x 6/8 | 1/10 x 7/0 | — |
| 1/3 x 6/8 | 2/6 x 6/8 | 2/0 x 7/0 | 1/6 x 8/0 |
| 1/4 x 6/8 | 2/8 x 6/8 | 2/2 x 7/0 | 2/0 x 8/0 |
| 1/6 x 6/8 | 2/10 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 1/8 x 6/8 | 3/0 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 1/10 x 6/8 | — | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/0 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 | 3/0 x 8/0 |




**PR8730 1-3/8” Bifold**
3/8” MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8





**PR8760 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6x8 | 1/10 X 6/8 | 2/10 x 6/8 | 2/6 x 7/0 |
| 1/2 x 6/8 | 2/0 x 6/8 | 3/0 x 6/8 | 2/8 x 7/0 |
| 1/3 x 6/8 | 2/2 X 6/8 | — | 2/10 x 7/0 |
| 1/4 x 6/8 | 2/4 x 6/8 | 1/6 x 7/0 | 3/0 x 7/0 |
| 1/6 x 6/8 | 2/6 x 6/8 | 2/0 x 7/0 | |
| 1/8 x 6/8 | 2/8 x 6/8 | 2/4 x 7/0 | |





**PR8760 1-3/8” (8/0)**
3/8” MDF Flat Panel,
Shaker Sticking

| | | |
|---|---|---|
| 1/6 x 8/0 | 2/4 x 8/0 | |
| 1/8 x 8/0 | 2/6 x 8/0 | |
| 1/10 x 8/0 | 2/8 x 8/0 | |
| 2/0 x 8/0 | 2/10 x 8/0 | |
| 2/2 x 8/0 | 3/0 x 8/0 | |




**PR8740 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | |
|---|---|---|
| 1/6 x 6/8 | 3/0 x 6/8 | 2/6 x 7/0 |
| 2/0 x 6/8 | — | 2/8 x 7/0 |
| 2/4 x 6/8 | 1/6 x 7/0 | 3/0 x 7/0 |
| 2/6 x 6/8 | 2/0 x 7/0 | |
| 2/8 x 6/8 | 2/4 x 7/0 | |




**PR8744 1-3/8”** *
3/8” MDF Flat Panel,
Shaker Sticking

| | |
|---|---|
| 2/0 x 6/8 | 2/10 x 6/8 |
| 2/2 x 6/8 | 3/0 x 6/8 |
| 2/4 x 6/8 | |
| 2/6 x 6/8 | |
| 2/8 x 6/8 | |




**PR8762 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | |
|---|---|
| 1/6 x 6/8 | 2/10 x 6/8 |
| 2/0 x 6/8 | 3/0 x 6/8 |
| 2/4 x 6/8 | |
| 2/6 x 6/8 | |
| 2/8 x 6/8 | |



**PR8762 1-3/8” (8/0)**
3/8” MDF Flat Panel,
Shaker Sticking


2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




## SHAKER STICKING




**PR8755 1-3/8”**
3/8” MDF Flat Panel,
Shaker Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 1/10 x 6/8 | 2/10 x 6/8 | 2/6 x 7/0 |
| 1/2 x 6/8 | 2/0 x 6/8 | 3/0 x 6/8 | 2/8 x 7/0 |
| 1/3 x 6/8 | 2/2 x 6/8 | — | 2/10 x 7/0 |
| 1/4 x 6/8 | 2/4 x 6/8 | 1/6 x 7/0 | 3/0 x 7/0 |
| 1/6 x 6/8 | 2/6 x 6/8 | 2/0 x 7/0 | |
| 1/8 x 6/8 | 2/8 x 6/8 | 2/4 x 7/0 | |



**PR8755 1-3/8” Bifold**
3/8” MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



**PR8755 1-3/8” (8/0)**
3/8” MDF Flat Panel,
Shaker Sticking

| | |
|---|---|
| 1/6 x 8/0 | 2/10 x 8/0 |
| 2/0 x 8/0 | 3/0 x 8/0 |
| 2/4 x 8/0 | |
| 2/6 x 8/0 | |
| 2/8 x 8/0 | |




Bifolds are carton packed with track and hardware.
*The PR8744 in sizes 1/0 - 1/10 is a narrow layout with only 2 panels. Please use the PR8782 for these sizes.

# Primed

## 5/8” MDF Flat Panel







Panel Profile,
Ovolo Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## OVOLO STICKING



**PR8020 1-3/4”**
5/8” MDF Flat Panel,
Ovolo Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/8 x 6/8 | 2/0 x 7/0 | 2/6 x 8/0 |
| 1/2 x 6/8 | 2/10 x 6/8 | 2/2 x 7/0 | 2/8 x 8/0 |
| 1/3 x 6/8 | 3/0 x 6/8 | 2/4 x 7/0 | 2/10 x 8/0 |
| 1/4 x 6/8 | | 2/6 x 7/0 | 3/0 x 8/0 |
| 1/6 x 6/8 | 1/0 x 7/0 | 2/8 x 7/0 | |
| 1/8 x 6/8 | 1/2 x 7/0 | 2/10 x 7/0 | |
| 1/10 x 6/8 | 1/3 x 7/0 | 3/0 x 7/0 | |
| 2/0 x 6/8 | 1/4 x 7/0 | | |
| 2/2 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 | |
| 2/4 x 6/8 | 1/8 x 7/0 | 2/0 x 8/0 | |
| 2/6 x 6/8 | 1/10 x 7/0 | 2/4 x 8/0 | |



**PR8082 1-3/4”**
5/8” MDF Flat Panel,
Ovolo Sticking

| | | | |
|---|---|---|---|
| 1/0 x 6/8 | 2/4 x 6/8 | 2/0 x 7/0 | 1/8 x 8/0 |
| 1/2 x 6/8 | 2/6 x 6/8 | 2/2 x 7/0 | 1/10 x 8/0 |
| 1/3 x 6/8 | 2/8 x 6/8 | 2/4 x 7/0 | 2/0 x 8/0 |
| 1/4 x 6/8 | 2/10 x 6/8 | 2/6 x 7/0 | 2/2 x 8/0 |
| 1/6 x 6/8 | 3/0 x 6/8 | 2/8 x 7/0 | 2/4 x 8/0 |
| 1/8 X 6/8 | | 2/10 x 7/0 | 2/6 x 8/0 |
| 1/10 x 6/8 | 1/6 x 7/0 | 3/0 x 7/0 | 2/8 x 8/0 |
| 2/0 x 6/8 | 1/8 x 7/0 | | 2/10 x 8/0 |
| 2/2 x 6/8 | 1/10 x 7/0 | 1/6 x 8/0 | 3/0 x 8/0 |




# Primed

## 5/8” MDF Flat Panel









Panel Profile,
Shaker Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## SHAKER STICKING




**PR8720 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

| | | | | |
|---|---|---|---|---|
| 1/0 x 6/8 | 2/2 x 6/8 | 1/2 x 7/0 | 2/4 x 7/0 | 1/10 x 8/0 |
| 1/2 x 6/8 | 2/4 x 6/8 | 1/3 x 7/0 | 2/6 x 7/0 | 2/0 x 8/0 |
| 1/3 x 6/8 | 2/6 x 6/8 | 1/4 x 7/0 | 2/8 x 7/0 | 2/2 x 8/0 |
| 1/4 x 6/8 | 2/8 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 | 2/4 x 8/0 |
| 1/6 x 6/8 | 2/10 x 6/8 | 1/8 x 7/0 | 3/0 x 7/0 | 2/6 x 8/0 |
| 1/8 x 6/8 | 3/0 x 6/8 | 1/10 x 7/0 | | 2/8 x 8/0 |
| 1/10 x 6/8 | | 2/0 x 7/0 | 1/6 x 8/0 | 2/10 x 8/0 |
| 2/0 x 6/8 | 1/0 x 7/0 | 2/2 x 7/0 | 1/8 x 8/0 | 3/0 x 8/0 |




**PR8782 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

| | | | | |
|---|---|---|---|---|
| 1/0 x 6/8 | 2/2 x 6/8 | 1/8 x 7/0 | 3/0 x 7/0 | 2/6 x 8/0 |
| 1/2 x 6/8 | 2/4 x 6/8 | 1/10 x 7/0 | | 2/8 x 8/0 |
| 1/3 x 6/8 | 2/6 x 6/8 | 2/0 x 7/0 | 1/6 x 8/0 | 2/10 x 8/0 |
| 1/4 x 6/8 | 2/8 x 6/8 | 2/2 x 7/0 | 1/8 x 8/0 | 3/0 x 8/0 |
| 1/6 x 6/8 | 2/10 x 6/8 | 2/4 x 7/0 | 1/10 x 8/0 | |
| 1/8 x 6/8 | 3/0 x 6/8 | 2/6 x 7/0 | 2/0 x 8/0 | |
| 1/10 x 6/8 | | 2/8 x 7/0 | 2/2 x 8/0 | |
| 2/0 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 | 2/4 x 8/0 | |




**PR8730 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

| | | |
|---|---|---|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 3/0 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | |




**PR8760 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8740 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




**PR8755 1-3/4”**
5/8” MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

# Primed

## 1-1/4” BAR FRENCH





Bar Profile,
Ovolo Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




## CLEAR GLASS





**PR8010 1-3/8”**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/6 x 6/8





**PR8010 1-3/4”**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8




**PR8012 1-3/8” (8/0)**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0




**PR8012 1-3/4” (8/0)**
1-1/4” Bar, Clear Glass,
Ovolo Sticking


1/6 x 8/0
2/0 x 8/0

CLEAR OBSCURE

# Primed


## 1-1/4” BAR FRENCH

CLEAR GLASS




**PR8015 1-3/8”**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8




**PR8015 1-3/4”**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8018 1-3/8” (8/0)**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



**PR8018 1-3/4” (8/0)**
1-1/4” Bar, Clear Glass,
Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




CLEAR OBSCURE

# Primed

## 1-1/4” BAR FRENCH





Bar Profile,
Ovolo Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




FRIT GLASS





**PR8010F 1-3/8”**
1-1/4” Bar, Frit Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8





**PR8012F 1-3/8” (8/0)**
1-1/4” Bar, Frit Glass,
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0



**PR8015F 1-3/8”**
1-1/4” Bar, Frit Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8018F 1-3/8” (8/0)**
1-1/4” Bar, Frit Glass
Ovolo Sticking,


2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

CLEAR OBSCURE

# Primed

## FRENCH





Panel Profile,
Ovolo Sticking





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

DECORATIVE GLASS







**PR8490 1-3/8”**
Clear Art on Satin Etch Glass,
Ovolo Sticking


2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8


CLEAR OBSCURE

# Primed

## FRENCH

CLEAR GLASS





Panel Profile,
Ovolo Sticking

**PR8001 1-3/8”**
Clear Glass,
Ovolo Sticking

| | | | |
|---|---|---|---|
| 1/6 x 6/8 | 2/8 x 6/8 | 1/6 x 8/0 | 2/8 x 8/0 |
| 2/0 x 6/8 | 2/10 x 6/8 | 2/0 x 8/0 | 2/10 x 8/0 |
| 2/4 x 6/8 | 3/0 x 6/8 | 2/4 x 8/0 | 3/0 x 8/0 |
| 2/6 x 6/8 | | 2/6 x 8/0 | |









**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

# Primed

## FRENCH

WHITE LAMINATE GLASS





**PR1501WL 1-3/8”**
White Laminate Glass,
Ovolo Sticking

Panel Profile,
Ovolo Sticking

| | | | |
|---|---|---|---|
| 2/0 x 6/8 | 2/8 x 6/8 | 2/0 x 8/0 | 2/8 x 8/0 |
| 2/4 x 6/8 | 3/0 x 6/8 | 2/4 x 8/0 | 3/0 x 8/0 |
| 2/6 x 6/8 | | 2/6 x 8/0 | |





CLEAR OBSCURE

# Primed


## FRENCH

FRIT GLASS



**PR8001F 1-3/8”**
Frit Glass,
Ovolo Sticking

| | | | |
|---|---|---|---|
| 1/6 x 6/8 | 2/8 x 6/8 | 1/6 x 8/0 | 2/8 x 8/0 |
| 2/0 x 6/8 | 2/10 x 6/8 | 2/0 x 8/0 | 2/10 x 8/0 |
| 2/4 x 6/8 | 3/0 x 6/8 | 2/4 x 8/0 | 3/0 x 8/0 |
| 2/6 x 6/8 | | 2/6 x 8/0 | |



Panel Profile,
Ovolo Sticking









**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

# Primed


## FRENCH

CLEAR GLASS




**PR8711 1-3/8”**
Clear Glass,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



Glass Profile,
Shaker Sticking





**PR8711 1-3/4”**
Clear Glass,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
2/8 x 7/0
3/0 x 7/0



CLEAR OBSCURE

# Primed


## FRENCH

FRIT GLASS



**PR8711F 1-3/8”**
Frit Glass,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



Glass Profile,
Shaker Sticking



**PR8711F 1-3/4”**
Frit Glass,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
2/8 x 7/0
3/0 x 7/0





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




FRIT GLASS



**PR8733F 1-3/8”**
Frit Glass,
Shaker Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




**PR8733F 1-3/8” (8/0)**
Frit Glass,
Shaker Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



**PR8735F 1-3/8”**
Frit Glass,
Shaker Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




**PR8735F 1-3/8” (8/0)**
Frit Glass,
Shaker Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0


CLEAR OBSCURE

# Primed

## LOUVERS




When the blind side is on the hinge side, the louvers run **down**, meaning you **cannot** see into the next room.



When the blind side is on the stop side, the louvers run **up**, meaning you **can** see into the next room.


**When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.**






Louver Profile,
Louvered Sticking

### 1-1/4" LOUVER SLATS



**PR730 1-3/8"**
Primed, 1-1/4" Slats,
Louvered Sticking

| | | | | |
|---|---|---|---|---|
| 1/6 x 6/8 | 2/4 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 | 2/4 x 8/0 |
| 1/8 x 6/8 | 2/6 x 6/8 | 2/0 x 7/0 | 3/0 x 7/0 | 2/6 x 8/0 |
| 1/10 x 6/8 | 2/8 x 6/8 | 2/4 x 7/0 | | 2/8 x 8/0 |
| 2/0 x 6/8 | 2/10 x 6/8 | 2/6 x 7/0 | 1/6 x 8/0 | 3/0 x 8/0 |
| 2/2 x 6/8 | 3/0 x 6/8 | 2/8 x 7/0 | 2/0 x 8/0 | |




**PR730 1-3/4"**
Primed, 1-1/4" Slats,
Louvered Sticking

| | |
|---|---|
| 1/6 x 6/8 | 2/10 x 6/8 |
| 2/0 x 6/8 | 3/0 x 6/8 |
| 2/4 x 6/8 | |
| 2/6 x 6/8 | |
| 2/8 x 6/8 | |




**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## 1-1/4” LOUVER SLATS



**PRN730FJ 1-1/8” Bifold**
Primed, 1-1/4” Slats, 1-1/8” Modified Finger Joint, Louvered Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8




**PR732 1-3/8”**
Primed, 1-1/4” Slats, Louvered Sticking

1/6 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/6 x 7/0
2/0 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
3/0 x 7/0



**PRN732FJ 1-1/8” Bifold**
Primed, 1-1/4” Slats, 1-1/8” Modified Finger Joint, Louvered Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



**PR742 1-3/8”**
Primed, 1-1/4” Slats, Louvered Sticking


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8




Bifolds are carton packed with track and hardware.

# Primed

## LOUVERS




When the blind side is on the hinge side, the louvers run **down**, meaning you **cannot** see into the next room.



When the blind side is on the stop side, the louvers run **up**, meaning you **can** see into the next room.

**When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.**



Louver Profile, Louvered Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




## 2-1/2” LOUVER SLATS



**PR730W 1-3/8”**
Primed, 2-1/2” Slats,
Louvered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR730W 1-3/8” Bifold**
Primed, 2-1/2” Slats,
Louvered Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



**PR732W 1-3/8”**
Primed, 2-1/2” Slats,
Louvered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8


Bifolds are carton packed with track and hardware.

# Primed

## CONTEMPORARY LOUVERS



Reeb® contemporary louver doors have shaker sticking and unique slotted louver ventilation. Cut at an angle into the panel, the slotted louvers give the same ventilation possibilities as louver slats, but with a different aesthetic. This contemporary door pairs well with other shaker-style flat panel doors.



Slotted Louver Profile,
Shaker Sticking





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




## SLOTTED LOUVER




**PR730F 1-3/8”**
3/8” Flat Panel Slotted
Louver, Shaker Sticking

| | |
|---|---|
| 1/6 x 6/8 | 2/6 x 6/8 |
| 2/0 x 6/8 | 2/8 x 6/8 |
| 2/4 x 6/8 | 3/0 x 6/8 |



**PR730F 1-3/8” Bifold**
3/8” Flat Panel Slotted
Louver, Shaker Sticking

| | |
|---|---|
| 2/0 x 6/8 | 4/0 x 6/8 |
| 2/6 x 6/8 | 5/0 x 6/8 |
| 3/0 x 6/8 | 6/0 x 6/8 |



**PR730F 1-3/4”**
3/8” Flat Panel Slotted
Louver, Shaker Sticking

| | | |
|---|---|---|
| 1/6 x 6/8 | 2/10 x 6/8 | 2/4 x 7/0 |
| 2/0 x 6/8 | 3/0 x 6/8 | 2/6 x 7/0 |
| 2/4 x 6/8 | — | 2/8 x 7/0 |
| 2/6 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 |
| 2/8 x 6/8 | 2/0 x 7/0 | 3/0 x 7/0 |

Bifolds are carton packed with track and hardware.

# Primed

## CONTEMPORARY MDF

Reeb's modern-style Flush MDF doors have a premium 1/4" thick veneer. Unlike traditional flush doors with a thin veneer over a solid particle core where the grooves cut into the door must be shallow, the grooves in RSP flush doors are cut 1/8" deep, resulting in crisp shadow lines for greater definition.



These contemporary doors have a unique lattice wood core that provides exceptional strength and improved stability. They have the feel of a real wood door without the weight that can lead to hinge issues. These doors can be prepped for the typical backset options or a mortise pocket.





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.



## FLUSH MDF



**PRF2302 1-3/8”**
Flush MDF,
Square Grooves

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




**PRF2302 1-3/4”**
Flush MDF,
Square Grooves

| | | |
|---|---|---|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |

# Primed


## CONTEMPORARY MDF

FLUSH MDF




**PRF2355 1-3/8”**
Flush MDF,
Square Grooves

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



**PRF2355 1-3/4”**
Flush MDF,
Square Grooves

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8
1/6 x 7/0
2/0 x 7/0
2/4 x 7/0
2/6 x 7/0
2/8 x 7/0
2/10 x 7/0
3/0 x 8/0



**PRF2356 1-3/4” (8/0)**
Flush MDF,
Square Grooves

1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



**PRF2315 1-3/8”**
Flush MDF,
Square Grooves

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




FLUSH MDF




**PRF2315 1-3/4”**
Flush MDF,
Square Grooves

| | | |
|---|---|---|
| 1/6 x 6/8 | 2/0 x 7/0 | 2/4 x 8/0 |
| 2/0 x 6/8 | 2/4 x 7/0 | 2/6 x 8/0 |
| 2/4 x 6/8 | 2/6 x 7/0 | 2/8 x 8/0 |
| 2/6 x 6/8 | 2/8 x 7/0 | 2/10 x 8/0 |
| 2/8 x 6/8 | 2/10 x 7/0 | 3/0 x 8/0 |
| 2/10 x 6/8 | 3/0 x 7/0 | |
| 3/0 x 6/8 | | |
| | 1/6 x 8/0 | |
| 1/6 x 7/0 | 2/0 x 8/0 | |




**PRF2310 1-3/8”**
Flush MDF,
Square Grooves

| |
|---|
| 1/6 x 6/8 |
| 2/0 x 6/8 |
| 2/4 x 6/8 |
| 2/6 x 6/8 |
| 2/8 x 6/8 |
| 3/0 x 6/8 |




**PRF2310 1-3/4”**
Flush MDF,
Square Grooves


| | | |
|---|---|---|
| 1/6 x 6/8 | 2/0 x 7/0 | 2/4 x 8/0 |
| 2/0 x 6/8 | 2/4 x 7/0 | 2/6 x 8/0 |
| 2/4 x 6/8 | 2/6 x 7/0 | 2/8 x 8/0 |
| 2/6 x 6/8 | 2/8 x 7/0 | 2/10 x 8/0 |
| 2/8 x 6/8 | 2/10 x 7/0 | 3/0 x 8/0 |
| 2/10 x 6/8 | 3/0 x 7/0 | |
| 3/0 x 6/8 | | |
| | 1/6 x 8/0 | |
| 1/6 x 7/0 | 2/0 x 8/0 | |



**PRF2315**



**PRF2310**



**PRF2302**

For a consistent design, the strike side will always be on the stile line side of the door.

# Interior Door Units

After choosing the perfect door, there are additional features that can be included to complete your door unit. These include adding transoms and sidelites for more light, choosing a frame that matches your door, and selecting hardware to match your home's interior.

## INTERIOR TRANSOM



**PRT001**
Primed, Clear Glass,
Ovolo Sticking

2/6, 2/8 & 3/0 for use with Single Door
4/0 x 1/0 for use with 2/0 Double Door
5/0 x 1/0 for use with 2/6 Double Door
6/0 x 1/0 for use with 3/0 Double Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0
4/0 x 1/0
5/0 x 1/0
6/0 x 1/0



**PRT003**
Primed, Divided Lites, Clear Glass
Ovolo Sticking

For use with Single Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0



**PRT004**
Primed, Divided Lites, Clear Glass,
Ovolo Sticking

For use with 2/0 Double Door

4/0 x 1/0



**PRT005**
Primed, Divided Lites,
Clear Glass, Ovolo Sticking

5/0 x 1/0 for use with 2/6 Double Door
5/4 x 1/0 for use with 2/8 Double Door
6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0
5/4 x 1/0
6/0 x 1/0

## INTERIOR SIDELITES



**PR8706 1-3/8" (8/0)**
1-1/4" Bar, Clear Glass,
Ovolo Sticking

1/2 x 8/0



**PR8705 1-3/8" (6/8)**
1-1/4" Bar, Clear Glass,
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8



**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.




# Primed

## 20 MINUTE FIRE-RATED DOORS

### 1-1/4” RAISED PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.





Panel Profile,
Ovolo Sticking





**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## 1-1/4” RAISED PANEL, OVOLO STICKING


DOORS HAVE WIDE (5-1/2”) STILES



**PR82RFR 1-3/4”**
20 Minute Fire Rated
1-1/4” Raised Panel,
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

DOORS HAVE WIDE (5-1/2”) STILES




**PR82AFR 1-3/4”**
20 Minute Fire Rated
1-1/4” Raised Panel,
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



**PR66FR 1-3/4”**
20 Minute Fire Rated
1-1/4” Raised Panel,
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR55RFR 1-3/4”**
20 Minute Fire Rated
1-1/4” Raised Panel,
Ovolo Sticking

2/8 x 6/8 3/0 x 7/0
3/0 x 6/8



**PR56RFR 1-3/4” (8/0)**
20 Minute Fire Rated
1-1/4” Raised Panel,
Ovolo Sticking

3/0 x 8/0




# Primed

## 20 MINUTE FIRE-RATED DOORS

### 13/16” FLAT PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.





Panel Profile,
Ovolo Sticking






**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## 13/16” FLAT PANEL, OVOLO STICKING



**PR8020FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Ovolo Sticking

| | | |
|---|---|---|
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |



**PR8082FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Ovolo Sticking

| | | |
|---|---|---|
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |



**PR8055FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8055FR 1-3/4” (8/0)**
20 Minute Fire Rated
13/16” Flat Panel
Ovolo Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0




# Primed

## 20 MINUTE FIRE-RATED DOORS

### 13/16” FLAT PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.





Panel Profile,
Shaker Sticking








**Reeb® Specialty Products (RSP)** is a Reeb brand that offers a high quality product priced competitively with other major brands in the industry.

## 13/16” FLAT PANEL, SHAKER STICKING




**PR8720FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0




**PR8782FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0




**PR8760FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8 3/0 x 7/0
2/10 x 6/8
3/0 x 6/8




**PR8760FR 1-3/4” (8/0)**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



**PR8730FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8 3/0 x 7/0 3/0 x 8/0
3/0 x 6/8



**PR8740FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8 3/0 x 7/0
3/0 x 6/8



**PR8755FR 1-3/4”**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



**PR8755FR 1-3/4” (8/0)**
20 Minute Fire Rated
13/16” Flat Panel
Shaker Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

# Barn Doors

## 9/16” Plank Panel

### Z LAYOUT




**PR180 1-3/8”**
9/16” Plank Panel, Z Layout, Shaker Sticking

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8





### LAYOUT OPTIONS





Panel Profile,
Shaker Sticking
(Shown from above)

# Barn Doors

## 9/16” Plank Panel

### K LAYOUT




**PR181 1-3/8”**
9/16” Plank Panel, K Layout, Shaker Sticking

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8






### LAYOUT OPTIONS



Panel Profile,
Shaker Sticking
(Shown from above)




Barn doors can be hung in different configurations according to design preference. Please be sure to specify when ordering.
Primed barn doors come with groove already machined in the bottom of the door to be used with barn door hardware.

# Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits makes the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

**AVAILABLE FINISHES**



BLACK



SILVER



STAINLESS STEEL



ARCHITECTURAL BRONZE



7" Pull Handle



Privacy Latch




6" Flush Pull



Roller Hanger



7" Pull Handle



Privacy Latch



6" Flush Pull



Roller Hanger

# Barnfold® Hardware



Due to the wall space required for the long track, sometimes there is no room to install a conventional barn door. Barnfold® Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.

**AVAILABLE FINISHES**

BLACK




Barnfold J-Strap Hanger



4” Pull Handle



Hinge



# Frames



## Flat Frames

*Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.*



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

# Rabbeted Frames



## Single Rabbeted

*Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.*



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



## Double Rabbeted

*Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.*




PRIMED



CLEAR PINE



CLEAR FIR



PRIMED SOLID POPLAR


# Frames



## Split Frames

*Split frames are two pieces of wood together which work well for odd wall sizes. Due to their construction, a split frame is able to work for a range of wall sizes. For example, Reeb® stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.*

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows the unit to be shipped with the casing pre-attached and ready for a complete install. This option may not be available in all markets, so please confirm availability prior to ordering.



PRIMED SOLID POPLAR



SOLID OAK

# Stops

*Known as a "stop", these small pieces of wood attach to a flat frame to give the door a place to stop. Optional draft seal weatherstrip stops are available for use to prevent drafts.*




PRIMED WM-888
3/8" x 1-1/8"




PRIMED WM-936
7/16" x 1-3/8"



PRIMED WM-936 W/ DRAFT SEAL
Draft seal also available in black



PRIMED WM-948
3/8" x 1-1/8"



PRIMED WM-888H
1/2" x 1-1/8"



PRIMED WM-876
7/16" x 1-3/8"



PRIMED WM-876 W/ DRAFT SEAL
Draft seal also available in black

# Sills



OAK SADDLE SILL

*Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.*



OAK SADDLE SILL WITH WEATHERSTRIP

*For flat frames with Draft Seal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three-sided units do not need a sweep, but four-sided units will use a sweep for the best seal.*



# Hinges

## Ball Bearing Hinges

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges, so having the ball bearings reduces friction. This results in better performance and a longer-lasting hinge.



Ball Bearing Square



Ball Bearing Radius

## Non Ball Bearing Hinges

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square




Non Ball Bearing Radius

## Hinge Sizes

Most interior doors are 1-3/8” thick and use 3.5″ x 3.5″ hinges. On an 1-3/4” door in an interior application, Reeb® will automatically utilize a 4” hinge.



3.5” x 3.5”



4” x 4”

## Available Finishes

**USP**
PRIMED WHITE

**US1D**
FLAT BLACK

**US3**
BRIGHT BRASS

BALDWIN®

**US3LF***
BRIGHT BRASS

**US4**
SATIN BRASS

**US4B**
BRIGHT SATIN BRASS

**US5**
ANTIQUE BRASS

**US7**
FRENCH ANTIQUE

**US10B**
OIL RUBBED BRONZE

**US14**
POLISHED NICKEL

**US15**
SATIN NICKEL

BALDWIN®

**US15LF***
SATIN NICKEL

**US15A**
ANTIQUE NICKEL

**US26**
BRIGHT CHROME

**US26D**
SATIN CHROME

**US32D**
STAINLESS STEEL

BALDWIN®

**VB**
VENETIAN BRONZE



LF* - Lifetime Warranty

## BALDWIN

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE | | 3.5" X 3.5" RADIUS | | 4" X 4" SQUARE | | 4" X 4" RADIUS | |
|---|---|---|---|---|---|---|---|---|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING |
| US3LF* | | X | | X | | X | | X |
| US10B | | X | | X | | X | | |
| US15LF* | | X | | X | | X | | |
| VB | | X | | | | X | | |

LF* - Lifetime Warranty

## REEB SPECIALTY PRODUCTS

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE | | 3.5" X 3.5" RADIUS | | 4" X 4" SQUARE | | 4" X 4" RADIUS | |
|---|---|---|---|---|---|---|---|---|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING |
| USP | | | | X | | | | X |
| US1D | | X | X | X | | X | X | X |
| US3 | X | X | X | X | X | X | X | X |
| US4 | X | X | | X | X | X | | X |
| US4B | X | | X | X | X | | X | X |
| US5 | X | X | X | X | X | X | X | X |
| US10B | X | X | X | X | X | X | X | X |
| US15 | X | X | X | X | X | X | X | X |
| US15A | | | | X | | | | X |
| US26 | X | X | X | X | | X | X | X |
| US26D | X | X | X | X | X | X | X | X |
| US32D | | | | X | | | X | X |

## EMTEK®

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE SOLID BRASS | | 3.5" X 3.5" SQUARE STEEL | | 3.5" X 3.5" RADIUS SOLID BRASS | | 3.5" X 3.5" RADIUS STEEL | | 4" X 4" SQUARE SOLID BRASS | | 4" X 4" SQUARE STEEL | | 4.5" X 4.5" SQUARE STEEL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING |
| US1D | | X | X | X | | | X | | X | X | X | X | X | |
| US3 | | X | X | X | | X | X | | X | X | X | X | X | |
| US4 | | X | X | | | | | | X | X | | | | |
| US7 | | X | X | X | | X | X | | X | X | X | X | | |
| US10B | | X | X | X | | X | X | | X | X | X | X | X | |
| US14 | | X | X | X | | | X | | X | X | X | X | X | |
| US15 | | X | X | X | | X | X | | X | X | X | X | X | |
| US26 | | X | X | X | | | | | X | X | X | X | | |

# Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs. For available functions, reference the Reeb® In-Stock Price Catalog.

## Standard Residential Series

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.



**Jazz**
US15



**Accent**
US26




**Georgian**
US5



**Flair**
US5



**Andover**
US26



**Latitude**
US1D



**Plymouth**
US26D

| | Jazz | Latitude | Accent | Flair | Andover | Plymouth | Georgian |
|---|---|---|---|---|---|---|---|
| US1D | | X | X | | | X | X |
| US3 | | | X | X | X | X | X |
| US5 | | | X | X | X | | X |
| US15 | X | X | X | X | X | X | X |
| US15A | | | X | | X | | X |
| US26 | | | X | | X | X | |
| US26D | | | | | X | X | X |
| 716 | | | X | X | | X | X |

## Standard Residential Series Warranty

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.



## Builders Series

The **Builders Series** provides an economical lock that delivers on style.



**Dover**
US32D



**Torino**
US15



**LaSalle**
US3



**Byron**
US3



**Marin**
US32D



**Corona**
US15

| | Dover | LaSalle | Marin | Torino | Byron | Corona |
|---|---|---|---|---|---|---|
| **US3** | | X | | X | X | X |
| **US15** | | X | | X | | X |
| **US32D** | X | | X | | X | |

## Builder's Series Warranty

The **Builder's Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.







## Available Finishes



**US1D**
FLAT BLACK



**US3**
BRIGHT BRASS



**US5**
ANTIQUE BRASS



**US15**
SATIN NICKEL




**US15A**
ANTIQUE NICKEL




**US26**
BRIGHT CHROME



**US26D**
SATIN CHROME



**US32D**
STAINLESS STEEL



**716**
AGED BRONZE

# Catches

Catches are an alternative way to close a door and are often used in closet applications. Ball Catches and Roller Catches are recessed in the top of the door while a Surface Magnetic Catch is installed on the face of the door. A strike is installed on the head frame and the two keep the door closed without the need of a latch. The Concealed Magnetic Catch is recessed into the top of the door and the head frame, which conceals the catch.

**Precision™**

Concealed
Magnetic Catch












| | US1D | US3 | US5 | US10B | US15 | US26 | US26D | US92 |
|---|---|---|---|---|---|---|---|---|
| **Reeb® Specialty Products** Ball Catch | X | X | X | X | X | X | X | |
| **Ives®** Surface Magnetic Catch | | X | | | | | | X |
| **Ives®** Roller Catch | | X | | X | X | X | | |

## Available Finishes



**US1D**
FLAT BLACK



**US10B**
OIL RUBBED BRONZE



**US3**
BRIGHT BRASS



**US5**
ANTIQUE BRASS



**US15**
SATIN NICKEL



**US26**
BRIGHT CHROME




**US26D**
SATIN CHROME

# Image Index

| PAGE | DOOR STYLE |
|---|---|
| COVER | PR8720 |
| 2 | PR8782 |
| 7 | PR82A |
| 9 | PR55R |
| 11 | PR8020 |
| 13 | PR8720 |
| 15 | PR8760 |
| 17 | PR8082 |
| 18 | PR8760 |
| 21 | PR8010 |
| 23 | PR8015 |
| 25 | PR8010F |

| PAGE | DOOR STYLE |
|---|---|
| 27 | PR8490 |
| 28 | PR8001 |
| 29 | PR150WL |
| 30 | PR8001F |
| 31 | PR8711 |
| 33 | PR8733F |
| 35 | PRN730FJ |
| 37 | PR732W |
| 39 | PR730F |
| 41 | PRF2302 |
| 42 | PRF2315 |
| 43 | PRF2310 |

| PAGE | DOOR STYLE |
|---|---|
| 45 | PR8001/PRT001 |
| 47 | PR56RFR |
| 49 | PR8082FR |
| 50 | PR8720FR |
| 52 | PR180 |
| 53 | PR181 |
| 54 | PR8730 |
| 55 | PR8720 |
| 59 | PR8782 |
| 65 | PR8055 |



# Index

| DOOR STYLE | PAGE | DOOR HEIGHT | 3'0" STILE | TOP RAIL | BOTTOM RAIL | LOCK RAIL | PANEL | VENDOR |
|---|---|---|---|---|---|---|---|---|
| PR1501WL | 29 | 6/8 | 4-9/16" | 4-9/16" | 9-3/32" | N/A | N/A | RSP |
| PR1501WL | 29 | 8/0 | 4-9/16" | 4-9/16" | 9-3/32" | N/A | N/A | RSP |
| PR180 | 52 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 9/16" | RSP |
| PR180 | 52 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 9/16" | RSP |
| PR180 | 52 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 9/16" | RSP |
| PR181 | 53 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 4-5/16" | 9/16" | RSP |
| PR181 | 53 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | 4-5/16" | 9/16" | RSP |
| PR181 | 53 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | 4-5/16" | 9/16" | RSP |
| PR44 | 8 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| PR44 1-3/4" | 8 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| PR44 BIFOLD | 8 | 6/8 | 2-5/32" | 4-9/16" | 8-3/16" | 7-1/2" | 9/16" | RSP |
| PR55R | 8 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 9/16" | RSP |
| PR55RFR | 47 | 6/8 | 5-3/4" | 4-9/16" | 9-3/16" | N/A | 1-1/4" | RSP |
| PR55RFR | 47 | 7/0 | 5-3/4" | 4-9/16" | 9-3/16" | N/A | 1-1/4" | RSP |
| PR56R | 8 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 9/16" | RSP |
| PR56RFR | 47 | 8/0 | 5-3/4" | 4-9/16" | 9-3/16" | N/A | 1-1/4" | RSP |
| PR66 | 8 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| PR66 BIFOLD | 8 | 6/8 | 2-5/32" | 4-9/16" | 8-3/16" | 7-1/2" | 9/16" | RSP |
| PR66 1-3/4" | 8 | 6/8 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| PR66FR 1-3/4" | 47 | 6/8 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| PR730 | 34 | 6/8 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | N/A | RSP |
| PR730 | 34 | 7/0 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | N/A | RSP |
| PR730 | 34 | 8/0 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | N/A | RSP |
| PR730 1-3/4" | 26 | 6/8 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | N/A | RSP |
| PR730F | 39 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-3/8" | 3/8" | RSP |
| PR730F BIFOLD | 39 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-3/8" | 3/8" | RSP |
| PR730F 1-3/4" | 39 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-3/8" | 3/8" | RSP |
| PR730F 1-3/4" | 39 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-3/8" | 3/8" | RSP |
| PR730W | 37 | 6/8 | 4-1/4" | 4-5/16" | 7-7/16" | 5" | N/A | RSP |
| PR730W BIFOLD | 37 | 6/8 | 4-1/4" | 4-5/16" | 6-7/16" | 5" | N/A | RSP |
| PR732 | 35 | 6/8 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | 9/16" | RSP |
| PR732 | 35 | 7/0 | 4-1/4" | 4-1/4" | 7" | 5-1/4" | 9/16" | RSP |
| PR732W | 37 | 6/8 | 4-1/4" | 4-5/16" | 7-7/16" | 5" | 9/16" | RSP |
| PR742 | 35 | 6/8 | 4-1/4" | 4-1/16" | 7" | 5-3/16" | 9/16" | RSP |
| PR8001 | 28 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8001 | 28 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8001F | 30 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8001F | 30 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8010 | 21 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8010 1-3/4" | 21 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8010F | 25 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8012 | 21 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8012 1-3/4" | 21 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8012F | 25 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| PR8015 | 22 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |

# Index

| DOOR STYLE | PAGE | DOOR HEIGHT | 3'0" STILE | TOP RAIL | BOTTOM RAIL | LOCK RAIL | PANEL | VENDOR |
|---|---|---|---|---|---|---|---|---|
| **PR8015 1-3/4"** | 22 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8015F** | 25 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8018** | 22 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8018 1-3/4"** | 22 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8018F** | 25 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8020** | 10 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8020** | 10 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8020 1-3/4"** | 17 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8020 1-3/4"** | 17 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8020 1-3/4"** | 17 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8020FR 1-3/4"** | 49 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8020FR 1-3/4"** | 49 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8020FR 1-3/4"** | 49 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8040** | 11 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8040** | 11 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8044** | 11 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 3/8" | RSP |
| **PR8055** | 11 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8055** | 11 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8055FR 1-3/4"** | 49 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8055FR 1-3/4"** | 49 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8082** | 10 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 3/8" | RSP |
| **PR8082** | 10 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 3/8" | RSP |
| **PR8082 1-3/4"** | 17 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 5/8" | RSP |
| **PR8082 1-3/4"** | 17 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 5/8" | RSP |
| **PR8082 1-3/4"** | 17 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 5/8" | RSP |
| **PR8082FR 1-3/4"** | 49 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 13/16" | RSP |
| **PR8082FR 1-3/4"** | 49 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 13/16" | RSP |
| **PR8082FR 1-3/4"** | 49 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-5/8" | 13/16" | RSP |
| **PR82A** | 7 | 6/8 | 4-5/8" | 6-1/2" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82A** | 7 | 7/0 | 4-5/8" | 6-1/2" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82A** | 7 | 8/0 | 4-5/8" | 6-1/2" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82A 1-3/4"** | 7 | 6/8 | 5-3/4" | 6-1/2" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82A 1-3/4"** | 7 | 7/0 | 5-3/4" | 8-1/2" | 11-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82A 1-3/4"** | 7 | 8/0 | 5-3/4" | 6-1/2" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82AFR 1-3/4"** | 47 | 6/8 | 5-3/4" | 6-1/2" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| **PR82AFR 1-3/4"** | 47 | 7/0 | 5-3/4" | 6-1/2" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| **PR82AFR 1-3/4"** | 47 | 8/0 | 5-3/4" | 6-1/2" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| **PR82R** | 6 | 6/8 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R** | 6 | 7/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R** | 6 | 8/0 | 4-5/8" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R BIFOLD** | 6 | 6/8 | 2-5/32" | 4-9/16" | 8-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R 1-3/4"** | 7 | 6/8 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R 1-3/4"** | 7 | 7/0 | 5-3/4" | 6-9/16" | 11-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82R 1-3/4"** | 7 | 8/0 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 9/16" | RSP |
| **PR82RFR 1-3/4"** | 47 | 6/8 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |

# Index


| DOOR STYLE | PAGE | DOOR HEIGHT | 3'0" STILE | TOP RAIL | BOTTOM RAIL | LOCK RAIL | PANEL | VENDOR |
|---|---|---|---|---|---|---|---|---|
| **PR82RFR 1-3/4"** | 47 | 7/0 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| **PR82RFR 1-3/4"** | 47 | 8/0 | 5-3/4" | 4-9/16" | 9-3/16" | 7-1/2" | 1-1/4" | RSP |
| **PR8490** | 27 | 6/8 | 4-7/16" | 4-5/16" | 9-3/16" | N/A | N/A | SIMPSON |
| **PR8705** | 44 | 6/8 | 2-7/16" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8706** | 44 | 8/0 | 2-7/16" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711** | 31 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711** | 31 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711 1-3/4"** | 31 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711 1-3/4"** | 31 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711F** | 32 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711F** | 32 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711F 1-3/4"** | 32 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8711F 1-3/4"** | 32 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8720** | 13 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8720** | 13 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8720** | 13 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8720 BIFOLD** | 13 | 6/8 | 2-1/32" | 4-5/16" | 8-3/16" | N/A | 3/8" | RSP |
| **PR8720 1-3/4"** | 19 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8720 1-3/4"** | 19 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8720 1-3/4"** | 19 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8720FR 1-3/4"** | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8720FR 1-3/4"** | 51 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8720FR 1-3/4"** | 51 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8730** | 14 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8730** | 14 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8730** | 14 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8730 BIFOLD** | 14 | 6/8 | 2-1/32" | 4-5/16" | 8-3/16" | N/A | 3/8" | RSP |
| **PR8730 1-3/4"** | 19 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8730 1-3/4"** | 19 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8730 1-3/4"** | 19 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 5/8" | RSP |
| **PR8730FR 1-3/4"** | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8730FR 1-3/4"** | 51 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8730FR 1-3/4"** | 51 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8733F** | 33 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8733F** | 33 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8735F** | 33 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8735F** | 33 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | N/A | RSP |
| **PR8740** | 14 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8740** | 14 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8740FR 1-3/4"** | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8740FR 1-3/4"** | 51 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| **PR8744** | 14 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 3/8" | RSP |
| **PR8755** | 15 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8755** | 15 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8755** | 15 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| **PR8755 BIFOLD** | 15 | 6/8 | 2-1/32" | 4-5/16" | 8-3/16" | N/A | 3/8" | RSP |

# Index

| DOOR STYLE | PAGE | DOOR HEIGHT | 3'0" STILE | TOP RAIL | BOTTOM RAIL | LOCK RAIL | PANEL | VENDOR |
|---|---|---|---|---|---|---|---|---|
| PR8755 1-3/4" | 19 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8755FR 1-3/4" | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| PR8755FR 1-3/4" | 51 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| PR8760 | 14 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8760 | 14 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8760 | 14 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8760FR 1-3/4" | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| PR8760FR 1-3/4" | 51 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| PR8760FR 1-3/4" | 51 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 13/16" | RSP |
| PR8762 | 14 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8762 | 14 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | N/A | 3/8" | RSP |
| PR8782 | 13 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 3/8" | RSP |
| PR8782 | 13 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 3/8" | RSP |
| PR8782 | 13 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 3/8" | RSP |
| PR8782 BIFOLD | 13 | 6/8 | 2-1/32" | 4-5/16" | 8-3/16" | 7-7/16" | 3/8" | RSP |
| PR8782 1-3/4" | 19 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 5/8" | RSP |
| PR8782 1-3/4" | 19 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 5/8" | RSP |
| PR8782 1-3/4" | 19 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 5/8" | RSP |
| PR8782FR 1-3/4" | 51 | 6/8 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 13/16" | RSP |
| PR8782FR 1-3/4" | 51 | 7/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 13/16" | RSP |
| PR8782FR 1-3/4" | 51 | 8/0 | 4-3/8" | 4-5/16" | 9-3/16" | 7-7/16" | 13/16" | RSP |
| PRF2302 | 41 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2302 1-3/4" | 41 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2302 1-3/4" | 41 | 7/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2302 1-3/4" | 41 | 8/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2310 | 43 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2310 1-3/4" | 43 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2310 1-3/4" | 43 | 7/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2310 1-3/4" | 43 | 8/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2315 | 42 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2315 1-3/4" | 43 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2315 1-3/4" | 43 | 7/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2315 1-3/4" | 43 | 8/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2355 | 42 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2355 1-3/4" | 42 | 6/8 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2355 1-3/4" | 42 | 7/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRF2356 1-3/4" | 42 | 8/0 | N/A | N/A | N/A | N/A | N/A | RSP |
| PRN730FJ BIFOLD | 35 | 6/8 | 1-1/4" | 3-3/16" | 3" | 3-5/16" | N/A | RSP |
| PRN732FJ BIFOLD | 35 | 6/8 | 1-1/4" | 3-3/16" | 3" | 3-5/16" | N/A | RSP |
| PRT001 TRANSOM | 44 | 1/0 | 4-1/2" | 2-13/16" | 2-13/16" | N/A | N/A | RSP |
| PRT003 TRANSOM | 44 | 1/0 | 4-1/2" | 2-13/16" | 2-13/16" | N/A | N/A | RSP |
| PRT004 TRANSOM | 44 | 1/0 | 4-1/2" | 2-13/16" | 2-13/16" | N/A | N/A | RSP |
| PRT005 TRANSOM | 44 | 1/0 | 4-1/2" | 2-13/16" | 2-13/16" | N/A | N/A | RSP |

# Reeb® Learning Center


*A Learning Center for Everything Door Related*

### Product Education
Sharpen your sales skills with focused insights on Reeb's full product lineup.

### Guided Learning
Build a strong foundation or explore advanced topics with step-by-step learning.

### Short, Engaging Videos
Clear, visual guidance for features, and best practices.

### Manufacturer Videos
Gain insights directly from the source with featured videos from trusted manufacturers.




Start learning today at

**learn.reeb.com**

Free Access

Mobile Friendly

24/7 Availability





## Interior Wood Stile & Rail Doors

Primed Stile & Rail Doors are ideal for painting, but Reeb also stocks Wood Stile & Rail if you are looking for the warm, natural look of real wood. Scan here to view your options.

**www.reeb.com/catalogs**

## Warranty

Scan here to view online warranties for Interior Stile and Rail Doors, along with our other in-stock Reeb products.

**www.reeb.com/warranties**

# Handling

## HANDLING & INSTALLATION

Immediately after receipt of your order, inspect each door for any damage or defects.

**NOTIFY YOUR DEALER PROMPTLY OF ANY PROBLEM.**

Handle all doors with clean gloves and equipment. Damage caused by handling is not considered a factory defect and is not covered under your warranty.

When moving the doors, avoid dragging the doors across one another or against another surface. Always use two people to lift and move the doors. Avoid leaning the door – they must be stored flat.

Keep the doors covered to maintain cleanliness but remember to allow air circulation.

**THE DOORS SHOULD NOT BE SUBJECT TO ABNORMAL OR EXTREME CHANGES IN TEMPERATURE OR HUMIDITY LEVELS.**

Avoid sudden temperature changes, such as forced heat to dry out the building or storage in a building before it is enclosed.

Deliver the doors to the building only after plaster and concrete is dry.

Allow doors at least 48 hours to adjust to the prevailing humidity (become acclimatized) before hanging. Do not expose doors to humidity levels higher than 65%RH, lower than 30%RH, to temperatures above 90 degrees Fahrenheit or to direct sunlight.

Hang doors with adequate clearance to allow for some swelling in damp weather.

Be sure all jambs and stops are set perfectly square and plumb.

The width of the door may be trimmed no more than 1/4" on either side. The height may be trimmed 2" from the bottom rail.

Wood panels "float." Use a hammer and wooden block to adjust the panels if necessary, before installation. Be careful not to damage the surface of the wood.

Use 3 hinges on doors of 7' in height or less. Use 4 hinges on doors over 7' in height.

## INTERIOR FINISHING

### FINISHING PRIMED DOORS

The door should first be fitted and hung in its frame and drilled for all hardware. Then, prior to finishing, the door should be removed from the frame and stripped of all hardware so the finish can be applied with the door laid flat.

The doors are factory primed with an ultra-high-quality primer and have a gloss finish. Prior to finishing, remove all handling marks, labels, surface imperfections and sheen with a light sanding, by hand, using 220 grit sandpaper or a fine grade steel wool. Carefully remove all dust from the door surface.

Your finish should never be applied as a heavy coat. The finish must be applied in multiple light coats with appropriate drying time between each coat. Carefully follow the manufacturer's instructions for drying time between coats.

**Bethlehem, PA**
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

**Barclay, MD**
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

**Mocksville, NC**
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

**Providence, RI**
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

**Syracuse, NY**
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax

REEB®
an SBP brand

PART# REEBPSR26
VERSION 1.0.0

For more information, visit **reeb.com**.

COPYRIGHT © 2026 REEB® MILLWORK ALL RIGHTS RESERVED.