REEB®
an SBP brand



THERMA-TRU® DOORS

REEB® IN-STOCK FIBERGLASS & STEEL DOORS CATALOG





Table of Contents

Why Choose Reeb® 4

Reeb® Finish 6

- PrismaGuard® Finish 6
- PrismaGuard® Paint 8
- PrismaGuard® Stain 10

Featured Products 12

- Decorative Glass Design 12
- DDB & SDL Styles 13
- Flush-Glaze 1/2 Lite Shaker 1 Panel 14
- Advanta™ Lite Frame 15

How to Choose a Therma-Tru® Door 16

Overview 18

- Exposure Types 18
- Choosing a Durable Door 19
- Classic Craft® Construction 20
- Fiber-Classic®/Smooth-Star® Construction 21
- Why Choose Classic Craft® 22

Glass Options 24

- Decorative & Specialty Glass 24
- Privacy Glass 25
- Low-E Glass 26
- Internal Blinds 26
- EnLiten™ Flush-Glazed Glass 27
- Divided Lites 28

Featured Glass Options 30

- RSP Curved Aluminum SDL Bars 30
- RSP Composite SDL Bars 31

Clavos, Strap Hinges & Dentil Shelves 32

Classic Craft® Collection 34

- Solid Panel 36
- Arborwatch® 44
- Augustine® 48
- Borrassa® 52
- Homeward™ 56
- Longford™ 60
- Lucerna® 64
- Zaha® 68
- Low-E Glass 72
- Privacy & Textured Glass 74

Fiber-Classic® & Smooth-Star® Collections 86

- Solid Panel 88
- Axis® 94
- Blackstone® 108
- Calix 114
- Concorde™ 122
- Crystalline™ 128
- Echelon 134
- Kensington™ 138
- Latitude 144
- Maple Park® 150
- Pembridge™ 156
- Riserva® 164
- Salinas® 170
- Saratoga™ 176
- Sedona 184
- Wellesley™ 190
- Internal Blinds 196
- Screen Vented 202
- Clear Glass 204
- Privacy & Textured 206

THERMA-TRU® DOORS

Front Cover: (top) FCM6240 stained in New Earth, (bottom-left) S3501R painted in Tanned Leather, (bottom-right) S83400LXN painted in Rio

Profiles™ & Traditions Steel..... 248

Door System Components..... 264

Anatomy of an Exterior Door.....264

Door Unit Configurations.....265

Engineerd to Work Together.....266

Door Frames.....268

Astragals.....269

Door Sills.....270

Hardware, Hinges & Locks.....272

Reeb® Learning Center..... 276

Custom Doors..... 278

Rough Openings..... 280

Tru-Guard™..... 282


Wood Edge..... 283

Index..... 284


Education Tools & Guided Selling.....291

Featured Products

Pages 12-15



Decorative Glass Designs



DDB & SDL Styles



Flush-Glazed 1/2 Lite Shaker Panel



Advanta™ Life Frame

Why choose Reeb®?



Large Inventory & Fast Lead time

Reeb has five manufacturing locations. Each location maintains a large inventory to create pre-hung units because the more we stock, the faster the lead time is for you. While each location can stand alone, they are also able to operate as one cohesive unit when production levels increase, allowing Reeb to keep its lead time low and product availability high.





Unit Components & Finishing

In addition to a large door inventory, Reeb stocks all the components necessary to create a pre-hung door unit – frames, sills, hinges, transoms, and sidelites. The entire door unit can be pre-finished by Reeb for superior endurance and protection from head to sill. Reeb Finish creates units that are ready to be installed and backed with a 10 year limited warranty.

Support & Service

When choosing Reeb, our Sales team will be available to help with any questions or concerns. Sometimes warranty questions arise and Reeb has help for that with our Field Service team, who are committed to ensuring each homeowner, builder and dealer receive a quick, courteous and professional resolution to any warranty concern.



Education & Guided Selling

Education is important because an educated individual feels empowered when doing their job. Reeb® feels strongly about education and provides knowledge to our dealers and homeowners through our Reeb Learning Center.

Combining the power of technology, education and hands-on working displays, our Interactive Showroom directs the end user quickly and accurately through the decision making process, to choose the best product for their needs. Our catalogs showcase our in-stock product, provide educational content to help guide our customers, and assist in making decisions such as configuration, additional components, or hardware to use.

What is Reeb® Specialty Products?

Reeb Specialty Products (RSP) is a Reeb brand that offers high quality products with big savings. The quality of the products provided under the RSP brand is competitive with other major brands within our industry.

Glass is a beautiful part of a front door and our RSP fiberglass door offerings include additional door glass styles.

One of the exciting styles includes blinds between the glass with grilles between the glass which provides a divided lite look and the ease of blind use (see page 209).

Reeb Specialty Products – providing value pricing on quality products.





SS in Total Eclipse

Reeb® Finish

PrismaGuard® Finish

Handcrafted and professionally applied in a controlled environment, a PrismaGuard premium finish is built to last, giving you confidence and peace of mind. The premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.

- Designed for optimal performance with Therma-Tru fiberglass doors
- Features enhanced durability to protect from everyday wear and tear
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints

Door Units Finished in PrismaGuard®

The door isn't the only thing that can be finished! PrismaGuard Stain and PrismaGuard Paint can be applied to On-Guard composite or Solid Wood frames, exterior brickmould, or interior casing. The 10 year limited warranty continues to any other door unit components that are finished.

Having a completely pre-finished unit makes install easier, and if you want the exterior finished different than the interior, there is also the option of a split finish. The outside of the unit can match the exterior motif while the interior can match your home's design.

Buying a door unit doesn't have to be complicated. Reeb® has created the Reeb Learning Center which educates on all things door related. For more information on PrismaGuard® and the Reeb Finish process, please visit our Reeb Learning Center at **learn.reeb.com/knowledge-base/reeb-finish/**.







Top: CCA in Acorn, Bottom: Left - SS in Moonless Night, Right - SS in Nautilus



CCV in Rio

Reeb® Finish

PrismaGuard® Paint

PrismaGuard Paint is a versatile color palette featuring elegant, modern hues and bold, rustic tones providing exciting options to achieve the look you desire. This offering boasts vibrant, truer-to-life colors that give the finished product additional depth and resistance to fading. Several color options are trade-matched to Reeb's storm door offering as well. All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

We strive to make the colors shown as accurate as possible. However, due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.



Reeb has developed a Paint Swatch Deck, which provides the best visualization of the final paint color. Each set contains samples finished in Reeb's 22 paint options. We strongly recommend using these paint decks when choosing a color.

For more information on the Reeb Finish Paint System visit **learn.reeb.com/knowledge-base/reeb-finish-paint-system/**

PRISMAGUARD®


Alaskan Storm / Alpine


Morning Dove


Harbor Fog

Grace Bay


Nautilus


Tanned Leather


Brighton


Urban Dusk / Granite


Falcon Gray


Java Bean


Mocha Chip / Chestnut


Sienna Bronze


Luna Moth / Cypress


Deep Moss


Bamboo Forest


Royal Marine


Moonless Night / Indigo


Total Eclipse / Onyx


Rio / Ruby Red


Mojave Red


Dahlia / Cabernet


Dried Cranberry

Reeb® Finish applies colors to its own and Therma-Tru's color palette. Despite dual names, colors are identical; all finished with the PrismaGuard® process.



All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service. Visit **reeb.com/warranties** for complete warranty information.

Therma-Tru®
PrismaGuard® Paint

In addition to the Reeb® Finish paint palette, Reeb Finish can also apply these additional Therma-Tru® PrismaGuard® paint colors.


Peregrine


Obsidian


Estuary



Arctic Ice


Golden Wheat


Canyon


Elk

Due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.



CCM in Dark Maple

Reeb® Finish

PrismaGuard® Stain

PrismaGuard Stain is a superior staining system for fiberglass doors that produces a uniquely realistic and durable finish. Skilled Reeb Finish craftsmen hand-brush each component of the door to enhance its deep embossments and authentic grain patterns. A dual top-coat highlights fine details and ensures superior endurance and protection from the elements. All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

We strive to make the colors shown as accurate as possible. However, due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.



Reeb has developed a PrismaGuard® Swatch Kit for each grain, which provides the best visualization of the final stain color. Each kit contains grain samples finished in Reeb's 12 stain options. We strongly recommend using these swatch kits when choosing a color.

For more information on the Reeb Finish Stain System visit **learn.reeb.com/knowledge-base/reeb-finish-stain-system/**

PRISMAGUARD®



Tumbleweed




Wildflower Honey



Rustic Clay



Autumn Harvest



Mulberry



Acorn



Driftwood



New Earth



Dark Maple



Bark



Shale



Raven

Shown in Classic Craft Fir



All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

Visit **reeb.com/warranties** for complete warranty information.

Due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.

CCA in Acorn

Featured Products

NEW Decorative Glass Designs
For Fiber-Classic®, Smooth-Star® & Pulse®



FCM82223 Stained in Acorn

Calix™

A clean and delicate classic.

Elevate your entry with this new, on-trend take on a classic style. Featuring clear glass and delicate caming, Calix is ideal for traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 114; Pulse, starting on page 117.



S83EC Painted in Brighton

Echelon™

At the edge of boldness.

Reimagine a daring entryway with the bold edges of Echelon. This modern design features clear glass and eased angles infused with elements of diamonds and triangles.

Available for Fiber-Classic and Smooth-Star, starting on page 134; Pulse, starting on page 136.



S4525 Painted in Total Eclipse

Latitude™

Bending Tradition.


Create new traditions with the curved elegance of Latitude. This design's seedy glass and curved caming is a great addition to traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 144; and Pulse, starting on page 146.

Featured Products

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles For Smooth-Star® Doors





On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.

DDB Styes available in Smooth-Star, starting on page 92.
SDL Styes available in Smooth-Star, starting on page 242.

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial


ENERGY STAR PARTNER

Featured Products

NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites For Smooth-Star® Doors



S84200 Painted in Golden Wheat



LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

ENERGY STAR PARTNER

Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Featured Products

NEW Advanta Lite Frame

For Fiber-Classic®, Smooth-Star®, Profiles™, Traditons & Pulse®





The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

LIFETIME LIMITED WARRANTY

ENERGY STAR PARTNER

AVAILABLE LITE FRAME SIZES

Fiber-Classic®, Smooth-Star®, Profiles™, Traditons & Pulse®

AVAILABLE LITE FRAME SIZES

Glass options vary by size.

Decorative Glass
Privacy & Textured
Internal Blinds
Divided Lites
Clear / Low-E

How to Choose a Therma-Tru® Door

1 Buying a door unit can be confusing and complicated. Reeb® is dedicated to making the door buying process simpler and our catalog reflects that. The first thing to understand is the type of door unit that you need.

Many entryways consist of a single door, however additional components such as sidelites and transoms are available for larger openings.



Single Door



Door with Sidelites



Door Unit with Sidelites and Transom

2 After understanding what type of opening you have, the door is the next item to choose. This is the focal point of the entryway and there are a lot of decisions surrounding it.


Would you like a grain or smooth door?

How much light do you want brought into the home?

What level of privacy is desired?

All these questions will help lead you to choosing the perfect door.







3 If your door unit needs a sidelite or transom, the next step is to choose a complementary one. Reeb stocks sidelites and transoms in matching decorative and privacy glass for a consistent look, or if you choose you can mix and match as you like.





4 Deciding on the components of your door unit allows for a cohesive look across the entire unit.

Choose a solid wood or composite frame to match the grain of your door. If the unit has black nickel caming, you may want to consider a bronze sill with oil rubbed bronze hardware so all the components match.






5 The final decision is what color to pre-finish the unit as there are multiple stain and paint options available. The exterior and interior of the door can be finished differently as can the frames.



PrismaGuard® Stain



PrismaGuard® Paint

Exposure Types

Exposure type is related to the protection level of the doorway. Less protection over a door will require a tougher door to withstand the elements. Knowing how to determine the exposure type is an important first step in extending the life of your door unit.



Fully Protected Doorways

Fully Protected Doorways have a large porch and are completely covered by the front overhang where no rain or moisture can reach the door. Because the door unit is completely protected, the widest variety of door units are available for this exposure type.



Partially Protected Doorways

Partially Protected Doorways have mid-sized porches and an overhang, but only enough to protect the top half of the door. The bottom half is much more susceptible to water and moisture as the sun can break down the finishing seal over time by baking the bottom half of the door. This type of exposure requires specially constructed door units to help withstand the elements.



Unprotected Doorways

Unprotected Doorways offer no protection from the weather. There is no overhang at all to protect the door unit from wind, snow, rain, and sun exposure. Most homes have at least one unprotected doorway so it's important to choose a tough door to provide maximum protection from the elements.

REEB LEARNING CENTER

Buying a door unit doesn't need to be complicated.
Reeb has created the Reeb Learning Center which focuses on all things door related.

Topics such as Understanding Exposure Types and Premium Fiberglass door construction provide information on choosing the best product for your needs.

Visit **learn.reeb.com/knowledge-base/understanding-exposure-types/**

Choosing a Durable Door

Kids, pets and neighbors come and go all day long. Which means that when it comes to your new door, reliability and durability matters. Here are some of the factors you'll want to consider when choosing a door.



The Fiberglass Difference

Fiberglass doors look like wood, but they don't warp or rot like wood, or dent or rust like steel. In fact, a fiberglass door needs only a fraction of the maintenance wood and steel doors do. The inside of a Therma-Tru fiberglass door is filled with an exceptional heat and cold-resistant material that helps keep your home warm in winter and cool in summer.



Engineered to Work Together

A Therma-Tru door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system made to perform as well as it looks. Unlike many door companies, Therma-Tru makes or recommends every aspect – from the glass to the hinges – to ensure durability and reliability through the years.



Tested for Endurance

Go ahead and slam the door if you want. Therma-Tru did – over and over – to make sure their doors, glass and parts live up to your toughest expectations. They are exposed to extreme weather conditions. Heavy objects are rolled over their sills. They immerse parts with metal finishes in corrosive salt atmospheres, and expose them to ultraviolet (UV) light to make sure their weathersealing parts and metal finishes can resist deteriorating and color fading in the sun. That's how Therma-Tru knows that their door is designed to stand up to almost anything life throws at it.




A Comprehensive Warranty

By paying close attention to every detail that goes into a door, Therma-Tru can stand behind its parts for longer than the rest. That's why Therma-Tru fiberglass door systems are backed with a lifetime limited warranty, the industry's most comprehensive warranty of its kind.

Classic Craft®

Premium Construction

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. Discover the craftsmanship and innovation of a premium entryway that performs as exceptionally as it looks, offering long-lasting energy efficiency, durability and security.





1 Enhanced Weather Resistance

Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity.

3 Excellent Durability

Fiberglass skins are thicker for added durability and better long-term performance.

4 Higher R-Values

A polyurethane foam core provides up to four times the insulating R-value of wood.

5 Edge-to-Edge Moisture Protection

Hardwood and composite edges that help prevent moisture penetration.

Fiber-Classic® & Smooth-Star®

Standard Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.





1 Weather Resistance

Composite stiles and rail protect the door at the top, bottom, and sides.

2 Security

An enhanced lock block increases rigidity and stability.

3 Durability

Unlike wood, fiberglass will not warp or rot. Unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core, offering up to four times the insulating R-value of wood.

Why Choose Classic Craft®

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.

Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

Designed with Authenticity


Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.

Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar
**Comparison of R-Values of fiberglass to wood doors (both without glass).

Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.

Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

Built for Strength and Security

Constructed with a 4” wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*

Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**








Right Top: CCW8906R Stained in Acorn; Right Middle: CCV220 Painted in Rio; Right Bottom: CCA231 Stained in Dark Maple

Glass Options

What is Decorative & Specialty Glass?

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- A wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Each glass design is researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered to provide added safety.



All decorative glass is handcrafted and built with all-glass bevels for premium quality.

Contributes to an energy-efficient home.



Triple-Pane Construction


Triple Pane Construction – All decorative, as well as privacy and textured, glass panels are enclosed between two tempered pieces of glass, making them triple-paned and offering superior quality and thermal performance.



CCR822215 Stained in New Earth

CCV22020XN Painted in Moonless Night





What is Privacy Glass?


Therma-Tru® doors and sidelites can be fitted with beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless Flush-Glazed options, in select doors.


Glass Options

What is Low-E Glass?


Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse®. Look for the (✹) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.





S8132RT Painted in Alaskan Storm

What are Internal Blinds?

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.

Glass Options

What is EnLiten™ Flush-Glazed Glass?

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten™ Flush-Glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need.



CCA2300XG Stained in Shale

See the difference.

EnLiten™ Flush-Glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ Flush-Glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

Durable by design.


Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Glass Options

What are Divided Lites?

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Fixed Grilles (FXG)

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (⊞) icon.




Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (⊞ ⊟) icon.

GBG Bar Options


Flat



White

(20 mm / 0.787 in.)


Flat



Almond

(20 mm / 0.787 in.)


Flat



Bronze

(20 mm / 0.787 in.)

Flat



Black

(20 mm / 0.787 in.)


Contour



White

(18 mm / 0.708 in.)

Contour



Black


(18 mm / 0.708 in.)

**SDL for Fiber-Classic and Smooth-Star doors are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (⧺) icon.




Shown with flat bronze GBGs, recommended

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the (┼ ┼ ✚) icons.



SDL Bar Options

Classic Craft® Fir



(40.64 mm / 1.6 in.)
Look for the ┼ (SDL) icon



(107.96 mm / 4.25 in.)
Look for the ┼ (SDLF3) icon



(139.70 mm / 5.5 in.)
Look for the ✚ (SDLF4) icon

**SDLF5 is a mix of SDLF3 and SDLF4

Classic Craft® Canvas




(40.64 mm / 1.6 in.)
Look for the ┼ (SDL) icon

Classic Craft® Mahogany




(40.64 mm / 1.6 in.)
Look for the ┼ (SDLF6) icon

Fiber-Classic® Smooth-Star®




(28.6 mm / 1.125 in.)
Look for the ┼ (SDL) icon

Fiber-Classic® Smooth-Star®



(28.6 mm / 1.125 in.)
Look for the ┼ (SDLF1) icon

Fiber-Classic® Smooth-Star®




(88.9 mm / 3.5 in.)
Look for the ✚ (SDLF2) icon

Featured Glass Options

Reeb® Specialty Products - Aluminum Simulated Divided Lite Bars (SDL)

Aluminum SDL bars are rugged and sturdy with superior coating adhesion. They can handle extreme temperatures of high heat exposure when painted dark colors, including behind storm doors.



The RSP Aluminum SDL Bar can create traditional SDL Bar configurations, but also provides the opportunity to have a unique curved bar design. Please note, not all designs can be made with either profile.


Interested in one of these new, unique door designs featuring RSP Curved Aluminum SDL Bars? Please go to page 251 to see our stock product sizes. And remember, all Simulated Divided Lite door styles you see in this catalog in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions can also be ordered with RSP Aluminum SDL Bars. Ask your Reeb sales representative for more information.



1-1/8”
Ovolo Buff




1-1/8”
Ovolo White



1-1/8”
Flat Buff



1-1/8”
Flat White



End to match Lite Surround



End to match Flush-Glazed



RS2009 Painted in Alaskan Storm

Reeb® Specialty Products - Composite Simulated Divided Lite Bars (SDL)

The RSP Composite SDL Bars allow for versatility with your doorway allowing the ability to create custom bar layouts.

They are ovolo in profile, 7/8” in width to complement window dividing bars, and are available in two colors: buff to match oak doors and a white to match smooth doors. The buff can be stained or painted, while the white can be painted.




7/8” Oak



7/8” White


Along with traditional SDL Bar configurations, RSP Composite SDL Bars can be used for any custom design. Contact Reeb for more details on creating custom bar layouts.



Clavos, Strap Hinges & Dentil Shelves

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





These are not applied by Reeb® and are shipped loose with doors.





4-Block Dentil Shelf
Shown on 3'6" x 8'0" door



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4 and 16-block options.



Classic Craft® Fir Grain
4-Block Dentil Shelf for a 3'0" door



Classic Craft® Fir Grain
4-Block Dentil Shelf for a 3'6" door




Classic Craft® Fir Grain
16-Block Dentil Shelf for a 3'0" door




Classic Craft® Canvas Collection™
4-Block Dentil Shelf for a 3'0" door

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.














Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic® Mahogany 4-Block Dentil Shelf
for a 2'8", 2'10" or 3'0" door



Smooth-Star® 4-Block Dentil Shelf
for a 2'8", 2'10" or 3'0" door



CCA8230 Stained in Driftwood

Classic Craft®

True-To-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood. **Pages 34-85**



Fir Grain

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.




Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut Grain trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain


Derived from the finest African and Honduran Mahogany Grain, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.




Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.


Decorative & Specialty Glass



Arborwatch®
Privacy Rating: **6**




Augustine®
Privacy Rating: **10**



Borrassa®
Privacy Rating: **10**




Homeward™
Privacy Rating: **4**



Longford™
Privacy Rating: **8**



Lucerna®
Privacy Rating: **7**



Zaha®
Privacy Rating: **3**

Low-E Clear Glass


All Classic Craft® clear glass comes standard with Low-E. See **Page 72**.



Low-E Glass
Privacy Rating: **1**

Privacy & Textured Glass

For Privacy & Textured Glass options, see **Page 74**.



Privacy Glass
Privacy Rating: **7-10**

Solid Panel

CCW8906L Stained in Acorn

Classic Craft® Fir Grain




Classic Craft® Walnut Grain



Classic Craft® Mahogany Grain




Classic Craft® Canvas




Solid Panel


Door Styles




Classic Craft® Fir Grain	X				X						
Classic Craft® Walnut Grain											
Classic Craft® Mahogany Grain			X				X	X	X	X	X
Classic Craft® Canvas		X		X		X		X			



Classic Craft® Fir Grain			X	X	X	X			X	X	X
Classic Craft® Walnut Grain											
Classic Craft® Mahogany Grain	X	X					X	X			
Classic Craft® Canvas											




Classic Craft® Fir Grain		X									
Classic Craft® Walnut Grain						X	X	X	X	X	X
Classic Craft® Mahogany Grain			X	X	X						
Classic Craft® Canvas	X		X								




Classic Craft® Fir Grain		X	X	X	X	X
Classic Craft® Walnut Grain	X					
Classic Craft® Mahogany Grain						
Classic Craft® Canvas						

Solid Panel

Classic Craft® Fir Grain



CCA1100
CCA81100
3/0 | 6/8 | 8/0



CCA1133
CCA81133
3/0 | 6/8 | 8/0



CCA1145
CCA81145
3/0 | 6/8 | 8/0



CCA1150
CCA81150
3/0 | 6/8 | 8/0



CCA1125
CCA81125
3/0 | 6/8 | 8/0



CCA1149
CCA81149
3/0 | 6/8 | 8/0



CCA1147
CCA81147
3/0 | 6/8 | 8/0




CCA1166
CCA81166
3/0 | 6/8 | 8/0




CCA1158
CCA81158
3/0 | 6/8 | 8/0



CCA1127
CCA81127
3/0 | 6/8 | 8/0



CCA4905
CCA84905
3/0 | 6/8 | 8/0



CCA4915L
CCA84915L
3/0 | 6/8 | 8/0

Solid Panel

Note: Product images show the exterior side of the door.

Classic Craft® Fir Grain



CCA4915R
CCA84915R
3/0 | 6/8 | 8/0



CCA4925L
CCA84925L
3/0 | 6/8 | 8/0



CCA4925R
CCA84925R
3/0 | 6/8 | 8/0



CCA4935
CCA84935
3/0 | 6/8 | 8/0



CCA4945
CCA84945
3/0 | 6/8 | 8/0



CCA1149 Stained in Mulberry

+ Door Divider Bars (3)
✚ Door Divider Bars (4)
✚ Door Divider Bars (5)

Solid Panel

Note: Product images show the exterior side of the door.

Classic Craft® Walnut Grain



CCW1000
CCW81000

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0
3/6	6/8		



CCW900L
CCW8900L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW900R
CCW8900R

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW905
CCW8905

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW903
CCW8903

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW904L
CCW8904L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW904R
CCW8904R

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW906L
CCW8906L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW906R
CCW8906R


2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



DRS2131SL
DRS82131SL

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0

There are currently no sidelites available in walnut grain.
These doors are recommended for single or double door configurations only.



Option: Grille Sticks Applied

19020T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19220T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19200T
3’0” door only



19210T
12” and 14”
sidelite only

Solid Panel



CCW902R Stained in Driftwood

Door Divider Bars (3)
Door Divider Bars (4)
Door Divider Bars (5)

Solid Panel

Classic Craft® Mahogany Grain



CCM890
3/0 | 8/0



CCM60
3/0 | 6/8



CCR205/CCR205H*
CCR8205
3/0 | 6/8 | 8/0



CCR205A
3/0 | 6/8



CCR8225
3/0 | 8/0



CCR8005
3/0 | 8/0



CCR040
CCR8040
3/0 | 6/8 | 8/0



CCR040R
3/0 | 6/8



CCR8222
3/0 | 8/0
3/6 | 8/0



CCR200
CCR8200
3/0 | 6/8 | 8/0



CCR200A
3/0 | 6/8



CCR100
CCR8100
3/0 | 6/8 | 8/0




CCR100R
3/0 | 6/8


Solid Panel

Note: Product images show the exterior side of the door.


Classic Craft® Canvas




CCV205/CCV205H*
CCV8205
3/0 | 6/8 | 8/0




CCV220
CCV8220
3/0 | 6/8 | 8/0



CCV200
3/0 | 6/8



CCV060/
CCV060H*
3/0 | 6/8



CCV831
3/0 | 8/0



CCV050
3/0 | 6/8

Choose from any of the decorative, privacy or clear glass sidelites on pages 46-85 to complete your door unit.



CCR205 Stained in Raven

+ Door Divider Bars (3)
✚ Door Divider Bars (4)
✚ Door Divider Bars (5)

*Internal steel reinforcement for additional security.

Arborwatch® Glass

CCV1418 Painted in Moonless Night


Classic Craft® Fir Grain



Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 **6** 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Arborwatch®

Door Styles



Classic Craft® Fir Grain						
Classic Craft® Mahogany Grain	X		X	X	X	X
Classic Craft® Canvas		X		X	X	X




Classic Craft® Fir Grain				X	X
Classic Craft® Mahogany Grain					
Classic Craft® Canvas	X	X	X		

Classic Craft® Fir Grain



CCA9100
3/0 | 6/8



CCA9300
3/0 | 6/8



CCA1423SL
12” | 6/8
14” | 6/8



CCA9100SL
12” | 6/8
14” | 6/8



ABRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



AB30T
3’0” door only

Classic Craft® Mahogany Grain



CCM1419
3/0 | 6/8



CCR1417
CCR81417
3/0 | 6/8 | 8/0



CCR1415
CCR81415
3/0 | 6/8 | 8/0



CCR1414
CCR81414
3/0 | 6/8 | 8/0



CCR822214
3/0 | 8/0
3/6 | 8/0



CCR1423SL
12” | 6/8
14” | 6/8



ABRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



AB30T
3’0” door only

Note: Product images show the exterior side of the door.

Classic Craft® Canvas



CCV1418
3/0 | 6/8




CCV1415
CCV81415
3/0 | 6/8 | 8/0




CCV1414
CCV81414
3/0 | 6/8 | 8/0




CCV81417
3/0 | 8/0




CCV4100
3/0 | 6/8



CCV4300
3/0 | 6/8



CCV1423SL
12” | 6/8
14” | 6/8



CCV4100SL
12” | 6/8
14” | 6/8



ABRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



AB30T
3’0” door only



Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)
Simulated Divided Lites


Augustine® Glass

CCV20537 Painted in Mojave Red

Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Wrought Iron (1W)

Glass Privacy Rating


10 9 8 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.


Note: Glass image shows the exterior side of the door.

Augustine®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X	X
Classic Craft® Canvas	X			X	X			X



Classic Craft® Mahogany Grain	X	X	X	X	X	X
Classic Craft® Canvas	X		X			

Classic Craft® Mahogany Grain



CCM1485
3/0 | 6/8



CCM805027
3/0 | 8/0



CCM1495
3/0 | 6/8



CCR30027
3/0 | 6/8



CCR04027
CCR804027
3/0 | 6/8 | 8/0



CCR04037
CCR804037
3/0 | 6/8 | 8/0



CCR20527
CCR820527
3/0 | 6/8 | 8/0



CCR20537
CCR820537
3/0 | 6/8 | 8/0



CCR20537A
3/0 | 6/8



CCR20027
3/0 | 6/8



CCR822227
3/0 | 8/0
3/6 | 8/0



CCR20037
CCR820037
3/0 | 6/8 | 8/0




CCR20037A
3/0 | 6/8



CCR3400XNSL
CCR8000XNSL
12” | 6/8 | 8/0
14” | 6/8 | 8/0

Note: Product images show the exterior side of the door.
Augustine sidelites feature matching granite glass and no wrought iron.

Classic Craft® Canvas



CCV10027
3/0 | 6/8



CCV05027
CCV805027
3/0 | 6/8 | 8/0




CCV20527
CCV820527
3/0 | 6/8 | 8/0



CCV22027
CCV822027
3/0 | 6/8 | 8/0



CCV20537
CCV820537
3/0 | 6/8 | 8/0



CCV100XNSL
12" | 6/8
14" | 6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)


Borrassa® Glass

CCV1515 Painted in Luna Moth

Classic Craft® Mahogany Grain



Classic Craft® Canvas




Shown in Wrought Iron (1W)

Glass Privacy Rating


10 9 8 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.


Note: Glass image shows the exterior side of the door.

Borrassa®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X	X
Classic Craft® Canvas	X			X	X			X



Classic Craft® Mahogany Grain	X	X	X	X	X
Classic Craft® Canvas	X		X		

Classic Craft® Mahogany Grain



CCM1475
3/0 | 6/8



CCM81519
3/0 | 8/0



CCM1465
3/0 | 6/8



CCR1528
3/0 | 6/8



CCR1518
CCR81518
3/0 | 6/8 | 8/0



CCR1514
CCR81514
3/0 | 6/8 | 8/0



CCR1516
CCR81516
3/0 | 6/8 | 8/0



CCR1512
CCR81512
3/0 | 6/8 | 8/0



CCR1512A
3/0 | 6/8



CCR1515
3/0 | 6/8



CCR822215
3/0 | 8/0
3/6 | 8/0



CCR1511
CCR81511
3/0 | 6/8 | 8/0




CCR1511A
3/0 | 6/8



CCR3400XHSL
CCR8000XHSL
12" | 6/8 | 8/0
14" | 6/8 | 8/0

Note: Product images show the exterior side of the door.
Note: Borrassa sidelites feature matching hammered glass and no wrought iron.

Classic Craft® Canvas



CCV1528
3/0 | 6/8



CCV1519
CCV81519
3/0 | 6/8 | 8/0



CCV1516
CCV81516
3/0 | 6/8 | 8/0



CCV1515
CCV81515
3/0 | 6/8 | 8/0



CCV1512
CCV81512
3/0 | 6/8 | 8/0



CCV100XHSL
12" | 6/8
14" | 6/8



CCV950XHSL
12" | 6/8
14" | 6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)

Homeward™ Glass

CCM89922 Stained in Bark


Classic Craft® Fir Grain



Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 6 5 **4** 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Homeward™

Door Styles



Classic Craft® Fir Grain			
Classic Craft® Mahogany Grain	X	X	
Classic Craft® Canvas	X	X	X



Classic Craft® Fir Grain		X	X
Classic Craft® Mahogany Grain			
Classic Craft® Canvas	X		

Classic Craft® Fir Grain



CCA211
CCA8211
3/0 | 6/8 | 8/0



CCA87112
3/6 | 8/0



CCA231
CCA8231
3/0 | 6/8 | 8/0




CCA87132
3/6 | 8/0



CCA3401SL
CCA3501SL
12” | 6/8 | 8/0
14” | 6/8 | 8/0



CCA211SL
12” | 6/8
14” | 6/8



HWRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



HW30T
3’0” door only

Classic Craft® Mahogany Grain



CCM89922
3/0 | 8/0



CCR9925
3/0 | 6/8



CCR9925SL
12” | 6/8
14” | 6/8



HWRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



HW30T
3’0” door only

Note: Product images show the exterior side of the door.


Classic Craft® Canvas




CCV9925
3/0 | 6/8




CCV89922
3/0 | 8/0




CCV911
3/0 | 6/8



CCV931
3/0 | 6/8



CCV911SL
12” | 6/8
14” | 6/8



CCV9011SL
12” | 6/8
14” | 6/8



HWRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



HW30T
3’0” door only



CCV89922 Painted in Morning Dove

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)
Simulated Divided Lites


Longford™ Glass


CCR20523 Stained in Driftwood

Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 **8** 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)


Note: Glass image shows the exterior side of the door.

Longford™

Door Styles



Classic Craft® Mahogany Grain	X	X		X	X
Classic Craft® Canvas			X		X



Classic Craft® Mahogany Grain	X	X	X	X	X
Classic Craft® Canvas	X	X	X		

Classic Craft® Mahogany Grain



CCM203
3/0 | 6/8



CCM303
3/0 | 6/8



CCM603
3/0 | 6/8



CCM703
3/0 | 6/8



CCM803
3/0 | 6/8



CCR04023
CCR804023
3/0 | 6/8 | 8/0



CCR20523
CCR820523
3/0 | 6/8 | 8/0




CCR20023
CCR820023
3/0 | 6/8 | 8/0




CCR822223
3/0 | 8/0



CCM3303SL
12" | 6/8
14" | 6/8



CCM3503SL
12" | 6/8
14" | 6/8



CCR3407SL
12" | 6/8
14" | 6/8



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LF30T
3'0" door only

Note: Product images show the exterior side of the door.

Classic Craft® Canvas



CCV05023
3/0 | 6/8




CCV20523
CCV820523
3/0 | 6/8 | 8/0



CCV22023
CCV822023
3/0 | 6/8 | 8/0



CCV06023
3/0 | 6/8



CCV103SL
CCV8103SL
12” | 6/8 | 8/0
14” | 6/8 | 8/0



LFRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



LFET
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



LF30T
3’0” door only



CCV05023 Painted in Dried Cranberry

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)


Lucerna® Glass

CCM82802 Stained in Autumn Harvest

Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Lucerna®

Door Styles



Classic Craft® Mahogany Grain	X	X	X	X	X	X	X	X
Classic Craft® Canvas	X			X	X		X	X



Classic Craft® Mahogany Grain	X	X	X	X	X	X	X
Classic Craft® Canvas	X	X		X			

Classic Craft® Mahogany Grain



CCR10022
3/0 | 6/8



CCM2802
CCM898
3/0 | 6/8 | 8/0



CCM204
3/0 | 6/8



CCM302
3/0 | 6/8



CCR04022
CCR804022
3/0 | 6/8 | 8/0



CCR20522
CCR820522
3/0 | 6/8 | 8/0



CCR20022
CCR820022
3/0 | 6/8 | 8/0



CCM612
3/0 | 6/8



CCM702
3/0 | 6/8



CCM822
3/0 | 6/8



CCR822222
3/0 | 8/0
3/6 | 8/0



CCR820532
3/0 | 8/0



CCR820032
3/0 | 8/0



CCR804032
3/0 | 8/0



CCM3302SL
12" | 6/8
14" | 6/8



CCM3502SL
12" | 6/8
14" | 6/8



CCR3412SL
12" | 6/8
14" | 6/8



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only




LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LC30T
3'0" door only

Note: Product images show the exterior side of the door.

Classic Craft® Canvas



CCV10022
3/0 | 6/8



CCV05022
CCV805022
3/0 | 6/8 | 8/0




CCV20522
CCV820522
3/0 | 6/8 | 8/0




CCV22022
CCV822022
3/0 | 6/8 | 8/0



CCV06022
3/0 | 6/8



CCV820532
3/0 | 8/0



CCV3412SL
12” | 6/8
14” | 6/8



LCRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



LC30T
3’0” door only



LCET
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flush Glazed (FG)


Zaha® Glass

CCV81838 Painted in Rio

Classic Craft® Mahogany Grain



Classic Craft® Canvas






Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 6 5 4 **3** 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)


Note: Glass image shows the exterior side of the door.

Zaha®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X
Classic Craft® Canvas	X			X	X		X




Classic Craft® Mahogany Grain	X	X	X	X	X	X
Classic Craft® Canvas	X	X	X			

Note: Product images show the exterior side of the door.

Classic Craft® Mahogany Grain




CCM1844
3/0 | 6/8



CCM81843
3/0 | 8/0



CCM1842
3/0 | 6/8



CCR1851
3/0 | 6/8



CCR1841
CCR81841
3/0 | 6/8 | 8/0



CCR81847
3/0 | 8/0



CCR81846
3/0 | 8/0



CCR1839
CCR81839
3/0 | 6/8 | 8/0




CCR1838
CCR81838
3/0 | 6/8 | 8/0




CCR822238
3/0 | 8/0



CCR81845
3/0 | 8/0




CCM1843SL
12" | 6/8
14" | 6/8




CCR1851SL
12" | 6/8
14" | 6/8

Classic Craft® Canvas



CCV1851
3/0 | 6/8




CCV1843
CCV81843
3/0 | 6/8 | 8/0




CCV1839
CCV81839
3/0 | 6/8 | 8/0



CCV1838
CCV81838
3/0 | 6/8 | 8/0



CCV81846
3/0 | 8/0



CCV1851SL
12" | 6/8
14" | 6/8



CCM81843 Stained in Shale

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Flush Glazed (FG)

Low-E Glass

CCV960 Painted in Mocha Chip


Classic Craft® Fir Grain



Classic Craft® Mahogany Grain



Classic Craft® Canvas





Shown in Low-E Glass (LE)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 **1**

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

All Classic Craft® doors are standard with Low-E Glass.
For Privacy Glass options, see the next page.

Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see **pages 30-33**.



Simulated Divided Lite Bars (SDL)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Available for Classic Craft® American and Classic Craft® Canvas starting on **page 99**.

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Flush Glazed (FG)

Privacy & Textured Glass



CCV22020 Painted in Moonless Night




Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1

Classic Craft® Mahogany Grain



CCM200
3/0 | 6/8



CCM891
3/0 | 8/0



CCM300
3/0 | 6/8



CCM600__*
3/0 | 6/8



CCR30020
3/0 | 6/8



CCR04020__*
CCR804020
3/0 | 6/8 | 8/0



CCR804030
3/0 | 8/0



CCR20520__*
CCR820520
3/0 | 6/8 | 8/0



CCR820530
3/0 | 8/0



CCR20020__*
CCR820020
3/0 | 6/8 | 8/0



CCR822220
3/0 | 8/0
3/6 | 8/0




CCR820030
3/0 | 8/0



CCM3300SL
10" | 6/8
12" | 6/8
14" | 6/8



CCR3400__SL*
CCR8000__SL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0



Option: Grille Sticks Applied

19020T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19200T
3'0" door only



19210T
12" and 14"
sidelite only


Lite Frame

Note: Product images show the exterior side of the door.


Classic Craft® Canvas




CCV10020
3/0 | 6/8



CCV05020
CCV805020
3/0 | 6/8 | 8/0



CCV20520__*
CCV820520
3/0 | 6/8 | 8/0




CCV22020__*
CCV822020
3/0 | 6/8 | 8/0




CCV06020__*
CCV806020
3/0 | 6/8 | 8/0



CCV820530
3/0 | 8/0



CCV100__SL*
CCV8100SL
12” | 6/8 | 8/0
14” | 6/8 | 8/0



Option: Grille Sticks Applied

19020T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19220T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19200T
3’0” door only



19210T
12” and 14”
sidelite only

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)	**XR** Rainglass (XR)	**XG** Geometric Glass (XG)	☐ Flush-Glazed (FG)
XJ Chinchilla Glass (XJ)	**XN** Granite Glass (XN)	**XE** Satin Etch Glass (XE)	

EnLiten™ Flush-Glazed Designs

Simplified beauty. Resilient designs.


Create a clean look with maximum views.

During manufacturing, double or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.

All Classic Craft collection sidelites utilize Flush-Glazed glass.



Flush-Glazed Glass


Lip-Lite Frame

LIFETIME LIMITED WARRANTY


EnLiten flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind - all from the entry door brand building professionals choose most.**

**Brand Use Study, 2018 Builder magazine.


CCA82400 Stained in New Earth

Note: Product images show the exterior side of the door.

Classic Craft® Fir Grain



CCA2400__*
CCA82400__*
3/0 | 6/8 | 8/0



CCA210__*
CCA8210__*
3/0 | 6/8 | 8/0



CCA87100__*
3/6 | 8/0

Please see page 104-105 for sidelite and transom options to complete your door unit.

Classic Craft® Mahogany Grain



CCM302L__*
CCM8302L__*
3/0 | 6/8 | 8/0



CCM302R__*
CCM8302R__*
3/0 | 6/8 | 8/0



CCM301CAL__*
CCM8301CAL__*
3/0 | 6/8 | 8/0



CCM301CAR__*
CCM8301CAR__*
3/0 | 6/8 | 8/0



CCM2800
3/0 | 6/8

*Add the code to the blank in the style number for the desired door and glass combination.


XC Chord Glass (XC)	**XR** Rainglass (XR)	**XG** Geometric Glass (XG)	**XK** Reeded Glass (X)
XJ Chinchilla Glass (XJ)	**XN** Granite Glass (XN)	**XE** Satin Etch	Flush-Glazed (FG)




CCA2320 Stained in Wildflower Honey

Note: Product images show the exterior side of the door.


Classic Craft® Fir Grain




CCA2300__*
CCA82300__*
3/0 | 6/8 | 8/0




CCA2310__*
CCA82310__*
3/0 | 6/8 | 8/0




CCA2320__*
CCA82320__*
3/0 | 6/8 | 8/0




CCA2330__*
CCA82330__*
3/0 | 6/8 | 8/0




CCA2340__*
CCA82340__*
3/0 | 6/8 | 8/0




CCA2350__*
CCA82350__*
3/0 | 6/8 | 8/0



CCA2360__*
CCA82360__*
3/0 | 6/8 | 8/0



CCA2380__*
CCA82380__*
3/0 | 6/8 | 8/0




CCA2370__*
CCA82370__*
3/0 | 6/8 | 8/0


Classic Craft® Fir Grain
Flat Profile Divider Bars



SDL3 (107.95 mm / 4-1/4")



SDL4 (139.70 mm / 5-1/2")




SDL5
Some door styles use a combination of 4-1/4" and 5-1/2" divider bars.


*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XR Rainglass (XR)
XN Granite Glass (XN)
XE Satin Etch (XE)
XG Geometric Glass (XG)
XK Reeded Glass (XK)
Flush-Glazed (FG)
Simulated Divided Lites (page 31)
Simulated Divided Lites (SDL3)
Simulated Divided Lites (SDL4)


Classic Craft® Fir Grain




CCA4900__*
CCA84900__*
3/0 | 6/8 | 8/0




CCA4910L__*
CCA84910L__*
3/0 | 6/8 | 8/0




CCA4910R__*
CCA84910R__*
3/0 | 6/8 | 8/0




CCA4920L__
CCA84920L__
3/0 | 6/8 | 8/0




CCA4920R__*
CCA84920R__*
3/0 | 6/8 | 8/0




CCA4930__*
CCA84930__*
3/0 | 6/8 | 8/0




CCA4940__*
CCA84940__*
3/0 | 6/8 | 8/0




CCA2400__SL*
CCA82400SL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0




CCA2300__SL*
CCA82300SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0




CCA2310__SL*
CCA82310SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2320__SL*
CCA82320SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2330__SL*
CCA82330SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2340__SL*
CCA82340SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0

Note: Product images show the exterior side of the door.


Classic Craft® Fir Grain



CCA220__*
CCA8220__*
3/0 | 6/8 | 8/0




CCA87200__*
3/6 | 8/0



CCA230__*
CCA8230__*
3/0 | 6/8 | 8/0




CCA87300__*
3/6 | 8/0



CCA240__*
CCA8240__*
3/0 | 6/8 | 8/0




CCA87400__*
3/6 | 8/0



CCA260__*
CCA8260__*
3/0 | 6/8 | 8/0




CCA87600__*
3/6 | 8/0



CCA3400__SL*
CCA3500__SL*
12” | 6/8 | 8/0
14” | 6/8 | 8/0


8/0 - XC only available in 1”




CCA3450__SL*
CCA3560__SL*
12” | 6/8 | 8/0
14” | 6/8 | 8/0



CCA210__SL*
12” | 6/8
14” | 6/8



CCA220__SL*
12” | 6/8
14” | 6/8



Option: Grille Sticks Applied

19020T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19220T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



19200T
3’0” door only



19210T
12” and 14” sidelite only

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)	**XR** Rainglass (XR)	**XG** Geometric Glass (XG)	Simulated Divided Lites (page 31)
XJ Chinchilla Glass (XJ)	**XN** Granite Glass (XN)	**XK** Reeded Glass (XK)	Simulated Divided Lites (SDL3)
	XE Satin Etch (XE)	Flush-Glazed (FG)	Simulated Divided Lites (SDL4)

Classic Craft® Mahogany Grain



CCM304L__*
CCM8304L__*
3/0 | 6/8 | 8/0



CCM304R__*
CCM8304R__*
3/0 | 6/8 | 8/0



CCM303L__*
CCM8303L__*
3/0 | 6/8 | 8/0



CCM303R__*
CCM8303R__*
3/0 | 6/8 | 8/0



CCM305CAL__*
CCM8305CAL__*
3/0 | 6/8 | 8/0



CCM305CAR__*
CCM8305CAR__*
3/0 | 6/8 | 8/0



CCM306CAL__*
CCM8306CAL__*
3/0 | 6/8 | 8/0



CCM306CAR__*
CCM8306CAR__*
3/0 | 6/8 | 8/0



CCM2804
3/0 | 6/8



CCM2806
3/0 | 6/8



CCM2812
3/0 | 6/8




CCR2025SL
12” | 6/8
14” | 6/8




CCR82035SL
12” | 8/0
14” | 8/0

Note: Product images show the exterior side of the door.


Classic Craft® Canvas




CCV910__*
3/0 | 6/8




CCV920__*
3/0 | 6/8




CCV930__*
3/0 | 6/8




CCV940__*
3/0 | 6/8




CCV960__*
3/0 | 6/8



CCV100__SL*
CCV8100SL
12” | 6/8 | 8/0
14” | 6/8 | 8/0




CCV9010SL
CCV910__SL*
12” | 6/8
14” | 6/8



CCV9020SL
CCV920__SL*
12” | 6/8
14” | 6/8



CCV8950SL
12” | 8/0
14” | 8/0



CCV950__SL*
12” | 6/8
14” | 6/8

Please see page 95 for transom options to complete your door unit.

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)	**XR** Rainglass (XR)	**XG** Geometric Glass (XG)	Simulated Divided Lites (page 31)
XJ Chinchilla Glass (XJ)	**XN** Granite Glass (XN)	**XK** Reeded Glass (XK)	Simulated Divided Lites (SDL3)
XH Hammered Glass (XH)	**XE** Satin Etch (XE)	Flush-Glazed (FG)	Simulated Divided Lites (SDL4)

Fiber-Classic® & Smooth-Star® Collection

Introduction

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value. **Pages 106-253**.



Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.

Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Pulse® Collection™
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


With 3 distinct aesthetic approaches, the entrance becomes modern art.



Ari | Línea | Echo



Scrolled Lite




Flat Lite (look for the ⌟ icon)


Decorative & Specialty Glass


Page 94


Axis®
Privacy Rating: **7**


Page 108

Blackstone®
Privacy Rating: **7**


Page 114


Calix™
Privacy Rating: **1**


Page 122

Concorde™
Privacy Rating: **8**


Page 128


Crystaline
Privacy Rating: **7**


Page 134


Echelon™
Privacy Rating: **1**


Page 138


Kensington™
Privacy Rating: **8**


Page 144


Latitude™
Privacy Rating: 2


Page 150


Maple Park®
Privacy Rating: **6**


Page 156


Pembridge™
Privacy Rating: **7**


Page 164

Riserva®
Privacy Rating: **10**


Page 170

Salinas®
Privacy Rating: **10**


Page 176


Saratoga™
Privacy Rating: **7**


Page 184

Sedona™
Privacy Rating: **7**


Page 190

Wellesley™
Privacy Rating: **6**


Page 196

Internal Blinds


Page 202

Screen Vented


Page 204

Clear Glass
Privacy Rating: **1**
Options: Low-E (✹)



Privacy & Textured Glass

For Privacy & Textured Glass options, see **Page 206**.

Solid Panel

FCM60 Stained in Raven

Fiber-Classic® Mahogany



Fiber-Classic® Oak




Smooth-Star®




Solid Panel

Door Styles


All styles shown come standard with Tru-Guard® composite edge.
See page ## for more details.



Fiber-Classic® Mahogany	X		X				X	
Fiber-Classic® Oak	X	X						
Smooth-Star®		X	X	X	X	X	X	X



Fiber-Classic® Mahogany			X	X		X	X
Fiber-Classic® Oak	X	X	X			X	X
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany						
Fiber-Classic® Oak						
Smooth-Star®	X	X	X	X	X	X

Solid Panel

Fiber-Classic® Mahogany



FCM31

2/8	6/8
2/10	6/8
3/0	6/8



FCM220

2/8	6/8
2/10	6/8
3/0	6/8



FCM205

2/8	6/8
2/10	6/8
3/0	6/8



FCM755

2/8	6/8
2/10	6/8
3/0	6/8



FCM600

2/8	6/8
2/10	6/8
3/0	6/8



FCM60 **FCM860**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1000* **FCM81000***

2/0	6/8			2/8	6/8	7/0	8/0
2/4	6/8			2/10	6/8	7/0	
2/6	6/8	7/0	8/0	3/0	6/8	7/0	8/0

Fiber-Classic® Oak



FC31

2/8	6/8
2/10	6/8
3/0	6/8



FC809

2/8	6/8
3/0	6/8



FC862

2/8	8/0
3/0	8/0



FC755

2/8	6/8
2/10	6/8
3/0	6/8



FC60 **FC860**

2/6	6/8		
2/6N		7/0	
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




1000* **81000***

2/0	6/8		
2/4	6/8		
2/6	6/8	7/0	8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

Solid Panel


Smooth-Star®

Note: Product images show the exterior side of the door.




S93

2/8	6/8
3/0	6/8




S220 **S8200**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S1100 **S81100**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S120 **S8120**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S200 **S897**

2/6N	6/8	
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S205 **S8201**

2/8	6/8	8/0
2/10		8/0
3/0	6/8	8/0




S31 **S831**

2/8	6/8	8/0
3/0	6/8	8/0




S960

2/8	6/8
2/10	6/8
3/0	6/8




S755

2/8	6/8
3/0	6/8




S4800 **S84800**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S600 **S8600**


2/8	6/8	
2/10	6/8	
3/0	6/8	8/0



S210/S210H **S810/S810H**

2/6N	6/8		8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

2868, 3068, 3080 - Available with internal steel reinforcement for additional security



S100* **S81000***

2/0	6/8		
2/4	6/8		
2/6	6/8		8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0
3/6	6/8		8/0


Choose from any of the decorative, privacy or clear glass sidelites on pages 94-247 to complete your door unit.

■ Wood Edge Option

* This door style is made from a flush door and will not have stile lines.


Discover new ways to bring popular Shaker charm to your Smooth-Star solid panel door.

New Door Divider Bar (DDB) styles for solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles. Door divider bars offer new ways to express personal style while maintaining privacy with a solid-panel door. Therma-Tru® DDBs are made with a durable composite material engineered to withstand extreme weather and resist warping and shrinking, and they have a smooth, flat surface to apply seamlessly to a Smooth-Star flat panel door.



Flat Profile Divider Bars

Smooth, flat-profile divider bars can be applied to doors with or without glass to create a variety of styles.






S3501L Painted in Golden Wheat

Solid Panel


Smooth-Star®

Note: Product images show the exterior side of the door.




S5701 **S85701**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3301 **S83301**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S5721 **S85721**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3401L **S83401L**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3401R **S83401R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3501L **S83501L**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3501R **S83501R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3601L **S83601L**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3601R **S83601R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

Choose from any of the decorative, privacy or clear glass sidelites on pages 94-247 to complete your door unit.

■ Wood Edge Option

* This door style is made from a flush door and will not have stile lines.

Axis® Glass

S83AX Painted in Total Eclipse

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®






Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Axis®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X			X	
Fiber-Classic® Oak	X	X	X	X					X		
Smooth-Star®	X	X	X	X	X	X	X	X	X	X	X




Fiber-Classic® Mahogany		X	X	X	X	X	X	X	X	X
Fiber-Classic® Oak		X	X	X	X	X	X	X	X	X
Smooth-Star®	X	X	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard™ composite edge. See page 282 for more details.

FCM1652 Stained in Driftwood

© TheHouseDesigners.com



When buidling a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM1652 **FCM1651***

2/4	6/8*	
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM1647

2/8	6/8
2/10	6/8
3/0	6/8



FCM1654 **FCM81654**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1650

2/8	6/8
2/10	6/8
3/0	6/8



FCM1656

2/8	6/8
2/10	6/8
3/0	6/8



FCM1658

2/8	6/8
2/10	6/8
3/0	6/8



FCM1651SL* **FCM81651SL***

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FCM81652SL

12”	8/0
14”	8/0



FCM1646SL **FCM81646SL**

12”	6/8	8/0
14”	6/8	8/0



FCM1656SL **FCM81654SL**

12”	6/8	8/0
14”	6/8	8/0



AXRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2AX* FCM83AX*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FCM1AX* FCM81AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0




FCM1LAX*
FCM81LAX*




FCM1RAX*
FCM81RAX*

Echo




FCM4AX* FCM84AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



FCM4LAX*
FCM84LAX*



FCM4RAX*
FCM84RAX*

Echo



FCM8AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM8LAX*



FCM8RAX*

Echo




FCM9AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM9LAX*




FCM9RAX*

Echo




FCM5AX* FCM85AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



FCM5LAX*
FCM85LAX*



FCM5RAX*
FCM85RAX*

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany | Pulse®

Echo



FCM810AX*

2/6	8/0
2/8	8/0
3/0	8/0



FCM810LAX*



FCM810RAX*

Echo



FCM811AX*

2/6	8/0
2/8	8/0
3/0	8/0




FCM811LAX*




FCM811RAX*

Echo



FCM86AX*

2/6	8/0
2/8	8/0
3/0	8/0



FCM86LAX*




FCM86RAX*




FCM1651SL*
FCM81651SL*

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0



FCM4AXSL*
FCM84AXSL*

12”	6/8	8/0
14”	6/8	8/0




FCM5AXSL*
FCM85AXSL*

12”	6/8	8/0
14”	6/8	8/0




FCM810AXSL*

12”	8/0
14”	8/0



FCM811AXSL*

12”	8/0
14”	8/0



FCM86AXSL*

12”	8/0
14”	8/0



FCM9AXSL*

12”	6/8
14”	6/8




FCM10AXSL*

12”	6/8
14”	6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

FC1AX Stained in Wildflower Honey



When buidling a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC1652 **FC1651***

2/4	6/8*	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC1647

2/8	6/8
2/10	6/8
3/0	6/8



FC1646

2/8	6/8
3/0	6/8



FC81646

2/8	8/0
3/0	8/0




FC1654 **FC81654**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC81653

2/8	8/0
3/0	8/0



FC1652SL
FC81652SL

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0



FC1651SL*
FC81651SL*

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FC1646SL
FC81646SL

12”	6/8	8/0
14”	6/8	8/0



FC1656SL
FC81654SL

12”	6/8	8/0
14”	6/8	8/0



AXRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

* This door style is made from a flush door and will not have stile lines.

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2AX* **FC83AX***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1AX* **FC81AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC1LAX*
FC81LAX*

FC1RAX*
FC81RAX*

Echo



FC4AX* **FC84AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC4LAX*
FC84LAX*

FC4RAX*
FC84RAX*

Echo



FC8AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

FC8LAX*

FC8RAX*

Echo



FC9AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

FC9LAX*

FC9RAX*

Echo



FC5AX* **FC85AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC5LAX*
FC85LAX*

FC5RAX*
FC85RAX*

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak | Pulse®

Echo



FC810AX*

2/6	8/0
2/8	8/0
3/0	8/0



FC810LAX*



FC810RAX*

Echo



FC811AX*

2/6	8/0
2/8	8/0
3/0	8/0



FC811LAX*



FC811RAX*

Echo



FC86AX*


2/6	8/0
2/8	8/0
3/0	8/0



FC86LAX*




FC86RAX*




FC1651SL*
FC81651SL*

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0



FC4AXSL*
FC84AXSL*

12”	6/8	8/0
14”	6/8	8/0




FC5AXSL*
FC85AXSL*

12”	6/8	8/0
14”	6/8	8/0



FC810AXSL*

12”	8/0
14”	8/0



FC811AXSL*

12”	8/0
14”	8/0



FC86AXSL*

12”	8/0
14”	8/0



FC9AXSL*

12”	6/8
14”	6/8




FC10AXSL*

12”	6/8
14”	6/8

Brass Caming (1A) | Brushed Nickel Caming (1C) | Black Nickel Caming (1D) | Wrought Iron (1W) | Flat Lite Frame | Vented Sidelite

* This door style is made from a flush door and will not have stile lines.


S1646 Painted in Moonless Night



When buidling a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Note: Product images show the exterior side of the door.

Smooth-Star®



S1652 **S1651***

2/4	6/8*	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S1647

2/8	6/8
2/10	6/8
3/0	6/8



S1646 **S81646**

2/8	6/8	8/0
3/0	6/8	8/0



S1654 **S81654**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S1656 **S81656**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER



S4311 **S84311**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S1658


2/8	6/8
3/0	6/8



S1653 **S81653**


2/8	6/8	8/0
3/0	6/8	8/0

SHAKER



S2620 **S82620**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S1650 **S81650**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S1661

2/10	6/8
2/8	6/8
3/0	6/8




S1652SL
S81652SL

12”	6/8	8/0
14”	6/8	8/0



S1651SL*
S81651SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S1646SL
S81646SL

12”	6/8	8/0
14”	6/8	8/0



S1656SL
S81654SL

12”	6/8	8/0
14”	6/8	8/0



AXRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only


Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


Ari



S2AX* **S83AX***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Línea




S1AX* **S81AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S1LAX*
S81LAX*

S1RAX*
S81RAX*

Echo




S4AX* **S84AX***

2/6	6/8	8/0	3/0	6/8	8/0
2/8	6/8	8/0	3/6	6/8	8/0
2/10	6/8				

S4LAX*
S84LAX*

S4RAX*
S84RAX*

Echo




S8AX*

2/6	6/8	3/0	6/8
2/8	6/8	3/6	6/8
2/10	6/8		

S8LAX*

S8RAX*

Echo




S9AX*

2/6	6/8	3/0	6/8
2/8	6/8	3/6	6/8
2/10	6/8		

S9LAX*

S9RAX*

Echo



S5AX* **S85AX***

2/6	6/8	8/0	3/0	6/8	8/0
2/8	6/8	8/0	3/6	6/8	8/0
2/10	6/8				


S5LAX*
S85LAX*

S5RAX*
S85RAX*

Note: Product images show the exterior side of the door.


Smooth-Star® | Pulse®

Echo




S810AX*

2/6	8/0
2/8	8/0
3/0	8/0
3/6	8/0




S810LAX*




S810RAX*

Echo




S811AX*

2/6	8/0
2/8	8/0
3/0	8/0
3/6	8/0




S811LAX*




S811RAX*

Echo




S86AX*


2/6	8/0
2/8	8/0
3/0	8/0
3/6	8/0



S86LAX*




S86RAX*




S1652SL
S81652SL

12”	6/8	8/0
14”	6/8	8/0




S4AXSL*
S84AXSL*

12”	6/8	8/0
14”	6/8	8/0



S5AXSL*
S85AXSL*

12”	6/8	8/0
14”	6/8	8/0




S810AXSL*

12”	8/0
14”	8/0



S811AXSL*

12”	8/0
14”	8/0




S86AXSL*

12”	8/0
14”	8/0



S9AXSL*

12”	6/8
14”	6/8



S10AXSL*

12”	6/8
14”	6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Blackstone® Glass

S6002 Painted in Total Eclipse

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Blackstone®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany		X	X		X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM108 **FCM310***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM765

2/8	6/8
2/10	6/8
3/0	6/8



FCM109 **FCM863**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6032

2/8	6/8
2/10	6/8
3/0	6/8



FCM6052

2/8	6/8
2/10	6/8
3/0	6/8



FCM110

2/8	6/8
2/10	6/8
3/0	6/8



FCM164

2/8	6/8
2/10	6/8
3/0	6/8




FCM765SL
FCM882SL

12”	6/8	8/0
14”	6/8	8/0



FCM109SL
FCM863SL

12”	6/8	8/0
14”	6/8	8/0



BSRT

3’0” door + (2) 12” sidelites

Continuous sill systems only

Fiber-Classic® Mahogany | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FCM1LBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1BS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM808SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC108

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC765

2/8	6/8
2/10	6/8
3/0	6/8



FC770

2/8	6/8
3/0	6/8



81952P

2/8	8/0
3/0	8/0



FC109 **81933P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC714

2/8	6/8
2/10	6/8
3/0	6/8



FC164

2/8	6/8
2/10	6/8
3/0	6/8



FC794

2/8	6/8
3/0	6/8



FC108SL

10”	6/8
12”	6/8
14”	6/8




FC765SL
81952PSL

12”	6/8	8/0
14”	6/8	8/0



FC109SL
81933PSL

12”	6/8	8/0
14”	6/8	8/0



BSRT

3’0” door + (2) 12” sidelites

Continuous sill systems only

Fiber-Classic® Oak | Pulse®

PULSE®

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1BS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC808SL*

12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Note: Product images show the exterior side of the door.

Smooth-Star®




S6002 **S310***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S975

2/8	6/8	
2/10	6/8	
3/0	6/8	



S979 **S894**

2/8	6/8	8/0	
3/0	6/8	8/0	



S6000 **S81933P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6032 **S86032**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER



S4314 **S84314**

2/8	6/8	8/0	
2/10	6/8	8/0	
3/0	6/8	8/0	




S6052

2/8	6/8
3/0	6/8




S6013

2/8	6/8
2/10	6/8
3/0	6/8




S771

2/8	6/8
3/0	6/8




S6085

2/8	6/8
2/10	6/8
3/0	6/8




S997

2/8	6/8
3/0	6/8



S6002SL

12”	6/8
14”	6/8




S975SL
S894SL

12”	6/8	8/0
14”	6/8	8/0



S6000SL
S85912SL

12”	6/8	8/0
14”	6/8	8/0



BSRT

3’0” door + (2) 12” sidelites

Continuous sill systems only




FC1RBS Stained in New Earth

© TheHouseDesigners.com

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea




S1LBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1BS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S4570SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0


Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Calix Glass

S3540 Painted in Royal Marine










Shown in Black Nickel Caming (1D)


Glass Privacy Rating

10 9 8 7 6 5 4 3 2 **1**

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)




Brass Caming (1A)

Calix

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	X			
Fiber-Classic® Oak	X	X	X	X				X	X
Smooth-Star®	X	X	X	X	X	X	X	X	X




Fiber-Classic® Mahogany						X	X	X
Fiber-Classic® Oak			X	X		X	X	X
Smooth-Star®	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard™ composite edge. See page 282 for more details.


Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany




FCM2223

2/8	6/8
2/10	6/8
3/0	6/8




FCM2389*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FCM82223

2/8	8/0
2/10	8/0
3/0	8/0



FCM82389*

2/8	8/0
3/0	8/0



FCM389

2/8	6/8
2/10	6/8
3/0	6/8



FCM386

2/8	6/8
2/10	6/8
3/0	6/8



FCM387

2/8	6/8
2/10	6/8
3/0	6/8



FCM394

2/8	6/8
2/10	6/8
3/0	6/8



FCM8386

2/8	8/0
2/10	8/0
3/0	8/0




FCM6975

2/8	6/8
2/10	6/8
3/0	6/8




FCM2389SL

12”	6/8	7/0
14”	6/8	7/0



FCM82389SL

12”	8/0
14”	8/0



FCM82223SL

12”	8/0
14”	8/0



FCM4521SL
FCM84521SL

12”	6/8	8/0
14”	6/8	8/0



FCM387SL
FCM8386SL

12”	6/8	8/0
14”	6/8	8/0


Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany | **Pulse®**

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2CX

2/8	6/8
2/10	6/8
3/0	6/8



FCM83CX


2/8	8/0
3/0	8/0

Línea




FCML1CX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1CX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1RCX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM81LCX

2/6	8/0
2/8	8/0
3/0	8/0



FCM81CX

2/6	8/0
2/8	8/0
3/0	8/0



FCM81RCX

2/6	8/0
2/8	8/0
3/0	8/0

Note: All Calix styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.


Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC2223

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




FC2389*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC82223

2/8	8/0
3/0	8/0



FC82389*

2/8	8/0
3/0	8/0



FC389

2/8	6/8
2/10	6/8
3/0	6/8



FC4521

2/8	6/8
3/0	6/8



FC84521

2/8	8/0
3/0	8/0




FC386

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8386

2/8	8/0
3/0	8/0




FC8392

2/8	8/0
3/0	8/0




FC8390

2/8	8/0
3/0	8/0




FC2223SL

12”	6/8
14”	6/8




FC82223SL

12”	8/0
14”	8/0




FC2389SL

12”	6/8	7/0
14”	6/8	7/0



FC823893SL

12”	8/0
14”	8/0



FC4521SL
FC84521SL

12”	6/8	8/0
14”	6/8	8/0



FC387SL
FC8386SL

12”	6/8	8/0
14”	6/8	8/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2CX

2/8	6/8
2/10	6/8
3/0	6/8



FC83CX

2/8	8/0
3/0	8/0

Línea



FC1LCX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1CX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RCX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC81LCX

2/6	8/0
2/8	8/0
3/0	8/0



FC81CX

2/6	8/0
2/8	8/0
3/0	8/0



FC81RCX


2/6	8/0
2/8	8/0
3/0	8/0

Note: All Calix styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.


Note: Product images show the exterior side of the door.

Smooth-Star®




S2223 **S2389***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S82223 **S82389***

2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0




S389

2/8	6/8	
2/10	6/8	
3/0	6/8	




S4521

2/8	6/8
3/0	6/8




S84521

2/8	8/0
3/0	8/0




S386

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S8386

2/8	8/0
2/10	8/0
3/0	8/0




S387

2/8	6/8	7/0
2/10		7/0
3/0	6/8	7/0



S8387


2/8	8/0
2/10	8/0
3/0	8/0



S394

2/8	6/8
3/0	6/8


SHAKER



S4310


2/8	6/8
2/10	6/8
3/0	6/8

SHAKER




S84310

2/8	8/0
2/10	8/0
3/0	8/0



S392


2/8	6/8
3/0	6/8



S8392

2/8	8/0
3/0	8/0


SHAKER



S3540


2/8	6/8
2/10	6/8
3/0	6/8

SHAKER




S83540

2/8	8/0
2/10	8/0
3/0	8/0




S6975

2/8	6/8
2/10	6/8
3/0	6/8




S86975

3/0	8/0



S393

2/8	6/8
3/0	6/8




S8390


2/8	8/0
3/0	8/0

Note: Product images show the exterior side of the door.


Smooth-Star®




S398
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8




S2223SL
12" | 6/8
14" | 6/8




S82223SL
12" | 8/0
14" | 8/0



S2389SL
12" | 6/8 | 7/0
14" | 6/8 | 7/0



S82389SL
12" | 8/0
14" | 8/0



S4521SL
S84521SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0




S387SL
S8386SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0

Smooth-Star® | Pulse®


PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari




S2CX
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8




S83CX
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

Note: All Calix styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.


Línea




S1LCX
2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8




S1CX
2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8




S1RCX
2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8



S81LCX
2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0



S81CX
2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0



S81RCX
2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Concorde™ Glass

FCM916 Stained in Rustic Clay

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 **8** 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)




Brass Caming (1A)

Concorde™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X	
Fiber-Classic® Oak	X	X	X	X				X
Smooth-Star®	X	X	X	X	X	X	X	X



Fiber-Classic® Mahogany	X	X		X	
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All layouts shown come standard with Tru-Guard® composite edge. See page 282 for more details.

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Fiber-Classic® Mahogany



FCM910 **FCM6095***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM890 **FCM820***

2/8	8/0	8/0*
2/10	8/0	
3/0	8/0	8/0*



FCM912

2/8	6/8
2/10	6/8
3/0	6/8




FCM911 **FCM891**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6026

2/8	6/8
2/10	6/8
3/0	6/8



FCM6046

2/8	6/8
2/10	6/8
3/0	6/8



FCM916

2/8	6/8
2/10	6/8
3/0	6/8




FCM915

2/8	6/8
2/10	6/8
3/0	6/8



FCM735 **FCM8735**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




FCM809SL*
FCM81928SL*

10”	6/8	7/0	
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FCM890SL

12”	8/0
14”	8/0




FCM912SL
FCM892SL

12”	6/8	8/0
14”	6/8	8/0



FCM911SL
FCM891SL

12”	6/8	8/0
14”	6/8	8/0



CNRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC910 **81928P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

8/0 - Brass caming not available



FC912

2/8	6/8	
2/10	6/8	
3/0	6/8	



FC780

2/8	6/8	
3/0	6/8	



81960P

2/8	8/0	
3/0	8/0	



FC911 **81942P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC915

2/8	6/8
2/10	6/8
3/0	6/8



FC797

2/8	6/8
3/0	6/8




FC735 **FC8735**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC917

2/8	6/8
3/0	6/8




FC910SL **81928PSL**

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0



FC809SL* **81928SL***

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FC912SL **81960PSL**

12”	6/8	8/0
14”	6/8	8/0



FC911SL **81942PSL**

12”	6/8	8/0
14”	6/8	8/0




CNRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only


Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



S6090 **S85895**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6095* **S820***

3/6	6/8*	8/0*



S912

2/8	6/8
2/10	6/8
3/0	6/8




S97 **S85902**

2/8	6/8	8/0
3/0	6/8	8/0



S426 **S81942P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6026 **S86026**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S4316 **S84316**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6046

2/8	6/8
3/0	6/8




S430

2/8	6/8
2/10	6/8
3/0	6/8




S773

2/8	6/8
3/0	6/8




S6084

2/8	6/8
2/10	6/8
3/0	6/8



S1000

2/8	6/8
3/0	6/8




S735 **S8735**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Concorde™


Smooth-Star®

Note: Product images show the exterior side of the door.




S416SL
S85895SL

12”	6/8	8/0
14”	6/8	8/0



S4070SL*
S85930SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S757SL
S85902SL

12”	6/8	8/0
14”	6/8	8/0



S430SL
S85920SL

12”	6/8	8/0
14”	6/8	8/0



CNRT
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous sill systems only



FC735 Stained in Shale

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.


Crystalline™ Glass

S888 Painted in Morning Dove

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Crystalline™

Door Styles



Fiber-Classic® Mahogany	X	X		X			X
Fiber-Classic® Oak	X	X	X	X			X
Smooth-Star®	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM16 **FCM668***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM38

2/8	6/8
2/10	6/8
3/0	6/8



FCM898

2/8	8/0
2/10	8/0
3/0	8/0



FCM38SL
FCM8105SL


12”	6/8	8/0
14”	6/8	8/0

Fiber-Classic® Mahogany | **Pulse®**

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FCM1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM18101SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Fiber-Classic® Oak



FC16

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC38

2/8	6/8
2/10	6/8
3/0	6/8



FC772

2/8	6/8
3/0	6/8



81953P

2/8	8/0
3/0	8/0



81935P

2/8	8/0
2/10	
3/0	8/0




FC46SL

10”	6/8
12”	6/8
14”	6/8



FC38SL
81953PSL

12”	6/8	8/0
14”	6/8	8/0



81935PSL

12”	8/0
14”	8/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



18101SL*

12”	6/8	7/0
14”	6/8	7/0




FC16 Stained in Dark Maple

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Smooth-Star®

Note: Product images show the exterior side of the door.




S916 **S668***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S977

2/8	6/8	
2/10	6/8	
3/0	6/8	



S981 **S888**

2/8	6/8	8/0
3/0	6/8	8/0



S81935P

2/8	8/0
2/10	8/0
3/0	8/0



S86027


2/8	8/0
2/10	8/0
3/0	8/0

SHAKER




S84319

2/8	8/0
2/10	8/0
3/0	8/0



S916SL

12”	6/8
14”	6/8



S758SL
S888SL

12”	6/8	8/0
14”	6/8	8/0



S930SL
S85914SL

12”	6/8	8/0
14”	6/8	8/0




S916 Painted in Luna Moth

Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea




S1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S6130SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Echelon Glass

S83EC Painted in Brighton

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®






Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 **1**

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)



Brass Caming (1A)

Echelon

Door Styles




Fiber-Classic® Mahogany	X		X	X	X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany




FCM2233 **FCM2385***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM2385SL

12”	6/8	7/0
14”	6/8	7/0



FCM84527SL

12”	8/0
14”	8/0


Note: All Echelon styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Fiber-Classic® Mahogany | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2EC

2/8	6/8
2/10	6/8
3/0	6/8



FCM83EC

2/8	8/0
3/0	8/0

Línea




FCM1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1EC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1REC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Fiber-Classic® Oak




FC2233

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC2385

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC84527

2/8	8/0
3/0	8/0




FC2233SL

12”	6/8
14”	6/8



FC2385SL

12”	6/8	7/0
14”	6/8	7/0



FC84527SL

12”	8/0
14”	8/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2EC

2/8	6/8
2/10	6/8
3/0	6/8



FCM83EC

2/8	8/0
3/0	8/0

Línea



FCM1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1EC


2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1REC


2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Smooth-Star®




S2233 **S2385***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*




S84527

2/8	8/0
3/0	8/0




S2233SL

12”	6/8	7/0
14”	6/8	7/0



S2385SL

12”	6/8	7/0
14”	6/8	7/0



S84527SL


12”	8/0
14”	8/0

Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



S2EC


2/8	6/8
2/10	6/8
3/0	6/8



S83EC


2/8	8/0
3/0	8/0
3/6	8/0

Línea




S1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1EC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1REC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Kensington™ Glass

FC156 Stained in New Earth

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 **8** 7 6 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (C)

Kensington™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany	X		X	X	
Fiber-Classic® Oak		X		X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Kensington™

Fiber-Classic® Mahogany



FCM148 **FCM626***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM156

2/8	6/8
2/10	6/8
3/0	6/8



FCM149 **FCM8149**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6036

2/8	6/8
2/10	6/8
3/0	6/8




FCM6056

2/8	6/8
2/10	6/8
3/0	6/8



FCM151

2/8	6/8
2/10	6/8
3/0	6/8



FCM789

2/8	6/8
2/10	6/8
3/0	6/8



FCM813SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM1442SL
FCM8107SL

12”	6/8	8/0
14”	6/8	8/0



FCM149SL
FCM867SL

12”	6/8	8/0
14”	6/8	8/0



KNRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Kensington™

Fiber-Classic® Oak

Note: Product images show the exterior side of the door.



FC148

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC156

2/8	6/8
2/10	6/8
3/0	6/8



FC20042

2/8	6/8
3/0	6/8



81961P

2/8	8/0
3/0	8/0



FC149 **FC8149**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC151

2/8	6/8
2/10	6/8
3/0	6/8



FC798

2/8	6/8
3/0	6/8



FC148SL

10”	6/8
12”	6/8
14”	6/8



FC813SL*

12”	6/8	7/0
14”	6/8	7/0



FC1442SL
81961PSL

12”	6/8	8/0
14”	6/8	8/0



FC149SL
FC8867SL

12”	6/8	8/0
14”	6/8	8/0



KNRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Note: Product images show the exterior side of the door.



S160 **S626***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S156

2/8	6/8	
2/10	6/8	
3/0	6/8	



S20042 **S902**

2/8	6/8	8/0
3/0	6/8	8/0



S161 **S8149**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6036 **S86036**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER




S4320 **S84320**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6056

2/8	6/8
3/0	6/8




S162

2/8	6/8
2/10	6/8
3/0	6/8




S709

2/8	6/8
3/0	6/8



S163

2/8	6/8
2/10	6/8
3/0	6/8



S1001

2/8	6/8
3/0	6/8




S160SL

12”	6/8
14”	6/8



S6132SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



S1442SL
S902SL

12”	6/8	8/0
14”	6/8	8/0



S161SL
S867SL

12”	6/8	8/0
14”	6/8	8/0



KNRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only



S160 Painted in Alaskan Storm

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Latitude Glass

S2213 Painted in Royal Marine

Fiber-Classic® Mahogany




Fiber-Classic® Oak



Smooth-Star®






Shown in Black Nickel Caming (1D)


Glass Privacy Rating

10 9 8 7 6 5 4 3 **2** 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Latitude

Door Styles



Fiber-Classic® Mahogany	X	X			X			X
Fiber-Classic® Oak	X	X	X	X	X		X	X
Smooth-Star®	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM2213 **FCM2382***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM476

2/8	6/8
2/10	6/8
3/0	6/8



FCM8498

2/8	8/0
2/10	8/0
3/0	8/0




FCM2382SL

12”	6/8	7/0
14”	6/8	7/0



FCM4525SL

12”	6/8
14”	6/8



FCM84525SL

12”	8/0
14”	8/0



FCM8498SL

12”	8/0
14”	8/0


Note: All Latitude styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Fiber-Classic® Mahogany | **Pulse®**

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea




FCM1LLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1LT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC2213

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC2382

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC476

2/8	6/8
2/10	6/8
3/0	6/8



FC4525

2/8	6/8
3/0	6/8



FC84525

2/8	8/0
3/0	8/0




FC8498

2/8	8/0
3/0	8/0



FC8489

2/8	8/0
3/0	8/0



FC2213SL

12”	6/8	7/0
14”	6/8	7/0




FC2382SL

12”	6/8
14”	6/8



FC4525L

12”	6/8
14”	6/8



FC84525SL

12”	8/0
14”	8/0



FC8498SL


12”	8/0
14”	8/0

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vantage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1LT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1RLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.


Note: Product images show the exterior side of the door.

Smooth-Star®




S2213

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S2382*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S476

2/8	6/8
2/10	6/8
3/0	6/8



S4525

2/8	6/8
3/0	6/8




S84525

2/8	8/0
3/0	8/0




S8498

2/8	8/0
2/10	8/0
3/0	8/0




S8467

2/8	8/0
2/10	8/0
3/0	8/0




S8489

2/8	8/0
3/0	8/0




S2213SL

12”	6/8
14”	6/8




S2382SL

12”	6/8	7/0
14”	6/8	7/0




S4525L

12”	6/8
14”	6/8



S84525SL

12”	8/0
14”	8/0



S8498SL


12”	8/0
14”	8/0

Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea




S1LLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1LT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1RLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Note: All Latitude styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.



FCM31 Stained in Autumn Harvest

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Maple Park® Glass

S609 Painted in Rio

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 **6** 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Maple Park®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X




Fiber-Classic® Mahogany	X			X	X
Fiber-Classic® Oak		X			X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Maple Park®

Fiber-Classic® Mahogany



FCM900 **FCM1006***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM902

2/8	6/8
2/10	6/8
3/0	6/8



FCM901 **FCM886**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6107

2/8	6/8
2/10	6/8
3/0	6/8



FCM6108

2/8	6/8
2/10	6/8
3/0	6/8




FCM609

2/8	6/8
2/10	6/8
3/0	6/8




FCM736 **FCM8736**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM812SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM902SL
FCM887SL

12”	6/8	8/0
14”	6/8	8/0



FCM901SL
FCM886SL

12”	6/8	8/0
14”	6/8	8/0



FWRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Maple Park®

Fiber-Classic® Oak

Note: Product images show the exterior side of the door.



FC900

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC902

2/8	6/8	
2/10	6/8	
3/0	6/8	



FC777

2/8	6/8
3/0	6/8



81957P

2/8	8/0
3/0	8/0



FC901

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




81939P

2/8	8/0
3/0	8/0




FC736 **FC8736**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC900SL

10”	6/8
12”	6/8
14”	6/8



FC812SL*

12”	6/8	7/0
14”	6/8	7/0



FC902SL
81957PSL

12”	6/8	8/0
14”	6/8	8/0



FC901SL
81939PSL

12”	6/8	8/0
14”	6/8	8/0



FWRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only


Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Maple Park®

Smooth-Star®

Note: Product images show the exterior side of the door.



S6100 **S1006***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6102

2/8	6/8	
2/10	6/8	
3/0	6/8	




S6103 **S85898**

2/8	6/8	8/0
3/0	6/8	8/0




S6101 **S81939P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6107 **S86107**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4324 **S84324**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6108

2/8	6/8	
3/0	6/8	




S6104

2/8	6/8	
2/10	6/8	
3/0	6/8	




S609 **S8609**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S2630 **S82630**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S736 **S8736**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6100SL

12”	6/8
14”	6/8




S6131SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



S6102SL **S85898SL**

12”	6/8	8/0
14”	6/8	8/0



S6101SL **S85918SL**

12”	6/8	8/0
14”	6/8	8/0



FWRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only



S86107 Painted in Luna Moth

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Flat Lite Frame
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Pembridge™ Glass

FC745 Stained in Raven

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Pembridge™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X		X	X		
Fiber-Classic® Oak	X	X	X	X				X	X	X	X	
Smooth-Star®	X	X	X	X	X	X	X	X	X		X	X



Fiber-Classic® Mahogany	X	X	X	X							
Fiber-Classic® Oak		X	X	X							
Smooth-Star®	X	X	X	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM6550 **FCM6500***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM6582

2/8	6/8
2/10	6/8
3/0	6/8



FCM6560 **FCM86560**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6565

2/8	6/8
2/10	6/8
3/0	6/8



FCM6568

2/8	6/8
2/10	6/8
3/0	6/8



FCM6577

2/8	6/8
2/10	6/8
3/0	6/8



FCM6575

2/8	6/8
2/10	6/8
3/0	6/8



FCM6520

2/8	6/8
2/10	6/8
3/0	6/8



FCM745 **FCM8745**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6580SL
FCM86580SL

12”	6/8	8/0
14”	6/8	8/0



FCM6565SL
FCM86560SL


12”	6/8	8/0
14”	6/8	8/0

Fiber-Classic® Mahogany | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


Ari



FCM2PB* **FCM83PB***


2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea




FCM1LPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1PB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM6500SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC6550

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC6582

2/8	6/8
2/10	6/8
3/0	6/8



FC6580

2/8	6/8
3/0	6/8



FC86580

2/8	8/0
3/0	8/0



FC6560

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC86560

2/8	8/0
2/10	8/0
3/0	8/0



FCO6575

2/8	6/8
2/10	6/8
3/0	6/8



FC6576

2/8	6/8
3/0	6/8




FC745 **FC8745**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC6550SL

10”	6/8
12”	6/8
14”	6/8



FC6580SL
FC86580SL

12”	6/8	8/0
14”	6/8	8/0



FC6565SL
FC86560SL


12”	6/8	8/0
14”	6/8	8/0

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2PB* **FC83PB***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1LPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1PB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC6500SL*

12”	6/8	7/0
14”	6/8	7/0


* This door style is made from a flush door and will not have stile lines.

Brass Caming (1A) · Brushed Nickel Caming (1C) · Black Nickel Caming (1D) · Wrought Iron (1W) · Flat Lite Frame · Vented Sidelite

Pembridge™


S6576 Painted in Dahlia

Smooth-Star®



S6550 **S6500***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6582

2/8	6/8
2/10	6/8
3/0	6/8



S6580 **S86580**

2/8	6/8	8/0
3/0	6/8	8/0



S6560 **S86560**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

8/0 - Available with Brass caming

Note: Product images show the exterior side of the door.



S6565 **S86565**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0


8/0 - Available with Brass caming

SHAKER



S4323 **S84323**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6568

2/8	6/8
3/0	6/8




S6572

2/8	6/8
2/10	6/8
3/0	6/8



S6577


2/8	6/8
3/0	6/8



S6576


2/8	6/8
3/0	6/8

SHAKER




S2640 **S82640**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6520 **S86520**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0



S745 **S8745**


2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6550SL

12”	6/8
14”	6/8

Brass Caming -
Not Available with Flat Frame



S6580SL
S86580SL

12”	6/8	8/0
14”	6/8	8/0



S6565SL
S86560SL

12”	6/8	8/0
14”	6/8	8/0

8/0 - Available with Brass caming

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite


* This door style is made from a flush door and will not have stile lines.

Smooth-Star® | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


Ari



S2PB* **S83PB***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Línea




S1PB* **S1LPB*** **S1RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Brass caming **does not** have Flat Lite Frame

Echo




S4PB* **S84PB***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S4LPB*
S84LPB*

S4RPB*
S84RPB*


Echo



S8PB* **S8LPB*** **S8RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8


Echo



S9PB* **S9LPB*** **S9RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Echo



S5PB* **S85PB***


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S5LPB*
S85LPB*

S5RPB*
S85RPB*


Note: Product images show the exterior side of the door.

Echo




S810PB*

2/6 | 8/0 3/0 | 8/0
2/8 | 8/0 3/6 | 8/0




S810LPB*




S810RPB*

Echo




S811PB*

2/6 | 8/0 3/0 | 8/0
2/8 | 8/0 3/6 | 8/0




S811LPB*




S811RPB*

Echo




S86PB*


2/6 | 8/0 3/0 | 8/0
2/8 | 8/0 3/6 | 8/0



S86LPB*




S86RPB*



S6500SL*


10” | 6/8
12” | 6/8 | 7/0
14” | 6/8 | 7/0

Flat frame - Brushed and Black Nickel caming only




S4PBSL*
S84PBSL*

12” | 6/8 | 8/0
14” | 6/8 | 8/0



S5PBSL*
S85PBSL*

12” | 6/8 | 8/0
14” | 6/8 | 8/0




S810PBSL*

12” | 8/0
14” | 8/0




S811PBSL*

12” | 8/0
14” | 8/0




S86PBSL*

12” | 8/0
14” | 8/0



S9PBSL*

12” | 6/8
14” | 6/8



S10PBSL*

12” | 6/8
14” | 6/8

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Flat Lite Frame
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Riserva® Glass

FC8529 Stainned in New Earth

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Wrought Iron (1W)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Note: Glass image shows the exterior side of the door.

Riserva®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	X
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X

SHAKER



Fiber-Classic® Mahogany		X		X	X
Fiber-Classic® Oak	X			X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM574 **FCM571***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM543

2/8	6/8
2/10	6/8
3/0	6/8



FCM581 **FCM8581**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM575

2/8	6/8
2/10	6/8
3/0	6/8




FCM577

2/8	6/8
2/10	6/8
3/0	6/8



FCM508

2/8	6/8
2/10	6/8
3/0	6/8




FCM545SL
FCM8545SL

12”	6/8	8/0
14”	6/8	8/0



FCM583SL
FCM8583SL

12”	6/8	8/0
14”	6/8	8/0



RSRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites


Continuous sill systems only

Fiber-Classic® Mahogany | **Pulse**®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


Ari



FCM2RS* **FCM83RS***


2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea




FCM1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM572SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC574

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC543

2/8	6/8
2/10	6/8
3/0	6/8



FC529

2/8	6/8
3/0	6/8




FC8529

2/8	8/0
3/0	8/0




FC581 **FC8581**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC573SL

10”	6/8
12”	6/8
14”	6/8




FC545SL
FC8545SL

12”	6/8	8/0
14”	6/8	8/0



FC583SL
FC8583SL

12”	6/8	8/0
14”	6/8	8/0



RSRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites


Continuous sill systems only

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2RS* **FC83RS***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC572SL*


12”	6/8	7/0
14”	6/8	7/0

* This door style is made from a flush door and will not have stile lines.

Brass Caming (1A) · Brushed Nickel Caming (1C) · Black Nickel Caming (1D) · Wrought Iron (1W) · Flat Lite Frame · Vented Sidelite

Note: Product images show the exterior side of the door.

Smooth-Star®



S574 **S571***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S543

2/8	6/8
2/10	6/8
3/0	6/8



S529 **S8529**

2/8	6/8	8/0
3/0	6/8	8/0




S581 **S8581**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S575 **S8575**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S577

2/8	6/8
3/0	6/8




S585

2/8	6/8
2/10	6/8
3/0	6/8




S508 **S8508**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S2670 **S82670**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S573SL

12”	6/8
14”	6/8




S545SL **S8545SL**

12”	6/8	8/0
14”	6/8	8/0



S583SL **S8583SL**

12”	6/8	8/0
14”	6/8	8/0



RSRT

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only



S83RS Stained in Shale


© TheHouseDesigners.com

Smooth-Star® | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.


Ari



S2RS* **S83RS***


2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Línea




S1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S572SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Flat Lite Frame

* This door style is made from a flush door and will not have stile lines.

Salinas® Glass

81955P Stained in Raven

Fiber-Classic® Mahogany




Fiber-Classic® Oak



Smooth-Star®





Shown in Wrought Iron (1W)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Note: Glass image shows the exterior side of the door.

Salinas®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X
Fiber-Classic® Oak	X	X	X	X	
Smooth-Star®	X	X	X	X	X



Fiber-Classic® Mahogany	X		X
Fiber-Classic® Oak		X	X
Smooth-Star®	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM113 **FCM369***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM115

2/8	6/8
2/10	6/8
3/0	6/8



FCM114 **FCM865**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6031

2/8	6/8
2/10	6/8
3/0	6/8



FCM6051

2/8	6/8
2/10	6/8
3/0	6/8



FCM115SL
FCM884SL

12”	6/8	8/0
14”	6/8	8/0



FCM114SL
FCM865SL

12”	6/8	8/0
14”	6/8	8/0



SART

3’0” door + (2) 12” sidelites

Continuous sill systems only

Fiber-Classic® Mahogany | **Pulse**®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FCM1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM814SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC113

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC115

2/8	6/8
2/10	6/8
3/0	6/8



FC775

2/8	6/8
3/0	6/8



81955P

2/8	8/0
3/0	8/0



FC114 **81937P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC113SL

10”	6/8
12”	6/8
14”	6/8



FC115SL
81955PSL

12”	6/8	8/0
14”	6/8	8/0



FC114SL
81937PSL

12”	6/8	8/0
14”	6/8	8/0



SART

3’0” door + (2) 12” sidelites

Continuous sill systems only

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC814SL*

12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Note: Product images show the exterior side of the door.



S6008 **S369***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	




S6009

2/8	6/8
2/10	6/8
3/0	6/8




S6010 **S895**

2/8	6/8	8/0
3/0	6/8	8/0



S6006 **S81937P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6031 **S86031**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6051

2/8	6/8
3/0	6/8




S6014

2/8	6/8
2/10	6/8
3/0	6/8



S6008SL

12”	6/8
14”	6/8



S6009SL
S895SL

12”	6/8	8/0
14”	6/8	8/0



S6006SL
S85916SL

12”	6/8	8/0
14”	6/8	8/0



SART

3’0” door + (2) 12” sidelites

Continuous sill systems only




S1RSA Painted in Rio

Smooth-Star® | **Pulse®**

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea




S1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S6134SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Saratoga™ Glass

FCM602 Stained in Bark

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®






Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1


Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (C)

Saratoga™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X	
Fiber-Classic® Oak	X	X	X	X				X
Smooth-Star®	X	X	X	X	X	X	X	



Fiber-Classic® Mahogany		X	X			X	X	X
Fiber-Classic® Oak				X	X	X	X	X
Smooth-Star®	X	X	X			X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM905 **FCM6093***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM907

2/8	6/8
2/10	6/8
3/0	6/8



FCM906 **FCM888**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6029

2/8	6/8
2/10	6/8
3/0	6/8



FCM6049

2/8	6/8
2/10	6/8
3/0	6/8

SHAKER



FCM6240

3/0	6/8




FCM602

2/8	6/8
2/10	6/8
3/0	6/8



FCM707 **FCM8707**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM907SL
FCM889SL

12”	6/8	8/0
14”	6/8	8/0



FCM906SL
FCM888SL

12”	6/8	8/0
14”	6/8	8/0



FCM6240SL

12”	6/8
14”	6/8



19750T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19740T


3’0” Door Only

Fiber-Classic® Mahogany | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2SG* **FCM83SG***


2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea




FCM1LSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1SG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM815SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM905 Stained in Dark Maple


- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



FCM6240 Stained in Autumn Harvest

Fiber-Classic® Oak



FC905

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC907

2/8	6/8
2/10	6/8
3/0	6/8



FC776

2/8	6/8
3/0	6/8



81956P

2/8	8/0
3/0	8/0



FC906 **81938P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



81981P

2/8	8/0
3/0	8/0



FC80954

2/8	6/8
3/0	6/8



FC86254

2/8	8/0
3/0	8/0




FC707 **FC8707**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC905SL

10”	6/8
12”	6/8
14”	6/8



FC907SL
81956PSL

12”	6/8	8/0
14”	6/8	8/0



FC906SL
81938PSL

12”	6/8	8/0
14”	6/8	8/0



19750T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19740T

3’0” Door Only

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2SG* **FC83SG***

2/8	6/8	8/0	
2/10	6/8		
3/0	6/8	8/0	

Línea



FC1LSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1SG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC815SL*


12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Saratoga™

Smooth-Star®



S154 **S6093***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6092

2/8	6/8
2/10	6/8
3/0	6/8



S982 **S891**

2/8	6/8	8/0
3/0	6/8	8/0



S213 **S81938P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6029 **S86029**


2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER




S4327 **S84327**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6049


2/8	6/8
3/0	6/8



S291


2/8	6/8
2/10	6/8
3/0	6/8

SHAKER



S6240

2/8	6/8
3/0	6/8




S602 **S8602**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S707 **S8707**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S154SL

12”	6/8
14”	6/8




S6092SL
S891SL

12”	6/8	8/0
14”	6/8	8/0



S291SL
S85917SL

12”	6/8	8/0
14”	6/8	8/0



S6240SL

12”	6/8
14”	6/8



19750T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19740T


3’0” Door Only

Note: Product images show the exterior side of the door.

PULSE


Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



S2SG*		S83SG*
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Línea



S1LSG*		S1SG*		S1RSG*		S602SL*		
2/6	6/8	2/6	6/8	2/6	6/8	10”	6/8	
2/8	6/8	2/8	6/8	2/8	6/8	12”	6/8	7/0
2/10	6/8	2/10	6/8	2/10	6/8	14”	6/8	7/0
3/0	6/8	3/0	6/8	3/0	6/8			
3/6	6/8	3/6	6/8	3/6	6/8			



S1SG Painted in Grace Bay

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Sedona Glass

S91 Painted in Alaskan Storm

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 **7** 6 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Sedona

Door Styles

SHAKER



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany			X	X	X
Fiber-Classic® Oak	X	X		X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Sedona

Fiber-Classic® Mahogany



FCM100 **FCM241***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM131

2/8	6/8
2/10	6/8
3/0	6/8



FCM101 **FCM864**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6025

2/8	6/8
2/10	6/8
3/0	6/8



FCM6045

2/8	6/8
2/10	6/8
3/0	6/8



FCM604

2/8	6/8
2/10	6/8
3/0	6/8



FCM131SL
FCM883SL

12”	6/8	8/0
14”	6/8	8/0



FCM101SL
FCM864SL

12”	6/8	8/0
14”	6/8	8/0



19520T

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Fiber-Classic® Mahogany | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2SN* **FCM83SN***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FCM1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM816SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC100

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC131

2/8	6/8	
2/10	6/8	
3/0	6/8	



FC773

2/8	6/8	
3/0	6/8	



81954P

2/8	8/0	
3/0	8/0	



FC101 **81936P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC80952

2/8	6/8
3/0	6/8



FC100SL

10”	6/8
12”	6/8
14”	6/8



FC131SL **81954PSL**

12”	6/8	8/0
14”	6/8	8/0



FC101SL **81936PSL**

12”	6/8	8/0
14”	6/8	8/0



19520T

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites


Continuous sill systems only

Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vantage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2SN* **FC83SN***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC816SL*

12”	6/8	7/0
14”	6/8	7/0

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Sedona

Smooth-Star®



S139 **S241***

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S95

2/8	6/8
2/10	6/8
3/0	6/8



S91 **S887**

2/8	6/8	8/0
3/0	6/8	8/0



S211 **S81936P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6025 **S86025**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER



S4328 **S84328**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6045

2/8	6/8
3/0	6/8




S294

2/8	6/8
2/10	6/8
3/0	6/8




S604 **S8604**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S139SL

12”	6/8
14”	6/8



S91SL **S887SL**

12”	6/8	8/0
14”	6/8	8/0



S294SL **S85915SL**

12”	6/8	8/0
14”	6/8	8/0



19520T

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites

Continuous sill systems only

Sedona

Note: Product images show the exterior side of the door.

Smooth-Star® | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari




S2SN*

2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S83SN*

8/0
8/0
8/0

Línea



S1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S604SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



S1SN Painted in Brighton

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Wellesley™ Glass

S983 Painted in Moonless Night

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating

10 9 8 7 **6** 5 4 3 2 1

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (C)



Brass Caming (A)


Wellesley™

Door Styles

SHAKER



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany		X	X		X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Wellesley™

Fiber-Classic® Mahogany



FCM104 **FCM6094***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM874 **FCM821***

2/8	8/0	8/0*
2/10	8/0	
3/0	8/0	8/0*



FCM147

2/8	6/8
2/10	6/8
3/0	6/8



FCM105 **FCM866**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6030

2/8	6/8
2/10	6/8
3/0	6/8




FCM6050

2/8	6/8
2/10	6/8
3/0	6/8



FCM106

2/8	6/8
2/10	6/8
3/0	6/8




FCM163

2/8	6/8
2/10	6/8
3/0	6/8




FCM721 **FCM8721**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM818SL* **FCM81921SL***

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FCM874SL

12”	8/0
14”	8/0




FCM147SL **FCM885SL**

12”	6/8	8/0
14”	6/8	8/0



FCM105SL **FCM866SL**

12”	6/8	8/0
14”	6/8	8/0



19730T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19720T

3’0” Door Only

Note: Product images show the exterior side of the door.



FC104 **81921P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

8/0 - Brass caming not available



FC147

2/8	6/8	
2/10	6/8	
3/0	6/8	



FC779

2/8	6/8
3/0	6/8



81959P

2/8	8/0
3/0	8/0




FC105 **81941P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC163

2/8	6/8
2/10	6/8
3/0	6/8




FC796

2/8	6/8
3/0	6/8




FC721 **FC8721**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC104SL
81921PSL

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0



FC818SL*
81921SL*

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FC147SL
81959PSL

12”	6/8	8/0
14”	6/8	8/0



FC105SL
81941PSL

12”	6/8	8/0
14”	6/8	8/0



19730T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19720T

3’0” Door Only

Brass Caming (1A)
Brushed Nickel Caming (1C)
Black Nickel Caming (1D)
Wrought Iron (1W)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.



S155 **S85896**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6094* **S821***

3/6	6/8*	8/0*



S6091

2/8	6/8
2/10	6/8
3/0	6/8



S983 **S892**

2/8	6/8	8/0
3/0	6/8	8/0



S214 **S81941P**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6030 **S86030**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER



S4330 **S84330**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6050

2/8	6/8
3/0	6/8



S292

2/8	6/8
2/10	6/8
3/0	6/8




S774

2/8	6/8
3/0	6/8




S6082

2/8	6/8
2/10	6/8
3/0	6/8



S999

2/8	6/8
3/0	6/8




S721 **S8721**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Wellesley™


Smooth-Star®

Note: Product images show the exterior side of the door.




S155SL
S85896SL

12”	6/8	8/0
14”	6/8	8/0



S5870SL*
S85934SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S6091SL
S892SL

12”	6/8	8/0
14”	6/8	8/0



S292SL
S85922SL

12”	6/8	8/0
14”	6/8	8/0



19730T

3’0” door + (2) 12” sidelites

Continuous sill systems only



19720T

3’0” Door Only



FCM6030 Stained in Dark Maple

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Wrought Iron (1W)
- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Internal Blinds

S81225 Painted in Dried Cranberry

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®







*Internal Blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

Internal Blinds

Door Styles



Fiber-Classic® Mahogany	X		X	X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany	X	X			
Fiber-Classic® Oak		X	X	X	X
Smooth-Star®	X	X			

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Internal Blinds

Fiber-Classic® Mahogany



FCM141 **FCM8115**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1286* **FCM81225***

2/4	6/8*		
2/6	6/8*	7/0*	
2/8		7/0*	8/0*
2/10		7/0*	8/0*
3/0		7/0*	



FCM5425

2/8	6/8
2/10	6/8
3/0	6/8



FCM678 **FCM8678**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6035

2/8	6/8
2/10	6/8
3/0	6/8




FCM6055

2/8	6/8
2/10	6/8
3/0	6/8




FCM116*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FCM1286SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM8110SL

12”	8/0
14”	8/0



FCM678SL

12”	6/8
14”	6/8

Internal Blinds


Fiber-Classic® Oak

Note: Product images show the exterior side of the door.



FC141 **81225P**

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




1286*

2/4	6/8*	
2/6	6/8*	7/0*



1964P

2/8	6/8
3/0	6/8



81964P

2/8	8/0
3/0	8/0



FC5425

2/8	6/8
2/10	6/8
3/0	6/8



FC678 **FC8678**

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC116*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8971

2/8	8/0
3/0	8/0




FC925

2/8	6/8
3/0	6/8




FC8972

2/8	8/0
3/0	8/0




FC141SL

10”	6/8
12”	6/8
14”	6/8



1286SL*

12”	6/8	7/0
14”	6/8	7/0



81964PSL

12”	8/0
14”	8/0



FC678SL

12”	6/8
14”	6/8

Low-E Glass (LE)

Contour White (CW) GBG


Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Internal Blinds


Note: Product images show the exterior side of the door.

Smooth-Star®




S2600 **S82600**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S130 **S829**

2/6N	6/8		
2/8	6/8	7/0	8/0
2/8N	6/8		
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6061* **S81225***

2/4	6/8*	
2/6	6/8*	
3/6	6/8*	8/0*



S682

2/8	6/8
3/0	6/8



S8682

2/8	8/0
3/0	8/0



S5425

2/8	6/8
2/10	6/8
3/0	6/8



S132 **S8132**

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6035 **S86035**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

SHAKER




S4308

2/8	6/8
2/10	6/8
3/0	6/8



S6055

2/8	6/8
3/0	6/8




S131*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S971 **S8971**

2/8	6/8	8/0
3/0	6/8	8/0




S925

2/8	6/8
3/0	6/8




S8972

2/8	8/0
3/0	8/0




S130SL **S829SL**

12”	6/8	8/0
14”	6/8	8/0



S6128SL* **S85928SL***

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



S8682SL

12”	8/0
14”	8/0




S132SL

12”	6/8
14”	6/8

Internal Blinds

Reeb® Specialty Products



RSS130RT

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



RSS132RT

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Note: Product images show exterior side of the door.

*Between-the-glass blinds are a perfect choice for people who value energy savings and quiet. Grilles between the glass add a warm aesthetic. The blind slats disappear behind the valance when they are fully raised for a clean, finished look. Blinds tilt, and raise and lower the entire length of the door glass.





S6061 Painted in Alaskan Storm

Low-E Glass (LE)
Contour White (CW) GBG
Flush-Glazed (FG)
Vented Sidelite
* This door style is made from a flush door and will not have stile lines.

Screen Vented Lites



S243 Painted in Mocha Chip

Smooth-Star®





*Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.

Smooth-Star®



S243

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S6034

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S6054

2/8	6/8
3/0	6/8



S137*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

* This door style is made from a flush door and will not have stile lines.

Clear Glass

S82103 Painted in Total Eclipse

Fiber-Classic® Mahogany



Fiber-Classic® Oak



Smooth-Star®





Shown in Clear Glass (CL)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 **1**

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Low-E Glass (LE)

All Fiber-Classic and Smooth-Star doors come standard with Clear Glass. Glass can be upgraded to Low-E where available.
For Privacy Glass options, see the next page.


Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see **page 28-31**.



Fixed Grille

Lite Frame **page 220**



Grilles Between Glass

Lite Frame **page 222**
Flush-Glazed **page 239**



Simulated Divided Lite

Lite Frame **page 230**
Flush-Glazed **page 240**

Select doors in this section are available with RSP Aluminum SDL bars. See page 30 for details.

Privacy & Textured Glass



S8140 Painted in Alaskan Storm




Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1




Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1



Glass Privacy Rating 10 9 8 7 6 5 4 3 2 1

Lite Frame Clear Glass

Fiber-Classic® Mahogany



FCM10__ FCM1283__*

2/4	6/8*	
2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

Clear Only - 2/4, 2/6




FCM870 FCM81200*

2/6	8/0*
2/8	8/0
2/10	8/0
3/0	8/0



FCM32__

2/8	6/8
2/10	6/8
3/0	6/8



FCM62__ FCM862__

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6021__

2/8	6/8
2/10	6/8
3/0	6/8



FCM6041__

2/8	6/8
2/10	6/8
3/0	6/8



FCM670*
FCM104__*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only - 2/6



FCM80

2/8	6/8
2/10	6/8
3/0	6/8



FCM160

2/8	6/8
2/10	6/8
3/0	6/8



FCM601__

2/8	6/8
2/10	6/8
3/0	6/8



FCM708 FCM8708

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM61__ FCM861__

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame Clear Glass

Note: Product images show the exterior side of the door.


Fiber-Classic® Mahogany



FCM12101SL__*
FCM81200SL__*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0

Flat Frame Only - XG, XK
6/8 Only - XJ, XG, XN, XE, XK



FCM870__SL

12”	8/0
14”	8/0




FCM32__SL
FCM881__SL

12”	6/8	8/0
14”	6/8	8/0



FCM62__SL
FCM862__SL

12”	6/8	8/0
14”	6/8	8/0



Option: Grille Sticks Applied

19020T
3’0” door + (2) 12” sidelites
Continuous sill systems only
3’0” door + (2) 14” sidelites
Continuous/Boxed sill systems



19220T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous/Boxed sill systems



19200T
3’0”Door Only



19210T
12” & 14”
sidelites only



FCM32 Stained in Driftwood

CL Clear Glass (CL)
Low-E Glass
Vented Sidelite

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)


XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
Wood Edge Option

Fiber-Classic® Mahogany | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2__* **FCM83__***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK

Línea




FCM1__* **FCM81__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK




FCM1L__*
FCM81L__*



FCM1R__*
FCM81R__*


Echo




FCM4__* **FCM84__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM4L__*
FCM84L__*



FCM4R__*
FCM84R__*


Echo




FCM8__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL




FCM8L__*



FCM8R__*


Echo




FCM9__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL




FCM9L__*



FCM9R__*


Echo




FCM5__* **FCM85__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM5L__*
FCM85L__*



FCM5R__*
FCM85R__*

*This door style is made from a flush door and will not have stile lines.
**Add the code to the blank in the style number for the desired door and glass combination.

THERMA-TRU® DOORS

Lite Frame | Clear Glass

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany | Pulse®

Echo




FCM810__*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM810L__*



FCM810R__*

Echo




FCM811__*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

Flat Frame Only - XK
Flat Frame Optional - CL




FCM811L__*



FCM811R__*


Echo




FCM86__*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0


Flat Frame Only - XK
Flat Frame Optional - CL



FCM86L__*




FCM86R__*



FCM12101__SL*
FCM81200__SL*


10" | 6/8 | 8/0
12" | 6/8 | 8/0
14" | 6/8 | 8/0

6/8 Only - XJ, XN, XE



FCM4_SL*
FCM84_SL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



FCM5_SL*
FCM85_SL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



FCM810_SL*

12" | 8/0
14" | 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM811_SL*

12" | 8/0
14" | 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM86_SL*

12" | 8/0
14" | 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM9_SL*

12" | 6/8
14" | 6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FCM10_SL*

12" | 6/8
14" | 6/8

Flat Frame Only - XK
Flat Frame Optional - CL

CL Clear Glass (CL)
Low-E Glass
Vented Sidelite


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
Wood Edge Option

Lite Frame Clear Glass

Fiber-Classic® Oak



FC10__ 1283__*

2/4	6/8*		2/8	6/8	7/0
2/6	6/8*	7/0*	2/10	6/8	7/0
2/6N	6/8		3/0	6/8	7/0

Clear Only- 2/4, 2/6



81200P 81200*

2/6	8/0	
2/8	8/0	
3/0	8/0	



FC32__

2/8	6/8
2/10	6/8
3/0	6/8




FC766__

2/8	6/8
3/0	6/8



81943P__

2/8	8/0
3/0	8/0



FC62__ 81929P__

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC670*
FC104__*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only- 2/6



81971P__

2/8	8/0
3/0	8/0



FC160

2/8	6/8
2/10	6/8
3/0	6/8



FC789

2/8	6/8
3/0	6/8



FC80920__

2/8	6/8
3/0	6/8




FC86220__

2/8	8/0
3/0	8/0



FC708 FC8708

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC61__ FC861__

2/6		7/0	
2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0


*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame Clear Glass

Note: Product images show the exterior side of the door.


Fiber-Classic® Oak



FC47__SL
81200P__SL

10”	6/8	
12”	6/8	8/0
14”	6/8	8/0

6/8 Only - XJ, XN, XE




FC32__SL
81943P__SL

12”	6/8	8/0
14”	6/8	8/0



FC48__SL
81929P__SL

12”	6/8	8/0
14”	6/8	8/0



Option: Grille Sticks Applied

19020T
3’0” door + (2) 12” sidelites
Continuous sill systems only
3’0” door + (2) 14” sidelites
Continuous/Boxed Sill Systems




19220T
3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous/Boxed Sill Systems



19200T
3’0”Door Only



19210T
12” & 14”
sidelites only



FC10 Stainend in New Earth

CL Clear Glass (CL)
Low-E Glass
Vented Sidelite

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
Wood Edge Option

Lite Frame Clear Glass


Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Note: Pulse doors are viewed from the exterior.

Ari




FC2__* **FC83__***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK


Línea




FC1__* **FC81__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK




FC1L__* **FC81L__***



FC1R__* **FC81R__***

Echo




FC4__* **FC84__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC4L__* **FC84L__***



FC4R__* **FC84R__***

Echo



FC8__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FC8L__*



FC8R__*

Echo



FC9__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL




FC9L__*



FC9R__*

Echo




FC5__* **FC85__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC5L__* **FC85L__***



FC5R__* **FC85R__***

*This door style is made from a flush door and will not have stile lines.
**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame | Clear Glass

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak | Pulse®

Echo



FC810__*

2/6	8/0
2/8	8/0
3/0	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC810L__*



FC810R__*

Echo



FC811__*

2/6	8/0
2/8	8/0
3/0	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC811L__*



FC811R__*

Echo



FC86__*

2/6	8/0
2/8	8/0
3/0	8/0


Flat Frame Only - XK
Flat Frame Optional - CL



FC86L__*




FC86R__*



12101__SL*
81200__SL*


12”	6/8	7/0	8/0
14”	6/8	7/0	8/0

6/8 Only - XJ, XN, XE



FC4_SL*
FC84_SL*

12”	6/8	8/0
14”	6/8	8/0



FC5_SL*
FC85_SL*

12”	6/8	8/0
14”	6/8	8/0



FC810_SL*

12”	8/0
14”	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC811_SL*

12”	8/0
14”	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC86_SL*

12”	8/0
14”	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC9_SL*

12”	6/8
14”	6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FC10_SL*


12”	6/8
14”	6/8

Flat Frame Only - XK
Flat Frame Optional - CL

CL Clear Glass (CL)	**XC** Chord Glass (XC)	**XN** Granite Glass (XN)	**XK** Reeded Glass (XK)
Low-E Glass	**XJ** Chinchilla Glass (XJ)	**XR** Rainglass (XR)	**XE** Satin Etch Glass (XE)
Vented Sidelite			Wood Edge Option

Lite Frame Clear Glass


Smooth-Star®



S118__ S140__*

2/0	6/8*		2/8N	6/8	
2/4	6/8*		2/10	6/8	7/0
2/6	6/8*		3/0	6/8	7/0
2/6N	6/8		3/6	6/8*	
2/8	6/8	7/0			

Clear Only - 2/0, 2/4, 2/6



S818__ S8140__*


2/6	8/0*
2/6N	8/0
2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0*

Clear Only - 2/6




S80__

2/8	6/8
2/10	6/8
3/0	6/8




S90__ S880__

2/8	6/8	8/0
3/0	6/8	8/0




S206__ S81929P__

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6021__ S86021__

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S4315 S4305

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S84315 S84305

2/8	8/0
2/10	8/0
3/0	8/0



S6041__


2/8	6/8
3/0	6/8



S104__*


2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only - 2/6




S30__ S830__

2/8	6/8	8/0
3/0	6/8	8/0



S289__

2/8	6/8
2/10	6/8
3/0	6/8



S770

2/8	6/8
3/0	6/8


*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame Clear Glass


Note: Product images show the exterior side of the door.

Smooth-Star®




S6080

2/8	6/8
2/10	6/8
3/0	6/8



S992

2/8	6/8
3/0	6/8



S9320__

2/8	6/8
3/0	6/8




S83120__

2/8	8/0
3/0	8/0




S105*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S2610__ **S82610__**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S601__ **S8601 (CL)** **S8600__**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S708 **S8708**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S296__ **S896__**


2/6	6/8		8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S100__SL
S8601__SL


12”	6/8	8/0
14”	6/8	8/0

Flat Frame Optional (6/8) - XE, XG, XR, XK, LE
6/8 Only - XG



S751__SL
S880__SL

12”	6/8	8/0
14”	6/8	8/0




S210__SL
S85910__SL

12”	6/8	8/0
14”	6/8	8/0



DRS2131SL
DRS82131SL

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



Option: Grille Sticks Applied

19020T

3’0” door + (2) 12” sidelites
Continuous sill systems only

3’0” door + (2) 14” sidelites
Continuous/Boxed Sill Systems

19220T

3’0” door + (2) 12” sidelites
3’0” door + (2) 14” sidelites
Continuous/Boxed Sill Systems

19210T

12” & 14”
sidelites only

19200T

3’0”Door Only

CL Clear Glass (CL)
Low-E Glass
Vented Sidelite

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)
Flat Lite Frame

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
Wood Edge Option


Smooth-Star® | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Note: Pulse doors are viewed from the exterior.

Ari




S2__* **S83__***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Flat Frame Optional - CL, XE, XK, XR


Línea




S1__* **S81__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Flat Frame Optional (6/8) - CL, XE, XK, XR




S1L__* **S81L__***



S1R__* **S81R__***


Echo




S4__* **S84__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Flat Frame Optional - CL, XE, XK




S4L__* **S84L__***



S4R__* **S84R__***


Echo




S8__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Flat Frame Optional - CL, XE, XK




S8L__*



S8R__*


Echo




S9__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Flat Frame Optional - CL, XE, XK




S9L__*



S9R__*


Echo




S5__* **S85__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Flat Frame Optional - CL, XE, XK



S5L__* **S85L__***



S5R__* **S85R__***

*This door style is made from a flush door and will not have stile lines.


**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame | Clear Glass

Note: Product images show the exterior side of the door.

Smooth-Star® | Pulse®

Echo




S810__* | **S810L__*** | **S810R__***

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

Flat Frame Optional - CL, XE, XK

Echo



S811__* | **S811L__*** | **S811R__***

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

Flat Frame Optional - CL, XE, XK


Echo



S86__* | **S86L__*** | **S86R__***

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0


Flat Frame Optional - CL, XE, XK



S601__SL* | **S81086__SL***

10" | 6/8
12" | 6/8 | 7/0 | 8/0
14" | 6/8 | 7/0 | 8/0


Flat Frame Optional (6/8) - XE, XR, LE



S4_SL* | **S84_SL***

12" | 6/8 | 8/0
14" | 6/8 | 8/0

Flat Frame - CL
Flat Frame Optional (6/8) - CL, XE, XK



S5_SL* | **S85_SL***

12" | 6/8 | 8/0
14" | 6/8 | 8/0

Flat Frame - CL
Flat Frame Optional (6/8) - CL, XE, XK



S810_SL*
12" | 8/0
14" | 8/0
Flat Frame Optional (6/8) - CL, XE, XK




S811_SL*
12" | 8/0
14" | 8/0
Flat Frame Optional (6/8) - CL, XE, XK



S86_SL*
12" | 8/0
14" | 8/0
Flat Frame Optional (6/8) - CL, XE, XK



S9_SL*
12" | 6/8
14" | 6/8
Flat Frame Optional (6/8) - CL, XE, XK



S10_SL*
12" | 6/8
14" | 6/8
Flat Frame Optional (6/8) - CL, XE, XK

CL Clear Glass (CL)
Low-E Glass
Vented Sidelite

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
Wood Edge Option

Fiber-Classic® Mahogany



FCM752		FCM8752
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

Fiber-Classic® Oak




FC752			FC8752
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC23	
2/8	6/8
3/0	6/8


Smooth-Star®




S128		S141*
2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S108		S6063*
2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S828		S81828*
2/8	8/0	
2/10	8/0	
3/0	8/0	
3/6	8/0*	




S808		S81208*
2/6	8/0*	
2/6	8/0	
2/8	8/0	
2/10	8/0	
3/0	8/0	
3/6	8/0*	


Clear Only - 2/6*



S881	
2/8	8/0
3/0	8/0




S882	
2/8	8/0
3/0	8/0




S6022		
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S6042	
2/8	6/8
3/0	6/8



S262		
2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S32		S832
2/8	6/8	8/0
3/0	6/8	8/0


*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame | Clear Glass | Fixed Grilles

Note: Product images show the exterior side of the door.

Smooth-Star®




S115

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S807

2/8	6/8
2/10	6/8
3/0	6/8




S93203

2/8	6/8
3/0	6/8




S831203

2/8	8/0
3/0	8/0




S752 **S8752**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S236 **S8317**


2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S237


2/8	6/8
2/10	6/8
3/0	6/8

Scalloped Lite Frame




S308SL
S1170SL*

10”	6/8*	
12”	6/8	7/0*
14”	6/8	7/0*



S808SL

12”	8/0
14”	8/0



S881SL

12”	8/0
14”	8/0




S263SL

12”	6/8
14”	6/8

Lite Frame | Clear Glass | Fixed Grilles


Reeb® Specialty Products

SHAKER



RS2606


2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



RS606


2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

SHAKER



RS2616

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




RS608

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Fixed Grille (FXG) | Removable Grille (RG) | Low-E Glass | Vented Sidelite | Wood Edge Option


Fiber-Classic® Mahogany



FCM138 **FCM1285***

2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*


Flat GBG Only - 2/6*



FCM18 **FCM1284***

2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

Low-E Only - 2/6*



FCM81208P **FCM81829***

2/6	8/0*
2/8	8/0
2/10	8/0
3/0	8/0

Clear Only - 2/6*



FCM198 **FCM1289***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM1209 **FCM1201***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM2106

2/8	6/8
2/10	6/8
3/0	6/8



FCM2107

2/8	6/8
2/10	6/8
3/0	6/8



FCM2108

2/8	6/8
2/10	6/8
3/0	6/8



FCM82

2/8	6/8
2/10	6/8
3/0	6/8



FCM8322

2/8	8/0
2/10	8/0
3/0	8/0



FCM8323

2/8	8/0
2/10	8/0
3/0	8/0



FCM8324

2/8	8/0
2/10	8/0
3/0	8/0



FCM65

2/8	6/8
2/10	6/8
3/0	6/8



FCM6022

2/8	6/8
2/10	6/8
3/0	6/8

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM6042

2/8	6/8
2/10	6/8
3/0	6/8




FCM8321

2/8	8/0
2/10	8/0
3/0	8/0




FCM752 **FCM8752**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM12102SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM81208PSL

12”	8/0
14”	8/0




FCM1089SL

12”	6/8
14”	6/8




FCM2101SL

12”	6/8
14”	6/8



FCM92SL

12”	6/8
14”	6/8



FCM8101SL

12”	8/0
14”	8/0



FCM8675SL

12”	8/0
14”	8/0



FCM65SL
FCM7125SL

12”	6/8	8/0
14”	6/8	8/0




FCM3487SL

12”	8/0
14”	8/0

Flat White (FW) GBG | Flat Bronze (FB) GBG | Contour White (CW) GBG | Low-E Glass
Flat Almond (FA) GBG | Flat Black (FK) GBG | Contour Black (CK) GBG | Wood Edge Option


Fiber-Classic® Oak



FC138 1285*


2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Low-E Only - 2/6, 2/6N (FW/FB)*



FC18 1284*


2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



81208P 81208*


2/6	8/0*
2/8	8/0
3/0	8/0

Clear Only - 2/6*



FC198

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC1209

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC2106

2/8	6/8
2/10	6/8
3/0	6/8




FC2107

2/8	6/8
2/10	6/8
3/0	6/8



FC2108

2/8	6/8
2/10	6/8
3/0	6/8



FC82

2/8	6/8
2/10	6/8
3/0	6/8



FC1089 FC8311

2/8	6/8	8/0
3/0	6/8	8/0




FC2101

2/8	6/8
3/0	6/8




FC2102

2/8	6/8
3/0	6/8




FC92

2/8	6/8
3/0	6/8




81945P

2/8	8/0
3/0	8/0



81946P

2/8	8/0
3/0	8/0



81944P

2/8	8/0
3/0	8/0

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC8322
2/8 | 8/0
3/0 | 8/0



FC8323
2/8 | 8/0
3/0 | 8/0



FC8324
2/8 | 8/0
3/0 | 8/0



FC65
2/6N | 6/8
2/8 | 6/8 | 7/0
2/10 | 6/8 | 7/0
3/0 | 6/8 | 7/0
Low-E Only - 2/6 (FW)



FC8321
2/8 | 8/0
3/0 | 8/0




FC8318
2/8 | 8/0
3/0 | 8/0



FC8319
2/8 | 8/0
3/0 | 8/0



FC8320
2/8 | 8/0
3/0 | 8/0



FC832
2/8 | 8/0
3/0 | 8/0




FC809203
2/8 | 6/8
3/0 | 6/8




FC862203
2/8 | 8/0
3/0 | 8/0



FC752 **FC8752**
2/8 | 6/8 | 7/0 | 8/0
2/10 | 6/8 | 7/0
3/0 | 6/8 | 7/0 | 8/0




FC18SL
12102SL*
10" | 6/8
12" | 6/8 | 7/0*
14" | 6/8 | 7/0*




81208PSL*
12" | 8/0*
14" | 8/0*




FC1089SL
12" | 6/8
14" | 6/8




FC2101SL
12" | 6/8
14" | 6/8




FC92SL
12" | 6/8
14" | 6/8




81946PSL
12" | 8/0
14" | 8/0



FC8675SL
12" | 8/0
14" | 8/0




FC63SL
FC7125SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



FC3487SL
12" | 8/0
14" | 8/0

Flat White (FW) GBG
Flat Almond (FA) GBG
Flat Bronze (FB) GBG
Flat Black (FK) GBG
Contour White (CW) GBG
Contour Black (CK) GBG
Low-E Glass
Wood Edge Option


Smooth-Star®



S1201*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	


FK/CK Only - 2/6



S1209


2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0

FK/CK Only - 2/6N, 2/8N




S1202*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	




S1211

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S1203*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	




S1212

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S128 **S141***


2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S108 **S6063***


2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	

No FA - 2/6, 2/6N, 2/8



S808 **S81208***

2/6	8/0*
2/6N	8/0
2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0*



S198 **S6062***

2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S2106

2/8	6/8
2/10	6/8
3/0	6/8




S2107

2/8	6/8
2/10	6/8
3/0	6/8




S2108

2/8	6/8
2/10	6/8
3/0	6/8




S82

2/8	6/8
2/10	6/8
3/0	6/8



S1089 **S8311**

2/8	6/8	8/0
3/0	6/8	8/0



S2101 **S8313**

2/8	6/8	8/0
3/0	6/8	8/0

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.


Note: Product images show the exterior side of the door.

Smooth-Star®




S2102 **S8316**

2/8	6/8	8/0
3/0	6/8	8/0




S881

2/8	8/0
3/0	8/0




S92

2/8	6/8
3/0	6/8




S882

2/8	8/0
3/0	8/0



S1400 **S898**


2/8	6/8	8/0
3/0	6/8	8/0



S262

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0


No FA - 2/6



S8326

2/8	8/0
2/10	8/0
3/0	8/0

SHAKER



S84318


2/8	8/0
2/10	8/0
3/0	8/0



S8327


2/8	8/0
2/10	8/0
3/0	8/0

SHAKER



S84313

2/8	8/0
2/10	8/0
3/0	8/0




S8328

2/8	8/0
2/10	8/0
3/0	8/0



S8325


2/8	8/0
2/10	8/0
3/0	8/0



S6022


2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

SHAKER




S4307

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S6042

2/8	6/8
3/0	6/8



S8322

2/8	8/0
2/10	8/0
3/0	8/0




S8323

2/8	8/0
2/10	8/0
3/0	8/0

Flat White (FW) GBG | Flat Almond (FA) GBG | Flat Bronze (FB) GBG | Flat Black (FK) GBG | Contour White (CW) GBG | Contour Black (CK) GBG | Low-E Glass | Wood Edge Option

Smooth-Star®




S8324

2/8	8/0
2/10	8/0
3/0	8/0



S8321

2/8	8/0
2/10	8/0
3/0	8/0




S8318

2/8	8/0
3/0	8/0




S8319

2/8	8/0
3/0	8/0



S8320

2/8	8/0
3/0	8/0




S32 **S832**

2/8	6/8	8/0
3/0	6/8	8/0



S1408

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S1405

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S1406

2/8	6/8
3/0	6/8



S1407

2/8	6/8
3/0	6/8



S807

2/8	6/8
2/10	6/8
3/0	6/8




S1411

2/8	6/8
2/10	6/8
3/0	6/8




S93203

2/8	6/8
3/0	6/8




S831203

2/8	8/0
3/0	8/0




S1404

2/8	6/8
3/0	6/8



S8141

2/8	8/0
3/0	8/0



S752 **S8752**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

THERMA-TRU® DOORS

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame | Clear Glass | Grilles Between Glass

Note: Product images show the exterior side of the door.


Smooth-Star®



S1400
2/8 | 6/8
3/0 | 6/8



S1402
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8



S1400SL
12" | 6/8
14" | 6/8



S8144
2/8 | 8/0
3/0 | 8/0



S81405
2/8 | 8/0
2/10 | 8/0
3/0 | 8/0




S8145
2/8 | 8/0
2/10 | 8/0
3/0 | 8/0


Lite Frame | Clear Glass | Grilles Between Glass

Reeb® Specialty Products

SHAKER




RS2606
2/8 | 6/8
3/0 | 6/8




RS606
2/8 | 6/8
3/0 | 6/8

SHAKER



RS2616
2/8 | 6/8
3/0 | 6/8



RS608
2/8 | 6/8
3/0 | 6/8

Flat White (FW) GBG
Flat Almond (FA) GBG
Flat Bronze (FB) GBG
Flat Black (FK) GBG
Contour White (CW) GBG
Contour Black (CK) GBG
Low-E Glass

Smooth-Star®



S1201SL*

10”	6/8	
12”	6/8	6/8
14”	6/8	6/8




S1209SL

12”	6/8
14”	6/8



S8311SL

12”	8/0
14”	8/0



S308SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0




S808SL

12”	8/0
14”	8/0




S1089SL

12”	6/8
14”	6/8




S2101SL

12”	6/8
14”	6/8




S82SL

12”	6/8
14”	6/8



S881SL

12”	8/0
14”	8/0




S8675SL

12”	8/0
14”	8/0



S263SL

12”	6/8
14”	6/8



S3487SL

12”	8/0
14”	8/0



S1405SL


12”	6/8
14”	6/8



S7125SL

12”	8/0
14”	8/0


Fiber-Classic® Mahogany



FCM138__ FCM1285__*

2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

2/6 - Low-E Glass only



FCM18__ FCM1284__*

2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

2/6 - Low-E Glass only



FCM82__

2/8	6/8
2/10	6/8
3/0	6/8



FCM65__

2/8	6/8
2/10	6/8
3/0	6/8




FCM6022__

2/8	6/8
2/10	6/8
3/0	6/8

Clear Glass | Lite Frame | Simulated Divided Lite Bars

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM6042__

2/8	6/8
2/10	6/8
3/0	6/8



FCM8321__

2/8	8/0
3/0	8/0



FCM605__

2/8	6/8
2/10	6/8
3/0	6/8



FCM606__

2/8	6/8
2/10	6/8
3/0	6/8




FCM607__

2/8	6/8
2/10	6/8
3/0	6/8



FCM608__

2/8	6/8
2/10	6/8
3/0	6/8




FCM12102__SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM6124__SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM6125__SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM6126__SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



FCM92__SL

12”	6/8
14”	6/8



FCM8101__SL

12”	8/0
14”	8/0



FCM81900__SL

12”	8/0
14”	8/0



FCM81947__SL

12”	8/0
14”	8/0




FCM81949__SL

12”	8/0
14”	8/0



FCM65__SL

12”	6/8
14”	6/8



FCM3487__SL

12”	8/0
14”	8/0

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

CL Clear Glass (CL)
Low-E Glass


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XN Granite Glass (XN)

XR Rainglass (XR)
XE Satin Etch Glass (XE)
XK Reeded Glass (XK)

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite


Fiber-Classic® Oak



FC138__ 1285__*

2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0


2/6, 2/6 - Low-E Glass only



FC18__ 1284__*


2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

2/6, 2/6 - Low-E Glass only




FC82__

2/8	6/8
2/10	6/8
3/0	6/8




FC92__

2/8	6/8
3/0	6/8



81945P__

2/8	8/0
3/0	8/0



81946P__

2/8	8/0
3/0	8/0




FC65__

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8321__

2/8	8/0
3/0	8/0



FC832__

2/8	8/0
3/0	8/0




FC809203__

2/8	6/8
3/0	6/8




FC862203__

2/8	8/0
3/0	8/0



FC18_SL
12102_SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0




FCO6188_SL
FCO6184_SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



81900PSL

12”	8/0
14”	8/0



FCO6189_SL
FCO6185_SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0

*This door style is made from a flush door and will not have stile lines.
**Add the code to the blank in the style number for the desired door and glass combination.

Lite Frame | Clear Glass | Simulated Divided Lite Bars


Note: Product images show the exterior side of the door.

Fiber-Classic® Oak




FC63_SL

12”	6/8
14”	6/8



81947PSL

12”	8/0
14”	8/0



FCO6190_SL
FCO6186_SL*

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0




81949PSL

12”	8/0
14”	8/0



FC92_SL

12”	6/8
14”	6/8



81946P_SL

12”	8/0
14”	8/0



FC3487_SL

12”	8/0
14”	8/0



81946P Stained in Rustic Clay

CL Clear Glass (CL)
Low-E Glass


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XN Granite Glass (XN)

XR Rainglass (XR)
XE Satin Etch Glass (XE)
XK Reeded Glass (XK)

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite


Smooth-Star®



S128__ **S141__***

2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	


No Privacy Glass- 2/6, 2/6N



S108__ **S6063__***


2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	

No Privacy Glass- 2/6, 2/6N




S82__

2/8	6/8
2/10	6/8
3/0	6/8




S881__

2/8	8/0
3/0	8/0




S92__

2/8	6/8
3/0	6/8




S882

2/8	8/0
3/0	8/0




S262__

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S6022__ **S86022__**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	




S8325

2/8	8/0
2/10	8/0
3/0	8/0




S6042__

2/8	6/8
3/0	6/8




S8321__

2/8	8/0
2/10	8/0
3/0	8/0




S32__ **S832__**

2/8	6/8	8/0
3/0	6/8	8/0




S807__

2/8	6/8
2/10	6/8
3/0	6/8




S93203__

2/8	6/8
3/0	6/8



S831203__

2/8	8/0
3/0	8/0



S605__ **S8605__**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.


Note: Product images show the exterior side of the door.

Smooth-Star®




S606__ **S8606__**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S607__ **S8607__**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S608__ **S8608__**

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S308__SL
S1170__SL*

10”	6/8*	
12”	6/8	7/0*
14”	6/8	7/0*




S605__SL
S8605__SL

12”	6/8	8/0
14”	6/8	8/0




S6124__SL*
S85924__SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S606__SL
S8606__SL

12”	6/8	8/0
14”	6/8	8/0




S6125__SL*
S85925__SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S607__SL
S8607__SL

12”	6/8	8/0
14”	6/8	8/0




S6126__SL*
S85926__SL*

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S808SL

12”	8/0
14”	8/0




S82__SL

12”	6/8
14”	6/8




S881__SL

12”	8/0
14”	8/0




S8207SL

12”	8/0
14”	8/0




S8202SL

12”	8/0
14”	8/0




S8204SL

12”	8/0
14”	8/0



S263__SL

12”	6/8
14”	6/8



S3487__SL

12”	8/0
14”	8/0

CL Clear Glass (CL)
Low-E Glass

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XN Granite Glass (XN)

XR Rainglass (XR)
XE Satin Etch Glass (XE)
XK Reeded Glass (XK)

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite

EnLiten™ Flush-Glazed Designs

Simplified beauty. Resilient designs.

Designs for any entry.

Your door should always welcome you home - while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Flush-Glazed Glass



Lip-Lite Frame

Create a clean look with maximum views.

During manufacturing, glass is built directly into the door with a high-performance adhesive weather seal to reduce the potential for air and water infiltration. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



Flush-Glazed Glass



Lip-Lite Frame

Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*

Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

***Brand Use Study, 2018 Builder magazine

LIFETIME LIMITED WARRANTY

EnLiten flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind - all from the entry door brand building professionals choose most.***



FCM4810XC Stained in Acorn

Flush-Glazed Clear Glass

Fiber-Classic® Mahogany



FCM4810__


2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

XC, XE, XJ, XN, XR - 2868 and 3068 only



FCM4810__SL
FCM84810__SL


12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



FCM2000__SL
FCM8000__SL


12”	6/8	7/0	8/0
14”	6/8	7/0	8/0

Fiber-Classic® Oak



2000__ **8000**

2/0	6/8	
2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0



2000__SL

12”	6/8
14”	6/8

CL Clear Glass (CL)
Low-E Glass (LE)

XC Chord Glass
XJ Chinchilla Glass
XN Granite Glas (XN)


XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

Vented Sidelite

Flush-Glazed Clear Glass

*This door style is made from a flush door and will not have stile lines.
**Add the code to the blank in the style number for the desired door and glass combination.


Smooth-Star®



S2000__ S8000__

2/0	6/8	8/0
2/6	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

No XG - 2/10
No XK - 2/6
Clear Only - 2/0




S2200

2/6	6/8
2/8	6/8
3/0	6/8



S82200

2/6	8/0
2/8	8/0
3/0	8/0




S3200__ S83200__

2/0	6/8	8/0
2/6	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0




S2100

2/6	6/8
2/8	6/8
3/0	6/8



S4810__ S84810__


2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S2000__SL S8000__SL


10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0

XG - 12”, 14” 6/8 Only
Venting - 6/8 Only



S3200__SL S83200__SL

10”	6/8		
12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




S4810__SL S84810__SL

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



S90__SL

12”	6/8
14”	6/8



S2200__SL


12”	6/8
14”	6/8

THERMA-TRU® DOORS

XC Chord Glass (XC) **XK** Reeded Glass **XR** Rainglass (XR)
XJ Chinchilla Glass (XJ) **XN** Granite Glass (XN) **XE** Satin Etch Glass (XE)


Note: Product images show the exterior side of the door.

Smooth-Star®




S2010

2/6	6/8
2/8	6/8
3/0	6/8




S2050

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




S8000-18

2/6	8/0
2/8	8/0
2/10	8/0
3/0	8/0




S2104

2/6	6/8
2/8	6/8
3/0	6/8




S82105

2/6	8/0
2/8	8/0
3/0	8/0




S2250

2/6	6/8
2/8	6/8
3/0	6/8




S82250

2/6	8/0
2/8	8/0
3/0	8/0




S2150

2/8	6/8
3/0	6/8




S2010SL

10”	6/8
12”	6/8
14”	6/8



S1205

3/0	6/8



S1205SL

12”	6/8
14”	6/8



S2103

2/8	6/8
3/0	6/8



S2103SL

12”	6/8
14”	6/8

Fixed Grille (FXG)
Removable Grille (RG)
Low-E Glass (LE)
Vented Sidelite
Wood Edge Option

Fiber-Classic® Mahogany



XC
XJ
XN
XR
XE

FCM4812__
FCM84812__

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



XC
XJ
XN
XR
XE

FCM4813__
FCM84813__

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



XC
XJ
XN
XR
XE

FCM4814__
FCM84814__

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068




XC
XJ
XN
XR
XE

FCM4816__
FCM84816__

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



XC
XJ
XN
XR
XE

FCM2050_SL
FCM84886__SL

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0



XC
XJ
XN
XR
XE

FCM4812_SL
FCM84812__SL

12”	6/8	7/0	8/0
14”	6/8	7/0	8/0




FCM4814 Stained in Raven

Flat White (FW) GBG
Flat Almond (FA) GBG
Flat Bronze (FB) GBG
Flat Black (FK) GBG
Contour White (CW) GBG
Contour Black (CK) GBG

Flush-Glazed | Clear Glass | Simulated Divided Lite Bars


Note: Product images show the exterior side of the door.

Fiber-Classic® Oak




FC1207__

2/6	6/8
2/8	6/8
3/0	6/8



2010__

2/6	6/8
2/8	6/8
3/0	6/8




2050__

2/6	6/8
2/8	6/8
3/0	6/8



FC1205__


2/6	6/8
2/8	6/8
3/0	6/8



FC5700__ FC85700

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0


Clear Glass Only - 2880



FC5710__ FC85710

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0


Clear Glass Only - 2880



FC5720__ FC85720


2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



FC691__ FC8691


2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0



FC685L__ FC8685L

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



FC685R__ FC8685R

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



2050__SL

12”	6/8
14”	6/8




FC5700__SL

12”	6/8
14”	6/8



FC5710__SL

12”	6/8
14”	6/8



FC5720__SL

12”	6/8
14”	6/8

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

CL Clear Glass (CL)
Low-E Glass


XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass

XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite
See page 31


Smooth-Star®



S5705__ **S85705__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S5715__ **S85715__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S1205__

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8


No XK - 2/10



S5725__ **S85725__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S1207

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8


No XK - 2/10



S2010__

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8


No XK - 2/10



S2050__

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8


No XK - 2/10



S5700__ **S85700__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S5710__ **S85710**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S5720__ **S85720**


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

No XK - 2/10 Low-E Only - 2680
XE Only - 21080

*This door style is made from a flush door and will not have stile lines.
**Add the code to the blank in the style number for the desired door and glass combination.

Note: Product images show the exterior side of the door.


Smooth-Star®



S685R__ **S8685R__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S685L__ **S8685L__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0


No XK - 2/10 Low-E Only - 2680
XE Only - 21080



S691__ **S8691__**


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

No XK - 2/10 Low-E Only - 2680
XE Only - 21080




S3300__ **S83300__**

2/6	6/8	
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3400L__ **S83400L__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3400R__ **S83400R__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3500L__ **S83500L__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3500R__ **S83500R__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3600L__ **S83600L__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3600R__ **S83600R__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

CL Clear Glass (CL)
Low-E Glass


XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass
XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite


See page 31

Smooth-Star®




S5730

2/6	6/8
2/8	6/8
3/0	6/8



S85730

2/6	8/0
2/8	8/0
3/0	8/0




S2103

2/6	6/8
2/8	6/8
3/0	6/8




S82103

2/6	8/0
2/8	8/0
3/0	8/0




S2104

2/6	6/8
2/8	6/8
3/0	6/8




S82105

2/6	8/0
2/8	8/0
3/0	8/0




S82106

2/6	8/0
2/8	8/0
3/0	8/0




S2250

2/6	6/8
2/8	6/8
3/0	6/8




S82107

2/6	8/0
2/8	8/0
3/0	8/0




S4200__ **S84200__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S1350

2/8	6/8
3/0	6/8




S6200__ **S86200__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S9200__ **S96200__**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S2150

2/8	6/8
3/0	6/8


*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Flush-Glazed | Clear Glass | Simulated Divided Lite Bars

Note: Product images show the exterior side of the door.


Smooth-Star®



XC
XJ
XN
XR
XE

S4812__ **S84812__**


2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE

S4813__ **S84813__**


2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE

S4814__ **S84814__**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE

S4816__ **S84816__**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 2880



S84812 Painted in Dried Cranberry

CL Clear Glass (CL)
Low-E Glass

XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass


XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite
See page 31


Note: Product images show the exterior side of the door.

Smooth-Star®




S2010_SL

10”	6/8		
12”	6/8	7/0	
14”	6/8	7/0	




S84886_SL

12”	8/0	
14”	8/0	




S2000_SL-2C

10”	6/8		
12”	6/8	7/0	
14”	6/8	7/0	




S2000_SL-4C

10”	6/8		
12”	6/8	7/0	
14”	6/8	7/0	




S4812_SL
S84812_SL

12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	




S5700_SL
S85700_SL

10”	6/8			
12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	




S5710_SL
S85710_SL

10”	6/8			
12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	




S5720__SL
S85720_SL

10”	6/8			
12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	




S2103SL

12”	6/8
14”	6/8




S2104SL

12”	6/8
14”	6/8




S2250SL

12”	6/8
14”	6/8



S4200_SL
S84200_SL

12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	



S6200_SL
S86200_SL

12”	6/8	7/0	8/0	
14”	6/8	7/0	8/0	

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Reeb® Specialty Products



XN
XR
XE

RS2010

2/6	6/8
2/8	6/8
3/0	6/8




XN
XR
XE

RS2009

2/6	6/8
2/8	6/8
3/0	6/8


SHAKER



XC
XJ
XN
XR
XE

RS4817

2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

RS2000SDL

10”	6/8
12”	6/8
14”	6/8



RS4817 Painted in Total Eclipse

CL Clear Glass (CL)
Low-E Glass

XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass

XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

Simulated Divided Lites
Simulated Divided Lites F1
Simulated Divided Lites F2

SDLGBG
Vented Sidelite
See page 31

Steel Doors

Introduction

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. **Pages 256-269**.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8’0” doors are 24-gauge steel with standard embossments.




959HDXR

Decorative & Specialty Glass

Contact Reeb® for pricing and layout options.




Axis®
Privacy Rating: 7




Blackstone®
Privacy Rating: 7



Kensington™
Privacy Rating: 8




Maple Park®
Privacy Rating: 6




Pembridge™
Privacy Rating: 7



Riserva®
Privacy Rating: 10



Salinas®
Privacy Rating: 10




Saratoga™
Privacy Rating: 7



Sedona™
Privacy Rating: 7



Wellesley™
Privacy Rating: 6



Internal Blinds



Screen Vented

Clear Glass


All Profiles Steel™ and Traditions Steel doors are standard with Clear Glass. See **Page ##**.



Clear Glass
Privacy Rating: 1

Privacy & Textured Glass

Contact Reeb for pricing and layout options.



Privacy Glass
Privacy Rating: 7-10

Solid Panel

978HD

Profiles™ Steel




Traditions Steel




Solid Panel

Profiles™ Steel




969HD

2/8	6/8
3/0	6/8




978HD

2/8	6/8
3/0	6/8




1005HD

2/8	6/8
3/0	6/8




205HD

2/8	6/8
3/0	6/8




203HD

2/8	6/8
2/10	6/8
3/0	6/8



210HD


2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



100


2/0	6/8	
2/4	6/8	
2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	

Traditions Steel



TS210 **810**

2/6N	6/8	
2/8	6/8	**8/0**
2/10	6/8	
3/0	6/8	**8/0**



TS100 **800**

2/0	6/8	**8/0**
2/4	6/8	
2/6	6/8	**8/0**
2/8	6/8	**8/0**
3/0	6/8	**8/0**

Clear Glass

TS118

Profiles™ Steel



Traditions Steel





Glass Privacy Rating

10 9 8 7 6 5 4 3 2 **1**

Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see **page 30-33**.



Fixed Grille

Lite Frame **page 262**



Grilles Between Glass

Lite Frame **page 264**



Select doors in this section are available with RSP Aluminum SDL bars. See page 32 for details.

Simulated Divided Lite

Lite Frame **page 268**

Lite Frame

Clear Glass

Profiles™ Steel



118

2/0	6/8	
2/4	6/8	
2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



959HD

2/8	6/8
3/0	6/8



206HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



980HD

2/8	6/8
2/10	6/8
3/0	6/8



1101HD

2/8	6/8
3/0	6/8



104

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




289HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



105

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



601HD

2/8	6/8
2/10	6/8
3/0	6/8



708HD

2/8	6/8
3/0	6/8



256HD

2/8	6/8
3/0	6/8



296HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



100SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0




959SLHD

12”	6/8
14”	6/8



210SLHD

12”	6/8
14”	6/8



296SLHD

12”	6/8
14”	6/8



Option: Grille Sticks Applied

19020T

3’0” door = (2) 12” sidelites
Continuous Sill Systems Only
3’0” door = (2) 14” sidelites
Continuous/Boxed sill systems

19220T

3’0” door = (2) 12” sidelites
3’0” door = (2) 14” sidelites
Continuous sill systems only



19200T

3’0” door only



19210T

12” and 14” sidelite only

Lite Frame


Clear Glass

Traditions Steel



TS118 **818**

2/0	6/8	
2/4	6/8	
2/6	6/8	**8/0**
2/8	6/8	**8/0**
3/0	6/8	**8/0**



TS206 **8206**

2/6N	6/8	
2/8	6/8	**8/0**
2/10	6/8	
3/0	6/8	**8/0**



TS104

2/6	6/8
2/8	6/8
3/0	6/8




TS289

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8




TS105

2/6	6/8
2/8	6/8
3/0	6/8




TS708 **8708**

2/8	6/8	**8/0**
3/0	6/8	**8/0**



TS256

2/8	6/8
3/0	6/8



TS296 **896**

2/6N	6/8	
2/8	6/8	**8/0**
2/10	6/8	
3/0	6/8	**8/0**



100SL
818SL

10”	6/8	
12”	6/8	**8/0**
14”	6/8	**8/0**



Option: Grille Sticks Applied

19020T
3’0” door = (2) 12” sidelites
Continuous sill systems only
3’0” door = (2) 14” sidelites
Continuous/Boxed sill systems

19220T
3’0” door = (2) 12” sidelites
3’0” door = (2) 14” sidelites
Continuous sill systems only



19200T
3’0” door only



19210T
12” and 14”
sidelite only

Low-E Glass



128

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



262HD

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



982HD

2/8	6/8
2/10	6/8
3/0	6/8




1123HD

2/8	6/8
3/0	6/8




263HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




115HD

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




752HD

2/8	6/8
3/0	6/8




255HD

2/8	6/8
3/0	6/8



236HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



237HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

Scalloped Lite Frame



632SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



263SLHD

12”	6/8
14”	6/8

Traditions Steel



TS128

2/6	6/8
2/8	6/8
3/0	6/8



TS108

2/6	6/8
2/8	6/8
3/0	6/8



828

2/8	**8/0**
3/0	**8/0**



808

2/6	**8/0**
2/8	**8/0**
3/0	**8/0**

2/6 - Low-E Glass not available




TS262

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8




TS263

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8




TS115

2/6	6/8
2/8	6/8
3/0	6/8




TS752 **8752**

2/8	6/8	**8/0**
3/0	6/8	**8/0**




TS255

2/8	6/8
3/0	6/8



TS236 **8317**

2/8	6/8	**8/0**
2/10	6/8	
3/0	6/8	**8/0**



TS237

2/8	6/8
3/0	6/8

Scalloped Lite Frame



632SL


10”	6/8
12”	6/8
14”	6/8



828SL


12”	**8/0**
14”	**8/0**

Fixed Grille (FXG) Low-E Glass




1201

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




1202

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




1203

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



128


2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	

2/6 - Flat Almond Not Available



198

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



2109HD

2/8	6/8	
3/0	6/8	




2110HD

2/8	6/8	
3/0	6/8	



2111HD

2/8	6/8	
3/0	6/8	




961HD

2/8	6/8	
3/0	6/8	



1403


2/8	6/8	
3/0	6/8	



262HD


2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

2/6 - Flat Almond Not Available



982HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



1123HD

2/8	6/8	
3/0	6/8	



1408HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

Profiles™ Steel




1405HD

2/8	6/8
2/10	6/8
3/0	6/8



1406HD

2/8	6/8
3/0	6/8




263HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



1411HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



752HD

2/8	6/8
3/0	6/8



1201SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



632SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



1089SLHD

12”	6/8
14”	6/8



4572SLHD

12”	6/8
14”	6/8



6720SLHD

12”	6/8
14”	6/8



1400SLHD

12”	6/8
14”	6/8



263SLHD

12”	6/8
14”	6/8




1405SLHD

12”	6/8
14”	6/8


Flat White (FW) GBG | Flat Bronze (FB) GBG | Contour White (CW) GBG | Low-E Glass
Flat Almond (FA) GBG | Flat Black (FK) GBG | Contour Black (CK) GBG

Traditions Steel




TS1201

2/6	6/8
2/8	6/8
3/0	6/8




TS1202

2/8	6/8
3/0	6/8




TS1203

2/8	6/8
3/0	6/8



TS128


2/6	6/8
2/8	6/8
3/0	6/8



TS108

2/6	6/8
2/8	6/8
3/0	6/8

2/6 - Flat Almond Not Available



808

2/6	8/0
2/8	8/0
3/0	8/0

2/6 - Low-E Glass only



8322

2/8	8/0
3/0	8/0




8323

2/8	8/0
3/0	8/0



8324


2/8	8/0
3/0	8/0



TS262


2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8

2/6N - Almond Not Available



8321

2/8	8/0
3/0	8/0



TS263


2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



TS198

2/6	6/8
2/8	6/8
3/0	6/8

Traditions Steel



TS752 **8752**

2/8	6/8	8/0
3/0	6/8	8/0



TS1408

2/8	6/8
2/10	6/8
3/0	6/8



8145

2/8	8/0
3/0	8/0



TS1411

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



632SL

10”	6/8
12”	6/8
14”	6/8



828SL

12”	8/0
14”	8/0



1201SL

10”	6/8
12”	6/8
14”	6/8

Flat White (FW) GBG | Flat Bronze (FB) GBG | Contour White (CW) GBG | Low-E Glass
Flat Almond (FA) GBG | Flat Black (FK) GBG | Contour Black (CK) GBG




128

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




961HD

2/8	6/8	
3/0	6/8	



262HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



982HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



1123HD

2/8	6/8	
3/0	6/8	



263HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



605HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



606HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



607HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



608HD

2/8	6/8	
2/10	6/8	
3/0	6/8	



6184SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



6185SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



6186SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



632SL

10”	6/8	
12”	6/8	7/0
14”	6/8	7/0



6720SLHD

12”	6/8	
14”	6/8	



263SLHD

12”	6/8	
14”	6/8	

Clear Glass | Simulated Divided Lite Bars

Traditions Steel



TS128

2/6	6/8
2/8	6/8
3/0	6/8



TS108

2/6	6/8
2/8	6/8
3/0	6/8



TS262

2/8	6/8
2/10	6/8
3/0	6/8



8321

2/8	**8/0**
3/0	**8/0**



TS263

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



632SL

10”	6/8
12”	6/8
14”	6/8



828SL

12”	**8/0**
14”	**8/0**



6184SL
86184SL

10”	6/8	
12”	6/8	**8/0**
14”	6/8	**8/0**



6185SL
86185SL

10”	6/8	
12”	6/8	**8/0**
14”	6/8	**8/0**



6186SL
86186SL

10”	6/8	
12”	6/8	**8/0**
14”	6/8	**8/0**

Low-E Glass

Simulated Divided Lites

SDLGBG

Anatomy of an Exterior Door

Purchasing a door unit can be an overwhelming process given the many options available. However, reviewing the information in The Anatomy of an Exterior Door Unit will help in the understanding of which components make up a door unit and how each one is necessary in the life span of a door.





Hinges




Weatherstrip




Sweep




Sill



Single
1 Sidelite on Left




Single
1 Sidelite on Right



Single
2 Sidelites




Single
Transom




Single
Transom &
1 Sidelite on Left




Single
Transom &
1 Sidelite on Right




Single
Transom
& 2 Sidelites



Double




Double
& 2 Sidelites




Double
Transom

The configuration option you can utilize depends on your rough opening size.


Pulse® Unit Configurations




Left




Center




Right




Left - Right




Right - Left



Center - Center




Left - Left




Right - Right

The code of the Pulse door refers to how it will be viewed from the exterior of the home. Doors with an “L” will have the light on the left and doors with “R” will have the light on the right. When it comes to double doors, there are multiple possibilities. Please identify which layout is wanted when ordering.

Handing Options




Inswing




Outswing

EXTERIOR VIEW




Left Hand Inswing




Right Hand Inswing

EXTERIOR VIEW




Left Hand Outswing




Right Hand Outswing


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




1 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.







2 Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




3 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.




4 Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame.



5 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom, helping to preserve the weatherstrip's seal even under wind pressure.




6 Lip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.




Door Frame
Provides a solid structure for the door slab and components.



Composite Adjustable Sill
Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.




Bottom Sweep (Inswing Only)
A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Hinges
Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Multi-Point Locking System (MPLS)
Engages the door and frame at three points from top to bottom for enhanced security and sealing.




Corner Seal Pads (Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.




Weatherstrip
Features a resilient design to help deliver a precise seal between the door and frame.



Astragal (Double Doors)
Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Rain Guard (Outswing Only)
Creates a barrier at the top of the door to protect against moisture infiltration.



Sill Pan
Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Door Frames

On-Guard™ Composite Frames

Composite door frames combine the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant giving the maximum level of protection for the entire door unit.

On-Guard™ Composite Frames:

- Feature a limited lifetime warranty
- Will not warp, splinter or rot
- Will not absorb water
- Require less maintenance than solid wood



On-Guard Grained



On-Guard Primed



On-Guard White Shield

FrameSaver™

FrameSaver jambs feature a composite bottom that will not asborb water, warp, crack or rot and paints just like wood.



Ultra Jamb

Ultra Jamb components are made of 100% cellular vinyl PVC and are engineered to resist extreme weather conditions.



Wood Frames

Wood frames provide a warmth and durability that cannot be matched.



Primed



Solid Clear Pine



Solid Oak



Solid Fir



Solid African Mahogany



Solid Sapele Mahogany

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Stainable Astragal



Available for all heights and configurations.

Weatherstrip:
Bronze

Grain Options:


Oak Grain


Fir Grain

Aluminum



Available for all heights and configurations.

Weatherstrip:
Bronze

Finish Colors:


Bronze

White





Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

Door Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Reeb representative for a complete list of options.

Inswing Options



Composite
Adjustable Sill


- Recommended for any in-swing application in any exposure.
- Available in the largest selection of color and size options.

Continuous length with spread mullion capability to fill 49”–75” rough openings.*



Hardwood
Adjustable Sill

- Only recommended for use in fully protected doorways.
- Limited selection in color and size options.



Value Composite
Adjustable Sill


- Recommended for any exposure.
- Very limited in color, size and configuration options.
- Budget friendly.

Outswing Options




Composite
Outswing Sill

- Recommended for any out-swing application in any exposure.
- Available in the largest selection of color and size options.



Aluminum Sill
with Thermal Break


- Budget friendly.
- Limited in color, size and configuration options.




Coastal Sill (For Coastal Regions)


- All aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Inswing Sill Extenders











Outswing Sill Extender

Finishes:






Public Access Sill

with Thermal Break (For ADA Applications)


- All aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.
- Reeb stocks additional sill options available for use in varying exposure applications.



Sill Finishes



Mill
Lightwood or Darkwood Cap




Bronze
Darkwood Cap

Cap Colors



Lightwood (Premium)
Composite Adjustable/Composite Outswing




Darkwood (Premium)
Composite Adjustable/Composite Outswing



Hardwood
Hardwood Adjustable




Darkwood (Economy)
Value Composite Adjustable / Fixed




Lightwood (Economy)
Value Composite Adjustable

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)

Standard Door MPLS






Tongue Heights:
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing

Side view of door

Interior view of door



1. Self-lubricating locks.
2. 1" premium stainless steel deadbolt.
3. Integrated mishandling device.

Exterior view of door

Side view of door



1. Self-lubricating locks.
2. 1" premium stainless steel deadbolt.
3. Integrated mishandling device.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Standard Door MPLS





Tongue
Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing

Shootbolt
(For door systems with an astragal.)

Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



Vented Sidelite MPLS





Tongue
(Included in vented sidelite units.)
Heights:
6'6"
6'8"
8'0"

Hardware

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru door styles from traditional to contemporary.



Forte



Interior



Prospect



Interior



Heirloom



Venture



Millennium

Backplates:
Wide
Narrow

Locking:
Active
Inactive


Finish Options for Handlesets & Hinges

*Not available for Forte and Prospect handlesets.



Bright Brass* | Brushed Nickel | Black Nickel | Polished Chrome* | Oil-Rubbed Bronze

Hinges & Strike Plate

HINGES							
■ = Available	Adjustable	Classic-Craft Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Spring-Loaded	Adjustable Security Strike Plate (For Latch & Deadbolt)
Hinge Finish Options							
Bright Brass	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■
Black Nickel	■	■	■		■	■	■
Polished Chrome		■	■		■	■	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■
Stainless Steel		■	■	■	■	■	■
Zinc Dichromate		■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Additional Accessories



Kickplate




Mailslot



Door Viewer

REEB LEARNING CENTER

The Reeb® Learning Center is an online education center for everything door related.



Visitors to **learn.reeb.com** have free unrestricted access to engaging, high-quality lessons taught by recognized industry experts.


For 20 years, Reeb has educated dealers, architects and industry professionals on everything door related, from how to choose the proper door unit and correctly install a door, to what options are available and new product information.

In an industry filled with many complex choices and regulations, Reeb is committed to offering training to dealers and their staff to empower them to better serve their customers each and every day.

Having one spot to search and find information is important – that's why certain search engine sites have become so popular.

We are working to add more articles that give you the answers you need about a product or product line. You can simply use the search bar or dive into the topics to find the answer to your questions.


Some people are visual learners so we created videos to better share the stories. Some discuss our product offerings and compare similar products, while others share information about a specific topic.



The Reeb® Learning Center has expanded with the addition of Learning Paths.

It can be tough to know where to start learning. A learning path is a collection of courses that a learner can progress through. Each course contains step-by-step lessons to teach you about doors from start to finish.

- Guided learning to boost your door knowledge
- Knowledge Checks help gauge understanding
- A Final Quiz tests the overall knowledge gathered
- Earn certifications for every course
- Earn rewards when completing a learning path
- System tracks all progress
- Need to stop and come back later? No Problem!
- Education anytime and anywhere
- Great resource for employees new to the millwork industry



REEB LEARNING CENTER

Expert Teachers

Unlimited Free Access

Interactive Learning

Boost Your Skills

Earn Certificates & Rewards

Subscribe Today!

By subscribing to the Learning Center, you will receive a monthly email informing you of the newest videos and articles that are available as well as a reminder of some of the recently released items. Whether you need a recap or want to learn more about something new, subscribing is the best way to stay informed. Head to learn.reeb.com and enter your email at the bottom of the page to subscribe!

Custom Doors

While fiberglass doors offer great performance, sometimes the style or size of the door cannot be created from fiberglass. A great alternative is a wood door. Wood doors have very little limitation when it comes to design options. Reeb's Custom Design Team can help to create your ideal entryway. Not only will they help with your order, they ask questions along the way to help ensure you door will last.



Customer Sketch

Designing a custom door starts with the customer. A drawing or sketch is the best way to start the process. After submitting a sketch, our Custom Team will begin to help guide you through the quoting and buying process by asking about the following options:

Door Species: Beyond fir and mahogany, there is an entire array of wood species options available; among them are hemlock, cherry, maple, walnut, poplar, birch, red oak or white oak. Whether your tastes are classic or exotic, there is a wood species for you.

Glass Type: There are also many glass options available from clear glass allowing in the most abundant natural light to textured glass that is more opaque for a higher privacy level.

Door Width: Typical exterior doors range from 2'6" to 3'6" in width but Reeb has access to create doors up to 6'0" wide.

Door Height: Typical exterior doors range from 6'6" to 8'0" in height but Reeb has access to create doors up to 12'0" tall.

Door Thickness: 1-3/4" and 2-1/4" options are available in most species.

Creating a Custom Wood Door... from idea to a reality

Once all the design decisions are picked, an initial CAD drawing is created based on the customer's sketch. Not only does this help the customer visualize the final product, but also helps to ensure the end product is what the customer desires.

The drawings are supplied to the customer for their review. Based on their needs, and the appearance of the door, the customer will then choose the layout and approve the purchase. The door is then ordered, and delivered to the customer.



CAD Drawing



Custom Wood Door Installed on a Home

Finally, the door arrives and is shipped to the customer. The customer can then have the door installed and complete their custom design process.

Unit Dimensions and Rough Openings - INSWING Units

Height

For a 6’8” unit, the height of the unit is dependent on the sill used.
Adjustable Composite Sill (Standard): Unit Size Height - 82”, Rough Opening Height - 82-1/2”
Public Access Sill: Unit Size Height - 81”, Rough Opening Height - 81-1/2”
7/4 Inswing Wood Sill: Unit Size Height - 82”, Rough Opening Height - 82-1/2”
Note: All doors are 6’8” in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6’6” doors: deduct 2” from the height 7’0” doors: add 4” to the height. 8’0” doors: add 16” to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10” sidelite	11-1/2”	12-1/4”
12” sidelite	13-1/2”	14-1/4”
14” sidelite	15-1/2”	16-1/4”
2’0”	25-5/8”	26-3/8”
2’4”	29-5/8”	30-3/8”
2’6”	31-5/8”	32-3/8”
2’8”	33-5/8”	34-3/8”
2’10”	35-5/8”	36-3/8”
3’0”	37-5/8”	38-3/8”
3’6”	43-5/8”	44-3/8”

Continuous Single with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3’0” w/ 10” s/l	48-5/8”	49-3/8”
3’0” w/ 12” s/l	50-5/8”	51-3/8”
3’0” w/ 14” s/l	52-5/8”	53-3/8”

Continuous Single with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3’0” w/ 10” s/l	59-5/8”	60-3/8”
3’0” w/ 12” s/l	63-5/8”	64-3/8”
3’0” w/ 14” s/l	67-5/8”	68-3/8”

Double Door 7/8” Astragal		
Description	Unit Size Width	Rough Opening Width
4’8”	58-9/16”	59-5/16”
5’0”	62-9/16”	63-5/16”
5’4”	66-9/16”	67-5/16”
5’8”	70-9/16”	71-5/16”
6’0”	74-9/16”	75-5/16”

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4’8”	58-13/16”	59-9/16”
5’0”	62-13/16”	63-9/16”
5’4”	66-13/16”	67-9/16”
5’8”	70-13/16”	71-9/16”
6’0”	74-13/16”	75-9/16”

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7’0”	88”	88-3/4”
7’6”	94”	94-3/4”
8’0”	100”	100-3/4”
8’6”	106”	106-3/4”
9’0”	112”	112-3/4”

Continuous Single with One Venting Sidelite Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
2’6” w/1 12” s/l	45-3/8”	46-1/8”
2’6” w/1 14” s/l	47-3/8”	48-1/8”
2’8” w/1 12” s/l	47-3/8”	48-1/8”
2’8” w/1 14” s/l	49-3/8”	50-1/8’
2’10” w/1 12” s/l	49-3/8”	50-1/8”
2’10” w/1 14” s/l	51-3/8”	52-1/8”
3’0” w/1 12” s/l	51-3/8”	52-1/8”
3’0” w/1 14” s/l	53-3/8”	54-1/8”

Continuous Single with Two Venting Sidelites Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
3’0” w/2 12” s/l	65-1/16”	65-13/16”
3’0” w/2 14” s/l	69-1/16”	69-13/16”
Other sizes are available special order, contact Reeb for details		

Note: 8/0 venting sidelites are only available in 14” width.

Continuous Double with Two Venting Sidelites 7/8” Astragal, Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
5’0” w/2 12” s/l	90”	90-3/4”
5’0” w/2 14” s/l	94”	94-3/4”
5’4” w/2 12” s/l	94”	94-3/4”
5’4” w/2 14” s/l	98”	98-3/4”
5’8” w/2 12” s/l	98”	98-3/4”
5’8” w/2 14” s/l	102”	102-3/4”
6’0” w/2 12” s/l	102”	102-3/4”
6’0” w/2 14” s/l	106”	106-3/4”

Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4” to the Unit Width and 1/2” to the Unit Height
Brickmould Dimension (from edge of brickmould to edge of brickmould): add 2-1/2” to the Unit Width and 1-1/4” to the Unit Height
Masonry Opening (the opening in a masonry wall): add 3” to the Unit Width and 1-1/2” to the Unit Height
Boxed Unit Rough Opening (individual units mulled together): Add each unit dimensions then add 3/4” to the Width and 1/2” to the Height
Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

Unit Dimensions and Rough Openings - OUTSWING Units

Height

For a 6’8” unit, the height of the unit is dependent on the sill used.
Composite Outswing Sill (Standard): Unit Size Height - 81-3/16”, Rough Opening Height - 81-11/16”
Public Access Sill: Unit Size Height - 81”, Rough Opening Height - 81-1/2”
Outswing Bumper Sill: Unit Size Height - 80-5/8”, Rough Opening Height - 81-1/8”
7/4 **Outswing Wood Sill:** Unit Size Height - 82”, Rough Opening Height - 82-1/2”
Note: All doors are 6’8” in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6’6” doors: deduct 2” from the height 7’0” doors: add 4” to the height. 8’0” doors: add 16” to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10” sidelite	11-1/2”	12-1/4”
12” sidelite	13-1/2”	14-1/4”
14” sidelite	15-1/2”	16-1/4”
2’0”	25-5/8”	26-3/8”
2’4”	29-5/8”	30-3/8”
2’6”	31-5/8”	32-3/8”
2’8”	33-5/8”	34-3/8”
2’10”	35-5/8”	36-3/8”
3’0”	37-5/8”	38-3/8”
3’6”	43-5/8”	44-3/8”

Double Door 7/8” Astragal		
Description	Unit Size Width	Rough Opening Width
4’8”	58-9/16”	59-5/16”
5’0”	62-9/16”	63-5/16”
5’4”	66-9/16”	67-5/16”
5’8”	70-9/16”	71-5/16”
6’0”	74-9/16”	75-5/16”

Continuous Single Unit with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3’0” w/ 10” s/l	48-5/8”	49-3/8”
3’0” w/ 12” s/l	50-5/8”	51-3/8”
3’0” w/ 14” s/l	52-5/8”	53-3/8”

Continuous Single Unit with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3’0” w/ 10” s/l	59-5/8”	60-3/8”
3’0” w/ 12” s/l	63-5/8”	64-3/8”
3’0” w/ 14” s/l	67-5/8”	68-3/8”

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4’8”	58-13/16”	59-9/16”
5’0”	62-13/16”	63-9/16”
5’4”	66-13/16”	67-9/16”
5’8”	70-13/16”	71-9/16”
6’0”	74-13/16”	75-9/16”

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7’0”	88”	88-3/4”
7’6”	94”	94-3/4”
8’0”	100”	100-3/4”
8’6”	106”	106-3/4”
9’0”	112”	112-3/4”

Dimension Adders
Rough Opening (the opening in a standard wall): add 3/4” to the Unit Width and 1/2” to the Unit Height
Brickmould Dimension (from edge of brickmould to edge of brickmould): add 3” to the Unit Width and 1-1/2” to the Unit Height
Masonry Opening (the opening in a masonry wall): add 3-1/2” to the Unit Width and 1-3/4” to the Unit Height
Boxed Unit Rough Opening (individual units mulled together): Add each unit dimensions then add 3/4” to the Width and 1/2” to the Height
Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

Tru-Guard™

Beauty. Protection. Peace of Mind.

Therma-Tru's Tru-Guard™ composite edge for Fiber-Classic® and Smooth-Star® doors helps to eliminate water absorption and enhances resistance to warp, rot, mold, and wood-ingesting insects.



Finished Fiber-Classic composite edge

Resists Moisture & Humidity

Fiberglass doors with completely composite exteriors resist humidity and moisture on all six sides to help eliminate the risk of swelling and cracking.

Resists Mold & Rot

A fully composite door does not absorb or retain moisture helping to eliminate the risk of mold and rot anywhere on the door slab.

Resists Insects

With no exposed wood on the door, Therma-Tru® fiberglass doors with completely composite exteriors help protect from wood-ingesting insects.



Six sides of protection for additional peace of mind.

This composite edge is paired with a composite top and bottom rail and a fiberglass door skin to give six sides of composite protection.

1. Top Rail is composite with LVL reinforcement for better rigidity
2. Tru-Guard™ Composite Engineered Stiles
3. Fiberglass Door Skin



1. Top and Bottom Rails are composite for edge to edge protection. Top Rail includes LVL reinforcement for rigidity.



2. Tru-Guard™ Composite Engineered Stiles



3. Fiberglass Door Skin

TRU GUARD™
COMPOSITE TECHNOLOGY

Wood-Edge Doors

Tru-Guard™ doors provide six sides of protection for peace of mind, but that comes at slightly more of a cost. Sometimes budgets can be a factor when choosing doors for certain openings. Reeb® stocks a line of Therma-Tru® Fiber-Classic® and Smooth-Star® doors with a wood-edge to help with this situation. These doors are better than most other fiberglass doors on the market and are a great choice for a utility door. They have the same warranty you have come to expect from a Therma-Tru door but fit any budget.

The wood-edge line has limited styles and options available; some of the doors are available with Low-E Glass, fixed grilles, or grilles between the glass. No matter which fiberglass door you purchase, you can always count on the Therma-Tru brand, and the same can be said for Reeb's wood-edge doors.

Look for the ■ icon throughout this catalog for door styles that are available with Wood-Edge.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability


With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of fiberglass to wood doors (both without glass).

Note: Wood-Edge Doors can not be finished by Reeb Finish.



Index

STYLE	PAGE
CLASSIC CRAFT FIR	
CCA1100	38
CCA1125	38
CCA1127	38
CCA1133	38
CCA1145	38
CCA1147	38
CCA1149	38
CCA1150	38
CCA1158	38
CCA1166	38
CCA1423SL	46
CCA210	79
CCA210SL	83
CCA211	58
CCA211SL	58
CCA220	83
CCA220SL	83
CCA230	83
CCA2300	81
CCA2300SL	82
CCA231	58
CCA2310	81
CCA2310SL	82
CCA2320	81
CCA2320SL	82
CCA2330	81
CCA2330SL	82
CCA2340	81
CCA2340SL	82
CCA2350	81
CCA2360	81
CCA2370	81
CCA2380	81
CCA240	83
CCA2400	79
CCA2400SL	82
CCA260	83
CCA3400SL	83
CCA3401SL	58
CCA3450SL	83
CCA3500SL	83
CCA3501SL	58
CCA3560SL	83
CCA4900	82
CCA4905	38
CCA4910L	82
CCA4910R	82
CCA4915L	38
CCA4915R	39
CCA4920L	82
CCA4920R	82
CCA4925L	39
CCA4925R	39
CCA4930	82
CCA4935	39
CCA4940	82
CCA4945	39
CCA81100	38
CCA81125	38
CCA81127	38
CCA81133	38
CCA81145	38
CCA81147	38
CCA81149	38
CCA81150	38
CCA81158	38
CCA81166	38
CCA8210	79
CCA8211	58
CCA8220	83
CCA8230	83
CCA82300	81
CCA82300SL	82
CCA82310SL	82
CCA8231	58
CCA82310	81
CCA82320	81
CCA82320SL	82
CCA82330	81
CCA82330SL	82
CCA82340	81
CCA82340SL	82
CCA82350	81
CCA82360	81
CCA82370	81
CCA82380	81
CCA8240	83
CCA82400	79
CCA82400SL	82
CCA8260	83
CCA84900	82
CCA84905	38
CCA84910L	82
CCA84910R	82
CCA84915L	38
CCA84915R	39
CCA84920L	82
CCA84920R	82
CCA84925L	39
CCA84925R	39
CCA84930	82
CCA84935	39
CCA84940	82
CCA84945	39
CCA87100	79
CCA87112	58
CCA87132	58
CCA87200	83
CCA87300	83
CCA87400	83
CCA87600	83
CCA9100	46
CCA9100SL	46
CCA9300	46
19200T	83
1920T	83
19210T	83
19220T	83
AB30T	46
ABRT	46
HW30T	58
HWRT	58
CLASSIC CRAFT WALNUT	
CCW1000	40
CCW81000	40
CCW8900	40
CCW8900R	40
CCW8903	40
CCW8904L	40
CCW8904R	40
CCW8905	40
CCW8906L	40
CCW8906R	40
CCW900L	40
CCW900R	40
CCW903	40
CCW904L	40
CCW904R	40
CCW905	40
CCW906L	40
CCW906R	40
DS2131SL	40
DS82131SL	40
19020T	40
19200T	40
19210T	40
19220T	40
CLASSIC CRAFT MAHOGANY	
CCM1419	46
CCM1465	54
CCM1475	54
CCM1485	50
CCM1495	50
CCM1842	70
CCM1843SL	70
CCM1844	70
CCM203	62
CCM204	66
CCM2800	79
CCM2802	66
CCM2804	84
CCM2806	84
CCM2812	84
CCM300	76
CCM301CAL	79
CCM301CAR	79
CCM302	66
CCM302L	79
CCM302R	79
CCM303	62
CCM303L	84
CCM303R	84
CCM304L	84
CCM304R	84
CCM305CAL	84
CCM305CAR	84
CCM306CAL	84
CCM306CAR	84
CCM3300SL	76
CCM3302SL	66
CCM3303SL	62
CCM3502SL	66
CCM3503SL	62
CCM60	42
CCM600	76
CCM603	62
CCM612	66
CCM702	66
CCM703	62
CCM803	62
CCM805027	50
CCM81519	54
CCM81843	70
CCM822	66
CCM8301CAL	79
CCM8301CAR	79
CCM8302L	79
CCM8302R	79
CCM8303L	84
CCM8303R	84
CCM8304L	84
CCM8304R	84
CCM8305CAL	84
CCM8305CAR	84
CCM8306CAL	84
CCM8306CAR	84
CCM890	42
CCM891	76
CCM898	66
CCM89922	58
CCR040	42
CCR04020	76
CCR04022	66
CCR04023	62
CCR04027	50
CCR04037	50
CCR040R	42
CCR100	42
CCR10022	66
CCR100R	42
CCR1414	46
CCR1415	46
CCR1417	46
CCR1423SL	46
CCR1511	54
CCR1511A	54
CCR1512	54
CCR1512A	54
CCR1514	54
CCR1515	54
CCR1516	54
CCR1518	54
CCR1528	54
CCR1838	70
CCR1839	70
CCR1841	70
CCR1851	70
CCR1851SL	70
CCR200	42
CCR20020	76
CCR20022	66
CCR20023	62
CCR20027	50
CCR20037	50
CCR20037A	50
CCR200A	42
CCR2025SL	84
CCR205	42
CCR20520	76
CCR20522	66
CCR20523	62
CCR20527	50
CCR20537	50
CCR20537A	50
CCR205A	42
CCR205H	42
CCR30020	76
CCR30027	50
CCR3400SL	76
CCR3400XHSL	54
CCR3400XNSL	50
CCR3407SL	62
CCR3412SL	66
CCR80000SL	76
CCR8000XHSL	54
CCR8000XNSL	50
CCR8005	42
CCR8040	42
CCR804020	76
CCR804022	66
CCR804023	62
CCR804027	50
CCR804030	76
CCR804032	66
CCR804037	50
CCR8100	42
CCR81414	46
CCR81415	46
CCR81417	46
CCR81511	54
CCR81512	54
CCR81514	54
CCR81516	54
CCR81518	54
CCR81838	70
CCR81839	70
CCR81841	70
CCR81845	70
CCR81846	70
CCR81847	70
CCR8200	42
CCR820020	76
CCR820022	66
CCR820023	62
CCR820030	76
CCR820032	66
CCR820037	50
CCR82035SL	84
CCR8205	42
CCR820520	76
CCR820522	66
CCR820523	62
CCR820527	50
CCR820530	76
CCR820532	66
CCR820537	50
CCR8222	42
CCR822214	46
CCR822215	54
CCR822220	76
CCR822222	66
CCR822223	62
CCR822227	50
CCR822238	70
CCR8225	42
CCR9925	58
CCR9925SL	58
19020T	76
19200T	76
19210T	76
19220T	76
AB30T	46
ABRT	46
HW30T	58
HWRT	58
LC30T	66
LCET	66
LCRT	66
LF30T	62
LFET	62
LFRT	62
CLASSIC CRAFT CANVAS	
CCV050	43
CCV05020	77
CCV05022	67
CCV05023	63

Index

STYLE	PAGE
CCV05027	51
CCV060	43
CCV06020	77
CCV06022	67
CCV06023	63
CCV060H	43
CCV10020	77
CCV10022	67
CCV100SL	77, 85
CCV100XHSL	55
CCV100XNSL	51
CCV103SL	63
CCV1414	47
CCV1415	47
CCV1418	47
CCV1423SL	47
CCV1512	55
CCV1515	55
CCV1516	55
CCV1519	55
CCV1528	55
CCV1838	70
CCV1839	70
CCV1843	70
CCV1851	70
CCV1851SL	70
CCV200	43
CCV205	43
CCV20520	77
CCV20522	67
CCV20523	63
CCV20527	51
CCV20537	51
CCV205H	43
CCV220	43
CCV22020	77
CCV22022	67
CCV22023	63
CCV22027	51
CCV3412SL	67
CCV4100	47
CCV4100SL	47
CCV4300	47
CCV805020	77
CCV805022	67
CCV805027	51
CCV806020	77
CCV8100SL	77, 85
CCV8103SL	63
CCV81414	47
CCV81415	47
CCV81417	47
CCV81512	55
CCV81515	55
CCV81516	55
CCV81519	55
CCV81839	70
CCV81843	70
CCV81846	70
CCV820520	77
CCV820522	67
CCV820523	63
CCV820527	51
CCV820530	77
CCV820532	67
CCV820537	51
CCV822020	77
CCV822022	67
CCV822023	63
CCV822027	51
CCV831	43
CCV8950SL	85
CCV89922	59
CCV9010SL	85
CCV9011SL	59
CCV9020SL	85
CCV910	85
CCV910SL	85
CCV911	59
CCV911SL	59
CCV920	85
CCV920SL	85
CCV930	85
CCV931	59
CCV940	85
CCV950SL	85
CCV950XHSL	55
CCV960	85
CCV9925	59
19020T	77
19200T	77
19210T	77
19220T	77
AB30T	47
ABRT	47
HW30T	59
HWRT	59
LC30T	67
LCET	67
LCRT	67
LF30T	63
LFET	63
LFRT	63

FIBER-CLASSIC MAHOGANY

STYLE	PAGE
FCM10	208
FCM100	186
FCM1000	90
FCM1006	152
FCM101	186
FCM101SL	186
FCM104	192
FCM104CL	208
FCM105	192
FCM105SL	192
FCM106	192
FCM108	110
FCM1089SL	223
FCM109	110
FCM109SL	110
FCM110	110
FCM113	172
FCM114	172
FCM114SL	172
FCM115	172
FCM115SL	172
FCM116	198
FCM12101SL	209, 211
FCM12102SL-GBG	223
FCM12102SL-SDL	231
FCM1283	208
FCM1284-GBG	222
FCM1284-SDL	230
FCM1285-GBG	222
FCM1285-SDL	230
FCM1286	198
FCM1286SL	198
FCM1289-GBG	222
FCM131	186
FCM131SL	186
FCM138-GBG	222
FCM138-SDL	230
FCM141	198
FCM1442SL	140
FCM147	192
FCM147SL	192
FCM148	140
FCM149	140
FCM149SL	140
FCM151	140
FCM156	140
FCM16	130
FCM160	208
FCM163	192
FCM164	110
FCM1646SL	97
FCM1647	97
FCM1650	97
FCM1651	97
FCM1651SL	97,99
FCM1652	97
FCM1654	97
FCM1656	97
FCM1656SL	97
FCM1658	97
FCM18-GBG	222
FCM18-SDL	230
FCM18101SL	130
FCM198	222
FCM2000SL	237
FCM205	90
FCM2050SL	240
FCM2101SL	223
FCM2106	222
FCM2107	222
FCM2108	222
FCM220	90
FCM2213	146
FCM2223	116
FCM2233	136
FCM2382	146
FCM2382SL	146
FCM2385	136
FCM2385SL	136
FCM2389	116
FCM2389SL	116
FCM241	186
FCM31	90
FCM310	110
FCM32	208
FCM32SL	209
FCM3487SL-GBG	223
FCM3487SL-SDL	231
FCM369	172
FCM38	130
FCM38SL	130
FCM386	116
FCM387	116
FCM387SL	116
FCM389	116
FCM394	116
FCM4521SL	116
FCM4525SL	146
FCM476	146
FCM4810	237
FCM4810SL	234
FCM4812	240
FCM4812SL	240
FCM4813	240
FCM4814	240
FCM4816	240
FCM508	166
FCM5425	198
FCM543	166
FCM545SL	166
FCM571	166
FCM572SL	166
FCM574	166
FCM575	166
FCM577	166
FCM581	166
FCM583SL	166
FCM60	90
FCM600	90
FCM601	208
FCM602	178
FCM6021	208
FCM6022-GBG	222
FCM6022-SDL	230
FCM6025	186
FCM6026	124
FCM6029	178
FCM6030	192
FCM6031	172
FCM6032	110
FCM6035	198
FCM6036	140
FCM604	186
FCM6041	208
FCM6042-GBG	223
FCM6042-SDL	231
FCM6045	186
FCM6046	124
FCM6049	178
FCM605	231
FCM6050	192
FCM6051	172
FCM6052	110
FCM6055	198
FCM6056	140
FCM606	231
FCM607	231
FCM608	231
FCM609	152
FCM6093	178
FCM6094	192
FCM6095	124
FCM61	208
FCM6107	152
FCM6108	152
FCM6124SL	231
FCM6125SL	231
FCM6126SL	231
FCM62	208
FCM6240	178
FCM626	140
FCM62SL	209
FCM65-GBG	222
FCM65-SDL	230
FCM6500	158
FCM6500SL	158
FCM6520	158
FCM6550	158
FCM6560	158
FCM6565	158
FCM6565SL	158
FCM6568	158
FCM6575	158
FCM6577	158
FCM6580SL	158
FCM6582	158
FCM65SL-GBG	223
FCM65SL-SDL	231
FCM668	130
FCM670	208
FCM678	198
FCM678SL	198
FCM6975	116
FCM707	178
FCM708	208
FCM7125SL	223
FCM721	192
FCM735	124
FCM736	152
FCM745	158
FCM752-FXG	220
FCM752-GBG	223
FCM755	90
FCM765	110
FCM765SL	110
FCM789	140
FCM80	208
FCM8000SL	237
FCM808SL	110
FCM809SL	124
FCM81000	90
FCM8101SL-GBG	223
FCM8101SL-SDL	231
FCM8107SL	140
FCM8110SL	198
FCM8115	198
FCM81200	208
FCM81200SL	209, 211
FCM81208P-GBG	222
FCM81208PSL-GBG	223
FCM812SL	152
FCM813SL	140
FCM8149	140
FCM814SL	172
FCM815SL	178
FCM81646SL	97
FCM81651SL	97, 99
FCM81652SL	97
FCM81654	97
FCM81654SL	97
FCM816SL	186
FCM81829	222
FCM818SL	192
FCM81900SL	231
FCM81921SL	192
FCM81928SL	124
FCM81947SL	231
FCM81949SL	231
FCM82-GBG	222
FCM82-SDL	230
FCM820	124
FCM821	192
FCM82223	116
FCM82223SL	116
FCM82389	116

Index

STYLE	PAGE
FCM82389SL	116
FCM8321-GBG	223
FCM8321-SDL	230
FCM8322-GBG	222
FCM8323-GBG	222
FCM8324-GBG	222
FCM8386	116
FCM8386SL	116
FCM84521SL	116
FCM84525SL	146
FCM84527SL	136
FCM84810SL	237
FCM84812	240
FCM84812SL	240
FCM84813	240
FCM84814	240
FCM84816	240
FCM848861SL	240
FCM8489SL	146
FCM8498	146
FCM8545SL	166
FCM8581	166
FCM8583SL	166
FCM860	90
FCM861	208
FCM862	208
FCM862SL	209
FCM863	110
FCM863SL	110
FCM864	186
FCM864SL	186
FCM865	172
FCM86560	158
FCM86560SL	158
FCM86580SL	158
FCM865SL	172
FCM866	192
FCM866SL	192
FCM8675SL	223
FCM8678	198
FCM867SL	140
FCM870	208
FCM8707	178
FCM8708	208
FCM870SL	209
FCM8721	192
FCM8735	124
FCM8736	152
FCM874	192
FCM8745	158
FCM874SL	192
FCM8752-FXG	220
FCM8752-GBG	223
FCM881SL	209
FCM882SL	110
FCM883SL	186
FCM884SL	172
FCM885SL	192
FCM886	152
FCM886SL	152
FCM887SL	152
FCM888	178
FCM888SL	178
FCM889SL	178
FCM890	124
FCM890SL	124
FCM891	124
FCM891SL	124
FCM892SL	124
FCM898	130
FCM900	152
FCM901	152
FCM901SL	152
FCM902	152
FCM902SL	152
FCM905	178
FCM906	178
FCM906SL	178
FCM907	178
FCM907SL	178
FCM910	124
FCM911	124
FCM911SL	124
FCM912	124
FCM912SL	124
FCM915	124
FCM916	124
FCM92SL-GBG	223
FCM92SL-SDL	231
19020T	209
19200T	209
19210T	209
19220T	209
19520T	186
19720T	192
19730T	192
19740T	178
19750T	178
AXRT	97
BSRT	110
CNRT	124
FWRT	152
KNRT	140
RSRT	166
SART	172
FIBER-CLASSIC MAHOGANY PULSE	
FCM10AXSL	99
FCM1AX	98
FCM1BL	130
FCM1BS	110
FCM1CX	117
FCM1EC	136
FCM1LT	146
FCM1LAX	98
FCM1LBL	130
FCM1LBS	110
FCM1LCX	117
FCM1LEC	136
FCM1LLT	146
FCM1LPB	158
FCM1LRS	166
FCM1LSA	172
FCM1LSG	178
FCM1LSN	186
FCM1PB	158
FCM1RAX	98
FCM1RBL	130
FCM1RBS	110
FCM1RCX	117
FCM1REC	136
FCM1RLT	146
FCM1RPB	158
FCM1RRS	166
FCM1RS	166
FCM1RSA	172
FCM1RSG	178
FCM1RSN	186
FCM1SA	172
FCM1SG	178
FCM1SN	186
FCM2AX	98
FCM2CX	117
FCM2EC	136
FCM2PB	158
FCM2RS	166
FCM2SG	178
FCM2SN	186
FCM4AX	98
FCM4AXSL	99
FCM4LAX	98
FCM4RAX	98
FCM5AX	98
FCM5AXSL	99
FCM5LAX	98
FCM5RAX	98
FCM810AX	99
FCM810AXSL	99
FCM810LAX	99
FCM810RAX	99
FCM811AX	99
FCM811AXSL	99
FCM811LAX	99
FCM811RAX	99
FCM81AX	98
FCM81CX	117
FCM81LAX	98
FCM81LCX	117
FCM81RAX	98
FCM81RCX	117
FCM83AX	98
FCM83EC	136
FCM83PB	158
FCM83RS	166
FCM83SG	178
FCM83SN	186
FCM84AX	98
FCM84AXSL	99
FCM84LAX	98
FCM84RAX	98
FCM85AX	98
FCM85AXSL	99
FCM85LAX	98
FCM85RAX	98
FCM86AX	99
FCM86AXSL	99
FCM86LAX	99
FCM86RAX	99
FCM8AX	98
FCM8LAX	98
FCM8RAX	98
FCM9AX	98
FCM9AXSL	99
FCM9LAX	98
FCM9RAX	98
FIBER-CLASSIC OAK	
1000	90
12101SL	215
12102SL-GBG	2125
12102SL-SDL	232
1283	212
1284-GBG	224
1284-SDL	232
1285-GBG	224
1285-SDL	232
1286	199
1286SL	199
18101SL	131
1964P	199
2000	237
2000SL	237
2010-SDL	241
2050-SDL	241
2050SL-SDL	241
8000	237
81000	90
81200	212
81200P	2012
81200PSL	213
81200SL	215
81208-GBG	224
81208P-GBG	224
81208PSL-GBG	225
81225P	199
81900PSL-SDL	232
81921P	193
81921PSL	193
81921SL	193
81928P	125
81928PSL	125
81928SL	125
81929P	212
81929PSL	213
81933P	111
81933PSL	111
81935P	130
81935PSL	130
81936P	187
81936PSL	187
81937P	173
81937PSL	173
81938P	180
81938PSL	181
81939P	153
81939PSL	153
81941P	193
81941PSL	193
81942P	125
81942PSL	125
81943P	212
81943PSL	213
81944P-GBG	224
81945P-GBG	224
81945P-SDL	232
81946P-GBG	224
81946P-SDL	232
81946PSL-GBG	225
81946PSL-SDL	233
81947PSL-SDL	233
81949PSL-SDL	233
81952P	111
81952PSL	111
81953P	130
81953PSL	130
81954P	187
81954PSL	187
81955P	173
81955PSL	173
81956P	180
81956PSL	181
81957P	153
81957PSL	153
81959P	193
81959PSL	193
81960P	125
81960PSL	125
81961P	141
81961PSL	141
81964P	199
81964PSL	199
81971P	212
81981P	181
FC10	212
FC100	187
FC100SL	187
FC101	187
FC101SL	187
FC104	193
FC104SL	193
FC105	193
FC105SL	193
FC108	111
FC1089-GBG	224
FC1089SL-GBG	225
FC108SL	111
FC109	111
FC109SL	111
FC113	173
FC113SL	173
FC114	173
FC114SL	173
FC115	173
FC115SL	173
FC116	199
FC1205	241
FC131	187
FC131SL	187
FC138-GBG	224
FC138-SDL	232
FC141	199
FC141SL	199
FC1442SL	141
FC147	193
FC147SL	193
FC148	141
FC148SL	141
FC149	141
FC149SL	141
FC151	141
FC156	141
FC16	130
FC160	212
FC163	193
FC164	111
FC1646	101
FC1646SL	101
FC1647	101
FC1651	101
FC1651SL	101,103
FC1652	101
FC1652SL	101
FC1654	101
FC1656SL	101
FC18-GBG	224
FC18-SDL	232
FC18SL-GBG	224
FC18SL-SDL	232
FC198-GBG	224

Index

STYLE	PAGE
FC20042	141
FC2101-GBG	224
FC2101SL-GBG	225
FC2102-GBG	224
FC2106-GBG	224
FC2107-GBG	224
FC2108-GBG	224
FC2213	147
FC2213SL	147
FC2223	118
FC2223SL	118
FC2233	136
FC2233SL	136
FC23-FXG	220
FC2382	147
FC2382SL	147
FC2385	136
FC2385SL	136
FC2389	118
FC2389SL	118
FC31	90
FC32	212
FC32SL	213
FC3487SL-GBG	225
FC3487SL-SDL	233
FC38	130
FC38SL	
FC386	118
FC387SL	118
FC389	118
FC4521	118
FC4521SL	118
FC4525	147
FC4525SL	147
FC46SL	130
FC476	147
FC47SL	213
FC48SL	213
FC529	167
FC5425	199
FC543	167
FC545SL	167
FC5700-SDL	241
FC5700SL-SDL	241
FC5710-SDL	241
FC5710SL-SDL	241
FC5720-SDL	241
FC5720SL-SDL	241
FC572SL	167
FC573SL	167
FC574	167
FC581	167
FC583SL	167
FC60	90
FC62	212
FC63SL-GBG	225
FC63SL-SDL	233
FC65-GBG	225
FC65-SDL	232
FC6500SL	159
FC6550	159
FC6550SL	159
FC6560	159
FC6565SL	159
FC6575	159
FC6576	159
FC6580	159
FC6580SL	159
FC6582	159
FC670	212
FC678	199
FC678SL	199
FC685L	241
FC685R	241
FC691	241
FC707	181
FC708	212
FC7125SL-GBG	225
FC714	111
FC721	193
FC735	125
FC736	153
FC745	159
FC752-FXG	220
FC752-GBG	225
FC755	90
FC765	111
FC765SL	111
FC766	212
FC770	111
FC772	130
FC773	187
FC775	173
FC776	180
FC777	153
FC779	193
FC780	125
FC789	212
FC794	111
FC796	193
FC797	125
FC798	141
FC808SL	111
FC809	90
FC80920	212
FC809203-GBG	225
FC809203-SDL	232
FC80952	187
FC80954	181
FC809SL	125
FC812SL	153
FC813SL	141
FC8149	141
FC814SL	173
FC815SL	181
FC81646	101
FC81646SL	101
FC81651SL	101, 103
FC81652SL	101
FC81653	101
FC81654	101
FC81654SL	101
FC816SL	187
FC818SL	193
FC82-GBG	224
FC82-SDL	232
FC82223	118
FC82223SL	118
FC82389	118
FC82389SL	118
FC8318-GBG	225
FC8319-GBG	225
FC832-GBG	225
FC832-SDL	232
FC8320-GBG	241
FC8321-GBG	225
FC8321-SDL	232
FC8322-GBG	225
FC8323-GBG	225
FC8324-GBG	225
FC8386	118
FC8386SL	118
FC8390	118
FC8392	118
FC84521SL	118
FC84525	147
FC84525SL	147
FC84527	136
FC84527SL	136
FC8489	147
FC8498	147
FC8498SL	147
FC8529	167
FC8545SL	167
FC85700-SDL	241
FC85710-SDL	241
FC85720-SDL	241
FC8581	167
FC8583SL	167
FC860	90
FC861	212
FC862	90
FC86220	212
FC862203-GBG	225
FC862203-SDL	232
FC86254	181
FC86560	159
FC86560SL	159
FC86580	159
FC86580SL	159
FC8675SL-GBG	225
FC8678	199
FC8685L	241
FC8685R	241
FC8691	241
FC8707	181
FC8708	212
FC8721	193
FC8735	125
FC8736	153
FC8745	159
FC8752-FXG	220
FC8752-GBG	225
FC8867SL	141
FC8971	199
FC8972	199
FC900	153
FC900SL	153
FC901	153
FC901SL	153
FC902	153
FC902SL	153
FC905	180
FC905SL	181
FC906	180
FC906SL	181
FC907	180
FC907SL	181
FC910	125
FC910SL	125
FC911	125
FC911SL	125
FC912	125
FC912SL	125
FC915	125
FC917	125
FC92-GBG	224
FC92-SDL	232
FC925	199
FC92SL-GBG	225
FC92SL-SDL	233
FCO6184SL-SDL	232
FCO6185SL-SDL	232
FCO6186SL-SDL	233
FCO6188SL-SDL	232
FCO6189SL-SDL	232
FCO6190SL-SDL	233
19020T	213
19200T	213
19210T	213
19220T	213
19520T	181
19720T	193
19730T	193
19740T	178
19750T	181
AXRT	101
BSRT	111
CNRT	125
FWRT	153
KNRT	141
RSRT	167
SART	173

FIBER-CLASSIC OAK PULSE

FC10AXSL	103
FC1AX	102
FC1BL	131
FC1BS	111
FC1CX	119
FC1EC	137
FC1LT	147
FC1LAX	102
FC1LBL	131
FC1LBS	111
FC1LCX	119
FC1LEC	137
FC1LLT	147
FC1LPB	159
FC1LRS	167
FC1LSA	173
FC1LSG	181
FC1LSN	187
FC1PB	159
FC1RAX	102
FC1RBL	131
FC1RBS	111
FC1RCX	119
FC1REC	137
FC1RLT	147
FC1RPB	159
FC1RRS	167
FC1RS	167
FC1RSA	173
FC1RSG	181
FC1RSN	187
FC1SA	173
FC1SG	181
FC1SN	187
FC2AX	102
FC2CX	119
FC2EC	137
FC2PB	159
FC2RS	167
FC2SG	173
FC2SN	181
FC4AX	102
FC4AXSL	103
FC4LAX	102
FC4RAX	102
FC5AX	102
FC5AXSL	103
FC5LAX	102
FC5RAX	102
FC810AX	103
FC810AXSL	103
FC810LAX	103
FC810RAX	103
FC811AX	103
FC811AXSL	103
FC811LAX	103
FC811RAX	103
FC81AX	102
FC81CX	119
FC81LAX	102
FC81LCX	119
FC81RAX	102
FC81RCX	119
FC83AX	102
FC83CX	119
FC83EC	137
FC83PB	159
FC83RS	167
FC83SG	181
FC83SN	187
FC84AX	102
FC84AXSL	103
FC84LAX	102
FC84RAX	102
FC85AX	102
FC85AXSL	103
FC85LAX	102
FC85RAX	102
FC86AX	103
FC86AXSL	103
FC86LAX	103
FC86RAX	103
FC8AX	102
FC8LAX	102
FC8RAX	102
FC9AX	102
FC9AXSL	103
FC9LAX	102
FC9RAX	102

SMOOTH-STAR

DRS2131SL	217
DRS82131SL	217
RS2000SDL	247
RS2009	247
RS2010	247
RS2606-FXG	221
RS2606-GBG	229
RS2616-FXG	221
RS2616-GBG	229
RS4817	247
RS606-FXG	221
RS606-GBG	229
RS608-FXG	221

Index

STYLE	PAGE
RS608-GBG	229
RSS130RT	201
RSS132RT	201
S100	91
S1000	126
S1001	142
S1006	154
S100SL	217
S104	216
S105	217
S108-FXG	220
S108-GBG	226
S108-SDL	234
S1089-GBG	226
S1089SL-GBG	230
S1100	90
S115-FXG	221
S1170SL-FXG	221
S1170SL-SDL	235
S118	216
S120	90
S1205-GBG	239
S1205-SDL	242
S1207-SDL	242
S128-FXG	220
S128-GBG	226
S128-SDL	234
S130	200
S130SL	200
S131	200
S132	200
S132SL	200
S1350	244
S137	203
S139	188
S139SL	188
S140	216
S1400-GBG	229
S1400SL-GBG	229
S1402-GBG	229
S1404-GBG	228
S1405-GBG	228
S1405SL-GBG	230
S1406-GBG	228
S1407-GBG	228
S1408-GBG	228
S141-FXG	220
S141-GBG	226
S141-SDL	234
S1411-GBG	228
S1442SL	142
S154	182
S154SL	182
S155	194
S155SL	195
S156	142
S160	142
S160SL	142
S161	142
S161SL	142
S162	142
S163	142
S1646	105
S1646SL	105
S1647	105
S1650	105
S1651	105
S1651SL	105
S1652	105
S1652SL	105, 107
S1653	105
S1654	105
S1656	105
S1656SL	105
S1658	105
S198-GBG	226
S200	91
S2000	238
S2000SL	238
S2000SL-2C-SDL	246
S2000SL-4C-SDL	246
S20042	142
S2010-GBG	239
S2010-SDL	242
S2010SL-GBG	239
S2010SL-SDL	246
S205	91
S2050-GBG	239
S2050-SDL	242
S206	216
S210	91
S2100	238
S2101-GBG	226
S2101SL-GBG	230
S2102-GBG	2127
S2104-GBG	239
S2104-SDL	244
S2106-GBG	226
S2107-GBG	226
S2108-GBG	226
S210H	91
S210SL	217
S211	188
S213	182
S214	194
S2150-GBGFW	239
S2150-SDL	244
S220	90
S2200	238
S2200SL	238
S2213	148
S2213SL	148
S2223	120
S2223SL	121
S2233	137
S2233SL	137
S2250-GBGFW	239
S2250-SDL	244
S236-FXG	221
S237-FXG	221
S2382	148
S2382SL	148
S2385	137
S2385SL	137
S2389	120
S2389SL	121
S241	188
S243	203
S2600	200
S2610	217
S262-FXG	220
S262-GBG	227
S262-SDL	234
S2620	105
S2630	154
S263SL-FXG	221
S263SL-GBG	230
S263SL-SDL	235
S2640	161
S2670	168
S289	216
S291	182
S291SL	182
S292	194
S292SL	195
S294	188
S294SL	188
S296	217
S30	216
S308SL-FXG	221
S308SL-GBG	230
S308SL-SDL	235
S31	91
S310	112
S32-FXG	220
S32-GBG	228
S32-SDL	234
S3300-SDL	243
S3301	93
S3400L-SDL	243
S3400R-SDL	243
S3401L	93
S3401R	93
S3487SL-GBG	230
S3487SL-SDL	235
S3500L-SDL	243
S3500R-SDL	243
S3501L	93
S3501R	93
S3540	120
S3600L-SDL	243
S3600R-SDL	243
S3601L	93
S3601R	93
S369	174
S386	120
S387	120
S387SL	121
S389	120
S392	120
S393	120
S394	120
S398	121
S4070SL	127
S416SL	127
S426	126
S430	126
S430SL	127
S4305	216
S4308	200
S431	120
S4311	105
S4314	112
S4315	216
S4316	126
S4320	142
S4323	161
S4324	154
S4327	182
S4328	188
S4330	194
S4521	120
S4521SL	121
S4525	148
S4525SL	148
S4570SL	113
S476	148
S4800	91
S4810	238
S4810SL	238
S4812-SDL	245
S4812SL-SDL	245
S4813-SDL	245
S4814-SDL	245
S4816-SDL	245
S508	168
S529	168
S5425	200
S543	168
S545SL	168
S5700-SDL	242
S5700SL-SDL	246
S5701	93
S5705	242
S571	168
S5710-SDL	242
S5710SL-SDL	246
S5715	242
S5720-SDL	242
S5720SL-SDL	246
S572SL	169
S5721	93
S5725	242
S5730-SDL	244
S573SL	168
S574	168
S575	168
S577	168
S581	168
S583SL	168
S585	168
S5870SL	195
S600	91
S6000	112
S6000SL	112
S6002	112
S6002SL	112
S6006	174
S6006SL	174
S6008	174
S6008SL	174
S6009	174
S6009SL	174
S601	217
S6010	174
S6013	112
S6014	174
S601SL	219
S602	182
S6021	216
S6022-FXG	220
S6022-GBG	227
S6022-SDL	234
S6025	188
S6026	126
S6029	182
S602SL	182
S6030	194
S6031	174
S6032	112
S6034	203
S6035	200
S6036	142
S604	188
S6041	216
S6042-FXG	220
S6042-GBG	227
S6042-SDL	234
S6045	188
S6046	126
S6049	182
S604SL	188
S605-SDL	234
S6050	194
S6051	174
S6052	112
S6054	203
S6055	200
S6056	142
S606-SDL	235
S6061	200
S6062-GBG	226
S6063-FXG	220
S6063-GBG	226
S6063-SDL	234
S606SL-SDL	235
S607-SDL	235
S607SL-SDL	235
S608-SDL	235
S6080	217
S6082	194
S6084	126
S6085	112
S609	154
S6090	126
S6091	194
S6091SL	195
S6092	182
S6092SL	182
S6093	182
S6094	194
S6095	126
S6100	154
S6100SL	154
S6101	154
S6101SL	154
S6102	154
S6102SL	154
S6103	154
S6104	154
S6105	154
S6107	154
S6108	154
S6124SL-SDL	235
S6125SL-SDL	235
S6126SL-SDL	235
S6128SL	200
S6130SL	133
S6131SL	154
S6132SL	142
S6134SL	175
S6240	182
S6240SL	182
S626	142
S6500	160
S6500SL	160
S6520	161
S6550	160
S6550SL	161
S6560	160

Index

STYLE	PAGE
S6565	161
S6565SL	161
S6568	161
S6572	161
S6576	161
S6577	161
S6580	160
S6580SL	161
S6582	160
S668	132
S682	200
S685L	243
S685R	243
S691	243
S6975	120
S707	182
S708	217
S709	142
S7125SL-GBG	230
S721	194
S735	126
S736	154
S745	161
S751SL	217
S752-FXG	221
S752-GBG	228
S755	91
S757SL	127
S758SL	132
S770	216
S771	112
S773	126
S774	194
S80	216
S8000	238
S8000-18-GBG	239
S8000SL	238
S807-FXG	221
S807-GBG	228
S807-SDL	234
S808-FXG	220
S808-GBG	226
S808SL-FXG	221
S808SL-GBG	230
S808SL-SDL	235
S810	91
S81000	91
S81086SL	219
S810H	91
S81100	90
S8120	90
S81208-FXG	220
S81208-GBG	226
S81225	200
S8132	200
S8140	216
S81405-GBG	229
S8141-GBG	228
S8144-GBG	229
S8145-GBG	229
S8149	142
S81646	105
S81646SL	105
S81650	105
S81651SL	105
S81652SL	105, 107
S81653	105
S81654	105
S81654SL	105
S818	216
S81828-FXG	220
S81933P	112
S81935P	132
S81936P	188
S81937P	174
S81938P	182
S81939P	154
S81941P	194
S81942P	126
S82-GBG	226
S82-SDL	234
S820	126
S8200	90
S8201	91
S8202SL-SDL	235
S8204SL-SDL	235
S8207SL-SDL	235
S821	194
S82105-GBG	239
S82103-SDL	244
S82106-SDL	244
S82107-SDL	244
S82200	238
S82223	118
S82223SL	119
S82250-GBG	231
S82389	120
S82389SL	121
S82600	200
S82610	217
S82620	105
S82630	154
S82640	161
S82670	168
S828-FXG	220
S829	200
S829SL	200
S82SL-GBG	230
S82SL-SDL	235
S830	216
S831	91
S83120	217
S831203-FXG	221
S831203-GBG	228
S831203-SDL	234
S8317-FXG	221
S8318-GBG	228
S8319-GBG	228
S832-GBG	228
S832-SDL	234
S8320-GBG	228
S8321-GBG	228
S8321-SDL	234
S8322-GBG	227
S8323-GBG	227
S8324-GBG	228
S8325-GBG	227
S8325-SDL	234
S83300-SDL	243
S83301	93
S83400L-SDL	243
S83400R-SDL	243
S83401L	93
S83401R	93
S83500L	243
S83500R-SD:	243
S83501L	93
S83501R	93
S83540	120
S83600L-SDL	243
S83600R-SDL	243
S83604L	93
S93601R	93
S8386	120
S8386SL	121
S8387	120
S8390	120
S8392	120
S84305	216
S84310	120
S84311	105
S84314	112
S84315	216
S84316	126
S84319	132
S84320	142
S84323	161
S84324	154
S84327	182
S84328	188
S84330	194
S844521	120
S84521SL	121
S84525	148
S84525SL	148
S84527	137
S84527SL	137
S8467	148
S84800	91
S84810	238
S84810SL	238
S84812-SDL	246
S84812SL-SDL	246
S84813-SDL	246
S84814-SDL	246
S84816-SDL	246
S84886SL-SDL	246
S8489	148
S8498	148
S8498SL	148
S8508	168
S8529	168
S8545SL	168
S85700-SDL	242
S85700SL-SDL	246
S85701	93
S85705	242
S85710-SDL	242
S85710SL-SDL	246
S85715	242
S85720-SDL	242
S85720SL-SDL	246
S85721	93
S85725	242
S85730-SDL	244
S8581	168
S8583SL	168
S85895	126
S85895SL	127
S85896	194
S85896SL	194
S85898	154
S85898SL	154
S85902	126
S85902SL	127
S85910SL	217
S85912SL	112
S85914SL	132
S85915SL	188
S85916SL	174
S85917SL	182
S85918SL	154
S85920SL	127
S85922SL	195
S85924SL-SDL	235
S85925SL-SDL	235
S85926SL-SDL	235
S85928SL	200
S85930SL	127
S85934SL	195
S8600	217
S8600XC	217
S8600XE	217
S8600XJ	217
S8600XN	217
S8600XR	217
S8601	217
S8601SL	217
S8602	182
S86027	132
S8604	188
S8605-SDL	234
S8605SL-SDL	235
S8606-SDL	235
S8606SL-SDL	235
S8607-SDLLE	235
S8607SL-SDL	235
S8608-SDL	235
S8609	154
S86520	161
S86560	160
S86560SL	161
S86580	160
S86580SL	161
S8675SL-SDL	230
S867SL	142
S8682	200
S8682SL	200
S8685L	243
S8685R	243
S8691	243
S86975	120
S8707	182
S8708	217
S8721	194
S8735	126
S8736	154
S8745	161
S8752-FXG	221
S8752-GBG	228
S880	216
S880SL	217
S881-FXG	220
S881-GBG	227
S881-SDL	234
S881SL-FXG	221
S881SL-GBG	230
S881SL-SDL	235
S882-FXG	220
S882-GBG	227
S882-SDL	234
S887	188
S887SL	188
S888	132
S888SL	132
S891	182
S891SL	182
S892	194
S892SL	195
S894	112
S894SL	112
S895	174
S895SL	174
S896	217
S897	91
S8971	200
S8972	200
S898-GBG	227
S90	216
S90SL	238
S902	142
S902SL	142
S91	188
S912	126
S916	132
S916SL	132
S91SL	188
S92-GBG	227
S92-SDL	234
S925	200
S93	90
S930SL	132
S9320	217
S93203-FXG	221
S93203-GBG	228
S93203-SDL	234
S95	188
S960	91
S97	126
S971	200
S975	112
S975SL	112
S977	132
S979	112
S981	132
S982	182
S983	194
S992	217
S997	112
S999	194
19020T	217
19200T	217
19210T	217
19220T	217
19520T	188
19720T	195
19730T	195
19740T	182
19750T	182
AXRT	105
BSRT	112
CNRT	127
FWRT	154
KNRT	142
RSRT	168
SART	174

SMOOTH-STAR PULSE

S10AXSL	107
S10PBSL	163

Index

STYLE	PAGE
S1AX	106
S1BL	133
S1BS	113
S1CX	121
S1EC	137
S1LT	148
S1LAX	106
S1LBL	133
S1LBS	113
S1LCX	121
S1LEC	137
S1LLT	148
S1LPB	162
S1LRS	169
S1LSA	175
S1LSG	183
S1LSN	189
S1PB	162
S1RAX	106
S1RBL	133
S1RBS	113
S1RCX	121
S1REC	137
S1RLT	148
S1RPB	162
S1RRS	169
S1RS	169
S1RSA	175
S1RSG	183
S1RSN	189
S1SA	175
S1SG	183
S1SN	189
S2AX	106
S2CX	121
S2EC	137
S2PB	162
S2RS	169
S2SG	183
S2SN	189
S4AX	106
S4AXSL	107
S4LAX	106
S4LPB	162
S4PB	162
S4PBSL	163
S4RAX	106
S4RPB	162
S5AX	106
S5AXSL	107
S5LAX	106
S5LPB	162
S5PB	162
S5PBSL	163
S5RAX	106
S5RPB	162
S810AX	107
S810AXSL	107
S810LAX	107
S810LPB	163
S810PB	163
S810PBSL	163
S810RAX	107
S810RPB	163
S811AX	107
S811AXSL	107
S811LAX	107
S811LPB	163
S811PB	163
S811PBSL	163
S811RAX	107
S811RPB	163
S81AX	106
S81CX	121
S81LAX	106
S81LCX	121
S81RAX	106
S81RCX	121
S83AX	106
S83CX	121
S83EC	137
S83PB	162
S83RS	169
S83SG	183
S83SN	189
S84AX	106
S84AXSL	107
S84LAX	106
S84LPB	162
S84PB	162
S84PBSL	163
S84RAX	106
S84RPB	162
S85AX	106
S85AXSL	107
S85LAX	106
S85LPB	162
S85PB	162
S85PBSL	163
S85RAX	106
S85RPB	162
S86AX	107
S86AXSL	107
S86LAX	107
S86LPB	163
S86PB	163
S86PBSL	163
S86RAX	107
S86RPB	163
S8AX	106
S8LAX	106
S8LPB	162
S8PB	162
S8RAX	106
S8RPB	162
S9AX	106
S9AXSL	107
S9LAX	106
S9LPB	162
S9PB	162
S9PBSL	163
S9RAX	106
S9RPB	162
PROFILES	
100	251
1005HD	251
100SL	254
104	254
105	254
108-FXG RG	256
108-GBG	258
108-SDL	262
1089SLHD-GBG	259
1101HD	254
1123HD-FXG	256
1123HD-GBG	258
1123HD-SDL	262
115HD-FXG	256
118	254
128-FXG	256
128-GBG	258
128-SDL	262
1405HD-GBG	259
1405SLHD-GBG	259
1406HD-GBG	259
1408HD-GBG	258
1411HD-GBG	259
198-GBG	258
203HD	251
205HD	251
206HD	254
2109HD-GBG	258
210HD	251
210SLHD	254
2110HD-GBG	258
2111HD-GBG	258
236HD-FXG	256
237HD-FXG	256
255HD-FXG	256
256HD	254
262HD-FXG	256
262HD-GBG	258
262HD-SDL	262
263HD-FXG	256
263HD-GBG	259
263HD-SDL	262
263SLHD-FXG	259
263SLHD-GBG	259
263SLHD-SDL	262
289HD	254
296HD	254
296SLHD	254
4572SLHD-GBG	259
601HD	254
605HD	262
606HD	262
607HD	262
608HD	262
6184SL-SDL	262
6185SL-SDL	262
6186SL-SDL	262
632SL-FXG	256
632SL-GBG	259
632SL-SDL	262
6720SLHD-GBG	259
6720SLHD-SDL	262
708HD	254
752HD-FXG	256
752HD-GBG	259
959HD	254
959SLHD	254
961HD-GBG	258
961HD-SDL	262
969HD	251
978HD	251
980HD	254
982HD-FXG	256
982HD-GBG	258
982HD-SDL	262
19020T	254
19200T	254
19210T	254
19220T	254
TRADITIONS	
100SL	255
6184SL	263
6185SL	263
6186SL	263
632SL-FXG	257
632SL-GBG	261
632SL-SDL	263
800	267
808-FXG	257
808-GBG	260
810	267
818	255
818SL	255
8206	255
828-FXG	257
828SL-FXG	257
828SL-GBG	261
828SL-SDL	263
8317-FXG	257
8321-GBG	260
8321-SDL	263
8322-GBG	260
8323-GBG	260
8324-GBG	260
86184SL	263
86185SL	263
86186SL	263
8708	255
8752-FXG	257
8752-GBG	251
896	255
TS100	267
TS104	255
TS105	255
TS108-FXG	257
TS108-GBG	260
TS108-SDL	263
TS115-FXG	257
TS118	255
TS128-FXG	257
TS128-GBG	260
TS128-SDL	263
TS1408-GBG	261
TS1411-GBG	261
TS198-GBG	260
TS206	255
TS210	267
TS236-FXG	257
TS237-FXG	257
TS255-FXG	257
TS256	255
TS262-FXG	257
TS262-GBG	260
TS262-SDL	263
TS263-FXG	257
TS263-GBG	260
TS263-SDL	263
TS289	255
TS296	255
TS708	255
TS752-FXG	257
TS752-GBG	261




REEB® LEARNING CENTER

A learning center for everything door related.

Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit the Reeb Learning Center at **learn.reeb.com**.





Online Therma-Tru® Catalog

For an interactive format of this catalog, please visit **reeb.com/catalogs**



Reeb® Warranty Information

View product warranties for Therma-Tru® at **reeb.com/warranties**

REEB®
an SBP brand

Bethlehem, PA
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

Barclay, MD
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

Mocksville, NC
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

Providence, RI
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

Syracuse, NY
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax

THERMA-TRU® DOORS

PART# REEBTT24
VERSION 1.0.0

For more information, visit reeb.com.

COPYRIGHT © 2024 REEB® MILLWORK CORP. ALL RIGHTS RESERVED.